

Commercial Invoice

To: AHMED ABID AL-SHEIKH Trading CO.

Attention: Turkey Ahmed Abed Al-Sheikh

Tel: +966 12 620 5171

Commercial Registration Number : 4030028786

VAT Number : 300183671700003

From: ATC MIDDLE EAST FZCO

Attention: Echo Chan

Tel: 008615018796671

Shipment Number: 010401250209

Invoice Reference Number 167

Date: 08/11/2024

#	Item Number	Item	Quantity	Unit Price	Total Price
1	PR-DL-LOR36-02-043660	Premium – Lor – Down Light Recessed 36watt 4000K – CRI 80 3240Lumen – –IP 20 – OSRAM LED Round D225 x H65mm White / Die-cast aluminum (Housing) – 5 Year Warranty	2,000	\$ 6.75	\$ 13500
2	PR-EXL-FLA240-02-042822	Premium – Flare – Explosion Light Surface, Suspendant, Mounted with bracket 240watt 5500K – CRI 70 28800Lumen – –IP 66 – CREE LED Round D400 x H175mm Grey / Die-cast aluminum (Housing) – 5 Year Warranty	12	–	–
3	AS30149-A (RFE-0269A)	E-Series – Anis – Floodlight Mounted with bracket 150watt 3000K – CRI 80 12249Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W338 x L232 x H38mm Transparent / Glass (Front Cover) – White / Aluminum (Housing) – 3 Year Warranty Certified CB	11	\$ 15.39	\$ 169.29
4	AS60150-A (RFE-0268A)	E-Series – Anis – Floodlight Mounted with bracket 150watt 6500K – CRI 80 12997Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W338 x L232 x H38mm Transparent / Glass (Front Cover) – White / Aluminum (Housing) – 3 Year Warranty Certified CB	11	\$ 15.39	\$ 169.29
5	AS30151-A (RFE-0271A)	E-Series – Anis – Floodlight Mounted with bracket 200watt 3000K – CRI 80 15778Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W408 x L280 x H40mm Transparent / Glass (Front Cover) – White / Aluminum (Housing) – 3 Year Warranty Certified CB	7	\$ 20.55	\$ 143.85
6	AS30151-C	E-Series – Anis – Floodlight Mounted with bracket with lens 200watt 3000K – CRI 80 15778Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W408 x L280 x H40mm Transparent / PC (Lens) – White / Aluminum (Housing) – 3 Year Warranty Certified CB	291	\$ 20.55	\$ 5980.05
7	AS60152-A (RFE-0270A)	E-Series – Anis – Floodlight Mounted with bracket 200watt 6500K – CRI 80 17077Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W408 x L280 x H40mm Transparent / Glass (Front Cover) – White / Aluminum (Housing) – 3 Year Warranty Certified CB	7	\$ 20.55	\$ 143.85
8	AS60152-C	E-Series – Anis – Floodlight Mounted with bracket with lens 200watt 6500K – CRI 80 17077Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W408 x L280 x H40mm Transparent / PC (Lens) – White / Aluminum (Housing) – 3 Year Warranty Certified CB	1,478	\$ 20.55	\$ 30372.9
9	AS30153-C	E-Series – Anis – Floodlight Mounted with bracket with lens 300watt 3000K – CRI 80 23636Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W473 x L335 x H45mm Transparent / PC (Lens) – White / Aluminum (Housing) – 3 Year Warranty Certified CB	476	\$ 33.19	\$ 15798.44
10	AS60154-C	E-Series – Anis – Floodlight Mounted with bracket with lens 300watt 6500K – CRI 80 25279Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W473 x L335 x H45mm Transparent / PC (Lens) – White / Aluminum (Housing) – 3 Year Warranty Certified CB	1,000	\$ 33.19	\$ 33190
11	SF30001-A	Comfortlife – Safari – Floodlight Surface 5watt 3000K – CRI 80 500Lumen – Battery Voltage 3.7– Battery Capacity 3000– Battery Type Li-ion– Panel Output Voltage 5– Solar Panel Type mono-crystalline – Solar Panel Power 2.3– –IP 65 – Rectangular W149.62 x L231.9 x H33.68mm Black / ABS (Housing) – Transparent / plastic (Housing) – 2 Year Warranty Certified CB	1,006	\$ 7.82	\$ 7866.92

Stamp

Signature

#	Item Number	Item	Quantity	Unit Price	Total Price
12	SF30001-B	Comfortlife – Safari – Floodlight Surface 5watt 6000K – CRI 80 550Lumen – Battery Voltage 3.7– Battery Capacity 3000– Battery Type Li-ion– Panel Output Voltage 5– Solar Panel Type mono-crystalline – Solar Panel Power 2.3– –IP 65 – Rectangular W149.62 x L231.9 x H33.68mm Black / ABS (Housing) – Transparent / plastic (Housing) – 2 Year Warranty Certified CB	1,006	\$ 7.82	\$ 7866.92
13	SA40298-A	E-Series – Sari – High Bay Suspendant 150watt 4000K – CRI 70 12750Lumen – 0.9PF 175 To 265V IP 65 – LUMILEDS LED Round D310 x H88mm Black / Aluminum (Housing) – 2100g – 2 Year Warranty Certified CB	2	–	–
14	LM30445-C	E-Series – Lamsa – Table Lamp Free standing Dimmable Built-in touch dimmer 3watt 3000K – CRI 80 240Lumen – –IP 52 – OSRAM LED T Shape D112 x H370mm Black / Iron (Base) – Black / Iron (Pole) – Black / Iron (Lampshade) – 2 Year Warranty	498	\$ 7.21	\$ 3590.58
15	LM30450-C	E-Series – Lamsa – Table Lamp Free standing Dimmable Built-in touch dimmer 3watt 3000K – CRI 80 240Lumen – –IP 52 – OSRAM LED T Shape D112 x H370mm White / Iron (Base) – White / Iron (Pole) – White / Iron (Lampshade) – 2 Year Warranty	498	\$ 7.21	\$ 3590.58
16	LMR0443-C	E-Series – Lamsa – Table Lamp Free standing Dimmable Built-in touch dimmer 3watt RGBW – 240Lumen – –IP 52 – T Shape D112 x H370mm White / Iron (Base) – White / Iron (Pole) – White / Iron (Lampshade) – 2 Year Warranty	498	\$ 9.79	\$ 4875.42
17	LMR0449-C	E-Series – Lamsa – Table Lamp Free standing Dimmable Built-in touch dimmer 3watt RGBW – 240Lumen – –IP 52 – T Shape D112 x H370mm Black / Iron (Base) – Black / Iron (Pole) – Black / Iron (Lampshade) – 2 Year Warranty	498	\$ 9.79	\$ 4875.42
18	ES-0526A (RFE-0134A)	Plug For Strips 220V 50m 2835 12mm, Connected to electric plug type C. Non CB	1,200	\$ 0.39	\$ 468
19	AS121-11A	Electric – Asala – Blank Plate – – White / PC (Base), White / PC (Frame) – W146 x L86	495	\$ 0.54	\$ 267.3
20	AS121-22A	Electric – Asala – Blank Plate – – Black / PC (Base), Black / PC (Frame) – W146 x L86	495	\$ 0.71	\$ 351.45
21	EQ0754	Rechargeable battery, lithium-ion, Type-C charging 5VDC/700mA, with charging 18650 cable, 3.7V, 2000mAh, 7400mWh, charging time 3–3.5h, long life ≥ 1000 cycles, max discharge current 5A, 1 year warranty, Operating temperature –20° / +60° C, Weight .40g, D18xH65mm	173	\$ 1.75	\$ 302.75
22	EQ0702	Collapsed mosquito trap, Built-in 2000mAh li battery UV wave length: 0.06W 360–400nm, 0.1W 2835 390–400nm, Grid voltage ≥ 2000V Size: 290*200*80mm Material: ABS+PC Working time after full charge : about 12 hours Flying insects killer with two ways to use ,can be used without opening as a normal mosquito killer put on any surface ,table ,desk or on the floor ,or the handle can be opened and the trap can be used as a swatter (club shaped) ,this device comes with USB charging cable to charge the built in Li-ion battery can last for about 12 hours after a full charge, full charging may take from 4–5 hours , with an indicator that goes red while charging and green when is fully charged	498	\$ 10.84	\$ 5398.32
23	EQ0750	AAA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/120mA, with 2in1 cable, 1.5V, 440mAh, 660mWh, charging time 1–2h, long life ≥ 1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature –20° / +60° C, .Weight 8g, D10xH44mm	153	\$ 2.39	\$ 365.67
24	EQ0746	AA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 1460mAh, 2220mWh, charging time 1–2h, long life ≥ 1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature –20° / +60° C, Weight .16g, D14xH50mm	113	\$ 2.55	\$ 288.15
25	EQ0756	9V Rechargeable battery, lithium-ion, Type-C charging 5VDC/500mA, with charging cable, 9V, 400mAh, 3700mWh, charging time 2–2.5h, long life ≥ 1000 cycles, max discharge current 150mA, 1 year warranty, Operating temperature –20° / +60° C, Weight 24g, 48.1*26*16.8mm	443	\$ 2.63	\$ 1165.09
26	EQ0751	AAA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/250mA, with 2in1 cable, 1.5V, 580mAh, 880mWh, charging time 1–2h, long life ≥ 1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature –20° / +60° C, Weight .8.5g, D10xH44mm	953	\$ 2.92	\$ 2782.76
27	EQ0819	Metal Display Stand, 0.7mm Iron Size:W250xBase Depth250xH500mm with 4pcs of 200mm length pegboard hooks Printing Part: Material: 5mm thickness PVC	40	\$ 28.2	\$ 1128

Stamp

Signature

#	Item Number	Item	Quantity	Unit Price	Total Price
28	EQ0747	AA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 1700mAh, 2600mWh, charging time 1-2h, long life ≥ 1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / $+60^{\circ}$ C, Weight .18g, D14xH50mm	1,433	\$ 3.03	\$ 4341.99
29	EQ0755	Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/320mA, with 16340 2in1 cable, 3.7V, 700mAh, 2500mWh, charging time 2-2.5h, long life ≥ 1000 cycles, max discharge current 3A, 1 year warranty, Operating temperature -20° / $+60^{\circ}$ C, Weight .19g, D16xH35mm	93	\$ 4.14	\$ 385.02
30	EQ0748	AAA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/120mA, with 4in1 cable, 1.5V, 440mAh, 660mWh, charging time 1-2h, long life ≥ 1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / $+60^{\circ}$ C, .Weight 8g, D10xH44mm	313	\$ 4.78	\$ 1496.14
31	EQ0743	AA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/500mA, with 4in1 cable, 1.5V, 1460mAh, 2220mWh, charging time 1-2h, long life ≥ 1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / $+60^{\circ}$ C, Weight .16g, D14xH50mm	353	\$ 5.1	\$ 1800.3
32	EQ0749	AAA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/250mA, with 4in1 cable, 1.5V, 580mAh, 880mWh, charging time 1-2h, long life ≥ 1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / $+60^{\circ}$ C, Weight .8.5g, D10xH44mm	1,433	\$ 5.85	\$ 8383.05
33	EQ0744	AA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/500mA, with 4in1 cable, 1.5V, 1700mAh, 2600mWh, charging time 1-2h, long life ≥ 1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / $+60^{\circ}$ C, Weight .18g, D14xH50mm	1,433	\$ 6.06	\$ 8683.98
34	EQ0753	C type Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 4900mAh, 7400mWh, charging time~ 5h, long life ≥ 1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / $+60^{\circ}$ C, Weight .55.5g, D25.2xH50.5mm	113	\$ 6.22	\$ 702.86
35	EQ0752	D type Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 4900mAh, 7400mWh, charging time~ 5h, long life ≥ 1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / $+60^{\circ}$ C, Weight .80.5g, D32xH61mm	143	\$ 6.22	\$ 889.46
36	EQ0818	Metal Display Stand, 0.7mm Iron Size:W500xBase Depth450xH1500mm with 28pcs of 200mm length pegboard hooks Printing Part: Material: 5mm thickness PVC Cable Part: 300mm x 170mm	25	\$ 85.9	\$ 2147.5
37	GF0893	Switch shell	10	-	-
38	GF0894	Down light	6	-	-
39	GF0895	Street light lamp	2	-	-
40	GF0896	Outdoor light	1	-	-
41	GF0897	LED Flood light	6	-	-
Total	Only One Hundred Seventy Three Thousand Four Hundred Eighty One Point Thirty Zero USD		19,226		\$ 173,481.30

Stamp

Signature