

Commercial Invoice

To: AHMED ABID AL-SHEIKH Trading CO.

Attention: Turkey Ahmed Abed Al-Sheikh

Tel: +966 12 620 5171

Commercial Registration Number : 4030028786

VAT Number : 300183671700003

From: ATC MIDDLE EAST FZCO

Attention: Echo Chan

Tel: 008615018796671

Shipment Number: SH-010406260265

Invoice Reference Number 77

Date: 15/06/2026

#	Item Number	Item	Quantity	Unit Price	Total Price
1	AT30706-A	E-Series – Astral – Linear Dot Light Recessed 30watt 3000K – CRI 95 2250Lumen – 0.9PF 220 To 240V IP 20 – Linear W44 x L412 x H31mm White / Aluminum (Housing) – 2 Year Warranty Certified CB	120	\$ 7.06	\$ 847.2
2	AT60708-A	E-Series – Astral – Linear Dot Light Recessed 30watt 6000K – CRI 95 2250Lumen – 0.9PF 220 To 240V IP 20 – Linear W44 x L412 x H31mm White / Aluminum (Housing) – 2 Year Warranty Certified CB	98	\$ 7.06	\$ 691.88
3	D0206 – TST-01 Driver for PL30729-A	E-Series – Polkadot – Linear Light Suspendant 40watt 3000K – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – Linear W70.5 x L1180 x H68.5mm Black / Aluminum (Housing) – 1190g – 5 Year Warranty Certified CB	5	-	-
4	D0206 – TST-01 Driver for PL30728-A	E-Series – Polkadot – Linear Light Suspendant 40watt 3000K – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – Linear W70.5 x L1180 x H68.5mm White / Aluminum (Housing) – 1190g – 5 Year Warranty Certified CB	5	-	-
5	PL30728-A	E-Series – Polkadot – Linear Light Suspendant 40watt 3000K – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – Linear W70.5 x L1180 x H68.5mm White / Aluminum (Housing) – 1190g – 5 Year Warranty Certified CB	500	\$ 10.98	\$ 5490
6	PL30729-A	E-Series – Polkadot – Linear Light Suspendant 40watt 3000K – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – Linear W70.5 x L1180 x H68.5mm Black / Aluminum (Housing) – 1190g – 5 Year Warranty Certified CB	480	\$ 10.98	\$ 5270.4
7	D0206 – TST-01 Driver for PL40730-A	E-Series – Polkadot – Linear Light Suspendant 40watt 4000K – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – Linear W70.5 x L1180 x H68.5mm White / Aluminum (Housing) – 1190g – 5 Year Warranty Certified CB	3	-	-
8	D0206 – TST-01 Driver for PL40731-A	E-Series – Polkadot – Linear Light Suspendant 40watt 4000K – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – Linear W70.5 x L1180 x H68.5mm Black / Aluminum (Housing) – 1190g – 5 Year Warranty Certified CB	7	-	-
9	PL40730-A	E-Series – Polkadot – Linear Light Suspendant 40watt 4000K – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – Linear W70.5 x L1180 x H68.5mm White / Aluminum (Housing) – 1190g – 5 Year Warranty Certified CB	260	\$ 10.98	\$ 2854.8
10	PL40731-A	E-Series – Polkadot – Linear Light Suspendant 40watt 4000K – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – Linear W70.5 x L1180 x H68.5mm Black / Aluminum (Housing) – 1190g – 5 Year Warranty Certified CB	680	\$ 10.98	\$ 7466.4
11	D0206 – TST-01 Driver for PL60733-A	E-Series – Polkadot – Linear Light Suspendant 40watt 6000K – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – Linear W70.5 x L1180 x H68.5mm Black / Aluminum (Housing) – 1190g – 5 Year Warranty Certified CB	10	-	-
12	D0206 – TST-01 Driver for PL60732-A	E-Series – Polkadot – Linear Light Suspendant 40watt 6000K – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – Linear W70.5 x L1180 x H68.5mm White / Aluminum (Housing) – 1190g – 5 Year Warranty Certified CB	5	-	-
13	PL60732-A	E-Series – Polkadot – Linear Light Suspendant 40watt 6000K – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – Linear W70.5 x L1180 x H68.5mm White / Aluminum (Housing) – 1190g – 5 Year Warranty Certified CB	500	\$ 10.98	\$ 5490
14	PL60733-A	E-Series – Polkadot – Linear Light Suspendant 40watt 6000K – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – Linear W70.5 x L1180 x H68.5mm Black / Aluminum (Housing) – 1190g – 5 Year Warranty Certified CB	1,000	\$ 10.98	\$ 10980

Stamp

Signature

#	Item Number	Item	Quantity	Unit Price	Total Price
15	BD30937-C	E-Series – Badr – Solar Flood Light Mounted with bracket 50watt 3000K – CRI 70 700Lumen – Battery Voltage 3.2– Battery Capacity 6– Battery Type LiFePO4 Battery– Panel Output Voltage 6– Solar Panel Type mono–crystalline – Solar Panel Power 6– –IP 65 – Rectangular W214 x L239 x H49mm Grey / Die–cast aluminum (Housing) – 3 Year Warranty Certified CB	200	\$ 16.95	\$ 3390
16	BD40938-C	E-Series – Badr – Solar Flood Light Mounted with bracket 50watt 4000K – CRI 70 700Lumen – Battery Voltage 3.2– Battery Capacity 6– Battery Type LiFePO4 Battery– Panel Output Voltage 6– Solar Panel Type mono–crystalline – Solar Panel Power 6– –IP 65 – Rectangular W214 x L239 x H49mm Grey / Die–cast aluminum (Housing) – 3 Year Warranty Certified CB	104	\$ 16.95	\$ 1762.8
17	BD60939-C	E-Series – Badr – Solar Flood Light Mounted with bracket 50watt 6500K – CRI 70 700Lumen – Battery Voltage 3.2– Battery Capacity 6– Battery Type LiFePO4 Battery– Panel Output Voltage 6– Solar Panel Type mono–crystalline – Solar Panel Power 6– –IP 65 – Rectangular W214 x L239 x H49mm Grey / Die–cast aluminum (Housing) – 3 Year Warranty Certified CB	200	\$ 16.95	\$ 3390
18	BD30940-C	E-Series – Badr – Solar Flood Light Mounted with bracket 100watt 3000K – CRI 70 1120Lumen – Battery Voltage 3.2– Battery Capacity 15– Battery Type LiFePO4 Battery– Panel Output Voltage 6– Solar Panel Type mono–crystalline – Solar Panel Power 15– –IP 65 – Rectangular W214 x L239 x H49mm Grey / Die–cast aluminum (Housing) – 3 Year Warranty Certified CB	200	\$ 22.51	\$ 4502
19	BD40941-C	E-Series – Badr – Solar Flood Light Mounted with bracket 100watt 4000K – CRI 70 1120Lumen – Battery Voltage 3.2– Battery Capacity 15– Battery Type LiFePO4 Battery– Panel Output Voltage 6– Solar Panel Type mono–crystalline – Solar Panel Power 15– –IP 65 – Rectangular W214 x L239 x H49mm Grey / Die–cast aluminum (Housing) – 3 Year Warranty Certified CB	100	\$ 22.51	\$ 2251
20	BD60942-C	E-Series – Badr – Solar Flood Light Mounted with bracket 100watt 6500K – CRI 70 1120Lumen – Battery Voltage 3.2– Battery Capacity 15– Battery Type LiFePO4 Battery– Panel Output Voltage 6– Solar Panel Type mono–crystalline – Solar Panel Power 15– –IP 65 – Rectangular W214 x L239 x H49mm Grey / Die–cast aluminum (Housing) – 3 Year Warranty Certified CB	152	\$ 22.51	\$ 3421.52
21	BD30943-C	E-Series – Badr – Solar Flood Light Mounted with bracket 150watt 3000K – CRI 70 2800Lumen – Battery Voltage 3.2– Battery Capacity 30– Battery Type LiFePO4 Battery– Panel Output Voltage 6– Solar Panel Type mono–crystalline – Solar Panel Power 30– –IP 65 – Rectangular W214 x L239 x H49mm Grey / Die–cast aluminum (Housing) – 3 Year Warranty Certified CB	152	\$ 26.69	\$ 4056.88
22	BD40944-C	E-Series – Badr – Solar Flood Light Mounted with bracket 150watt 4000K – CRI 70 2800Lumen – Battery Voltage 3.2– Battery Capacity 30– Battery Type LiFePO4 Battery– Panel Output Voltage 6– Solar Panel Type mono–crystalline – Solar Panel Power 30– –IP 65 – Rectangular W214 x L239 x H49mm Grey / Die–cast aluminum (Housing) – 3 Year Warranty Certified CB	100	\$ 26.69	\$ 2669
23	BD60945-C	E-Series – Badr – Solar Flood Light Mounted with bracket 150watt 6500K – CRI 70 2800Lumen – Battery Voltage 3.2– Battery Capacity 30– Battery Type LiFePO4 Battery– Panel Output Voltage 6– Solar Panel Type mono–crystalline – Solar Panel Power 30– –IP 65 – Rectangular W214 x L239 x H49mm Grey / Die–cast aluminum (Housing) – 3 Year Warranty Certified CB	100	\$ 26.69	\$ 2669
24	BD30946-C	E-Series – Badr – Solar Flood Light Mounted with bracket 200watt 3000K – CRI 70 4200Lumen – Battery Voltage 3.2– Battery Capacity 45– Battery Type LiFePO4 Battery– Panel Output Voltage 6– Solar Panel Type mono–crystalline – Solar Panel Power 40– –IP 65 – Rectangular W293 x L359 x H49mm Grey / Die–cast aluminum (Housing) – 3 Year Warranty Certified CB	152	\$ 42.63	\$ 6479.76
25	BD40947-C	E-Series – Badr – Solar Flood Light Mounted with bracket 200watt 4000K – CRI 70 4200Lumen – Battery Voltage 3.2– Battery Capacity 45– Battery Type LiFePO4 Battery– Panel Output Voltage 6– Solar Panel Type mono–crystalline – Solar Panel Power 40– –IP 65 – Rectangular W293 x L359 x H49mm Grey / Die–cast aluminum (Housing) – 3 Year Warranty Certified CB	152	\$ 42.63	\$ 6479.76

Stamp

Signature

#	Item Number	Item	Quantity	Unit Price	Total Price
26	BD60948-C	E-Series – Badr – Solar Flood Light Mounted with bracket 200watt 6500K – CRI 70 4200Lumen – Battery Voltage 3.2– Battery Capacity 45– Battery Type LiFePO4 Battery– Panel Output Voltage 6– Solar Panel Type mono–crystalline – Solar Panel Power 40– –IP 65 – Rectangular W293 x L359 x H49mm Grey / Die–cast aluminum (Housing) – 3 Year Warranty Certified CB	200	\$ 42.63	\$ 8526
27	CXA1816 LED for AB30674-A	E-Series – Albert – Track light On rail 30watt 3000K – CRI 80 2400Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D88 x H105mm White / Aluminum (Housing) – 540g – 5 Year Warranty Certified CB	1	-	-
28	D0126 – LF– GIT030YB0800H(S) Driver for AB30674-A	E-Series – Albert – Track light On rail 30watt 3000K – CRI 80 2400Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D88 x H105mm White / Aluminum (Housing) – 540g – 5 Year Warranty Certified CB	1	-	-
29	CXA1816 LED for AB30673-A	E-Series – Albert – Track light On rail 30watt 3000K – CRI 80 2400Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D88 x H105mm Black / Aluminum (Housing) – 540g – 5 Year Warranty Certified CB	1	-	-
30	D0126 – LF– GIT030YB0800H(S) Driver for AB30673-A	E-Series – Albert – Track light On rail 30watt 3000K – CRI 80 2400Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D88 x H105mm Black / Aluminum (Housing) – 540g – 5 Year Warranty Certified CB	1	-	-
31	CXA1816 LED for AB60677-A	E-Series – Albert – Track light On rail 30watt 6000K – CRI 80 2400Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D88 x H105mm White / Aluminum (Housing) – 540g – 5 Year Warranty Certified CB	1	-	-
32	D0126 – LF– GIT030YB0800H(S) Driver for AB60677-A	E-Series – Albert – Track light On rail 30watt 6000K – CRI 80 2400Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D88 x H105mm White / Aluminum (Housing) – 540g – 5 Year Warranty Certified CB	1	-	-
33	CXA1816 LED for AB60678-A	E-Series – Albert – Track light On rail 30watt 6000K – CRI 80 2400Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D88 x H105mm Black / Aluminum (Housing) – 540g – 5 Year Warranty Certified CB	1	-	-
34	D0126 – LF– GIT030YB0800H(S) Driver for AB60678-A	E-Series – Albert – Track light On rail 30watt 6000K – CRI 80 2400Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D88 x H105mm Black / Aluminum (Housing) – 540g – 5 Year Warranty Certified CB	1	-	-
35	D0127 – LF– GIT038YC0950H(S) Driver for AB30679-A	E-Series – Albert – Track light On rail 40watt 3000K – CRI 80 3200Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D97 x H105mm White / Aluminum (Housing) – 600g – 5 Year Warranty Certified CB	2	-	-
36	CXA1820 LED for AB30679-A	E-Series – Albert – Track light On rail 40watt 3000K – CRI 80 3200Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D97 x H105mm White / Aluminum (Housing) – 600g – 5 Year Warranty Certified CB	2	-	-
37	CXA1820 LED for AB30680-A	E-Series – Albert – Track light On rail 40watt 3000K – CRI 80 3200Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D97 x H105mm Black / Aluminum (Housing) – 600g – 5 Year Warranty Certified CB	2	-	-
38	D0127 – LF– GIT038YC0950H(S) Driver for AB30680-A	E-Series – Albert – Track light On rail 40watt 3000K – CRI 80 3200Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D97 x H105mm Black / Aluminum (Housing) – 600g – 5 Year Warranty Certified CB	2	-	-
39	CXA1820 LED for AB60683-A	E-Series – Albert – Track light On rail 40watt 6000K – CRI 80 3200Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D97 x H105mm White / Aluminum (Housing) – 600g – 5 Year Warranty Certified CB	2	-	-
40	D0127 – LF– GIT038YC0950H(S) Driver for AB60684-A	E-Series – Albert – Track light On rail 40watt 6000K – CRI 80 3200Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D97 x H105mm Black / Aluminum (Housing) – 600g – 5 Year Warranty Certified CB	2	-	-
41	CXA1820 LED for AB60684-A	E-Series – Albert – Track light On rail 40watt 6000K – CRI 80 3200Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D97 x H105mm Black / Aluminum (Housing) – 600g – 5 Year Warranty Certified CB	2	-	-
42	D0127 – LF– GIT038YC0950H(S) Driver for AB60683-A	E-Series – Albert – Track light On rail 40watt 6000K – CRI 80 3200Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D97 x H105mm White / Aluminum (Housing) – 600g – 5 Year Warranty Certified CB	2	-	-
43	ES-1898	Rafeed NEMA socket 7 Pins Short cap to make the light run in case there is no photocell .sensor, AC 0–480 V, Maximum current 10A, IP66, 50/60 HZ, Power load 2400W	2,900	\$ 0.79	\$ 2291

Stamp

Signature

#	Item Number	Item	Quantity	Unit Price	Total Price
44	EQ0925	Comfortlife, Power bank 10,000mAh, PD22.5W+Wireless 15W, Input: Type-C: 5V/3A 9V/2A 12V/1.5A, Type-C Cable : 5V/3A 9V/2A 12V/1.5A, Output: USB-A : 5V/3A 9V/2A 12V/1.5A 10V/2.25A Type-C : 5V/3A 9V/2.22A 12V/1.67A 10V/2.25A Type-C Cable: 5V/3A 9V/2.22A 12V/1.67A 10V/2.25A Wireless: 5W 7W 10W 15W, L110xW70.8xH15.9mm, .ABS+PC+Fireproof+Aviation Aluminum, White color	1,469	\$ 10.67	\$ 15674.23
45	GF0021	RFM-0078-CB ES Catalog	250	-	-
Total	Only One Hundred Six Thousand Six Hundred Fifty Three Point Sixty Three USD		10,128		\$ 106,653.63

Stamp

Signature