

Packing List

Consignee: Advanced smart systems LLC

Attention: Mario Karam

Tel: 03 105453

Address: gazir , main road, Beirut, Beirut, Lebanon

From: ATC MIDDLE EAST FZCO

Attention: Echo Chan

Tel: 008615018796671

Address: JAFZA One, 11th Floor, Jebel Ali Free
Zone , Dubai, UAE

Shipment Number: 040209240206

Order Number: 0161,0179,0200

Date: 18/09/2024

Stamp



03928754

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
1	020611 20GP	AS30133-B (RFE-0261A.)	E-Series – Anis – Floodlight Mounted with bracket 10watt 3000K – CRI 70 800Lumen – 0.8PF 176 To 265V IP 65 – Rectangular W127 x L120 x H23mm Transparent / Glass (Front Cover) – White / Aluminum (Housing) – 250g – 2 Year Warranty Non CB	1,800	60	30	453	522	0.0356	1.067 m ³
2		ASG0131-B (RFE-0294A.)	E-Series – Anis – Floodlight Mounted with bracket 10watt Green – 700Lumen – 0.8PF 176 To 265V IP 65 – Rectangular W127 x L120 x H23mm Transparent / Glass (Front Cover) – White / Aluminum (Housing) – 250g – 2 Year Warranty Non CB	1,020	60	17	256.7	295.8	0.0356	0.6047 m ³
3		ASP0129-B (RFE-0339A.)	E-Series – Anis – Floodlight Mounted with bracket 10watt Purple – 700Lumen – 0.8PF 176 To 265V IP 65 – Rectangular W127 x L120 x H23mm Transparent / Glass (Front Cover) – White / Aluminum (Housing) – 250g – 2 Year Warranty Non CB	240	60	4	60.4	69.6	0.0356	0.1423 m ³
4		ASR0132-B (RFE-0293A.)	E-Series – Anis – Floodlight Mounted with bracket 10watt Red – 700Lumen – 0.8PF 176 To 265V IP 65 – Rectangular W127 x L120 x H23mm Transparent / Glass (Front Cover) – White / Aluminum (Housing) – 250g – 2 Year Warranty Non CB	120	60	2	30.2	34.8	0.0356	0.0711 m ³
5		AS30139-B (RFE-0263A.)	E-Series – Anis – Floodlight Mounted with bracket 30watt 3000K – CRI 70 2400Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W185 x L158 x H25mm Transparent / Glass (Front Cover) – White / Aluminum (Housing) – 2 Year Warranty Non CB	400	20	20	192	222	0.0234	0.4684 m ³
6		AS60140-B (RFE-0262A.)	E-Series – Anis – Floodlight Mounted with bracket 30watt 6000K – CRI 70 2550Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W185 x L158 x H25mm Transparent / Glass (Front Cover) – White / Aluminum (Housing) – 2 Year Warranty Non CB	400	20	20	192	222	0.0234	0.4684 m ³
7		ASG0137-B (RFE-0298A.)	E-Series – Anis – Floodlight Mounted with bracket 30watt Green – 2100Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W185 x L158 x H25mm Transparent / Glass (Front Cover) – White / Aluminum (Housing) – 2 Year Warranty Non CB	200	20	10	96	111	0.0234	0.2342 m ³
8		AS30145-B (RFE-0265A.)	E-Series – Anis – Floodlight Mounted with bracket 50watt 3000K – CRI 70 4000Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W230 x L195 x H30mm Transparent / Glass (Front Cover) – White / Aluminum (Housing) – 2 Year Warranty Non CB	300	10	30	249	279	0.0205	0.6163 m ³
9		AS60146-B (RFE-0264A.)	E-Series – Anis – Floodlight Mounted with bracket 50watt 6000K – CRI 70 4250Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W230 x L195 x H30mm Transparent / Glass (Front Cover) – White / Aluminum (Housing) – 2 Year Warranty Non CB	200	10	20	166	186	0.0205	0.4109 m ³
10		AS30149-B (RFE-0269A.)	E-Series – Anis – Floodlight Mounted with bracket 150watt 3000K – CRI 80 12249Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W338 x L232 x H38mm Transparent / Glass (Front Cover) – White / Aluminum (Housing) – 2 Year Warranty Non CB	54	6	9	131.4	147.6	0.0309	0.2785 m ³
11		AS60150-B (RFE-0268A.)	E-Series – Anis – Floodlight Mounted with bracket 150watt 6500K – CRI 80 12997Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W338 x L232 x H38mm Transparent / Glass (Front Cover) – White / Aluminum (Housing) – 2 Year Warranty Non CB	54	6	9	131.4	147.6	0.0309	0.2785 m ³
12		AS60154-B (RFE-0272A.)	E-Series – Anis – Floodlight Mounted with bracket 300watt 6500K – CRI 80 25279Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W473 x L335 x H45mm Transparent / Glass (Front Cover) – White / Aluminum (Housing) – 2 Year Warranty Non CB	72	3	24	362.4	400.8	0.03	0.7192 m ³
13		DE30284A	E-Series – Deem – Panel Light Surface 2837SMD 48 pcs 48watt 3000K – CRI 80 4320Lumen – 0.5PF 200 To 240V IP 20 – Rectangular W300 x L1200 x H30mm White / PVC (Front frame) – White / Iron (Back cover) – 2 Year Warranty Non CB, Backlit	104	8	13	234	247	0.1476	1.9183 m ³
14		DE40285A	E-Series – Deem – Panel Light Surface 2837SMD 48 pcs 48watt 4000K – CRI 80 4320Lumen – 0.5PF 200 To 240V IP 20 – Rectangular W300 x L1200 x H30mm White / PVC (Front frame) – White / Iron (Back cover) – 2 Year Warranty Non CB, Backlit	104	8	13	234	247	0.1476	1.9183 m ³

Stamp



03928754

2 of 3

Powered By LUMYTIC

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
15	020611 20GP	DE60286A	E-Series – Deem – Panel Light Surface 2837SMD 48 pcs 48watt 6500K – CRI 80 4320Lumen – 0.5PF 200 To 240V IP 20 – Rectangular W300 x L1200 x H30mm White / PVC (Front frame) – White / Iron (Back cover) – 2 Year Warranty Non CB, Backlit	200	8	25	450	475	0.1476	3.689 m ³
16		DE60439-A	E-Series – Deem – Panel Light Surface 2837SMD 48 pcs 50watt 6500K – CRI 80 4500Lumen – 0.5PF 200 To 240V IP 20 – Square W600 x L600 x H30mm White / PVC (Front frame) – White / Iron (Back cover) – 2 Year Warranty Non CB	200	8	25	350000	475000	0.1414	3.536 m ³
17		DE60289A	E-Series – Deem – Panel Light Surface 2837SMD 96 pcs 96watt 6500K – CRI 80 8640Lumen – 0.5PF 200 To 240V IP 20 – Rectangular W600 x L1200 x H30mm White / PVC (Front frame) – White / Iron (Back cover) – 3000g – 2 Year Warranty Non CB, Backlit	132	4	33	379.5	412.5	0.274	9.0433 m ³
18		RA30092 (RFE-0281)	E-Series – Rashed – Tube Light T5 Recessed 12watt 3000K – CRI 70 756Lumen – 0.5PF 165 To 265V IP 20 – Linear W22 x L600 x H34mm White / Aluminum (Housing) – 2 Year Warranty Non CB	1,500	25	60	150	174	0.0205	1.232 m ³
19		RA60093 (RFE-0280)	E-Series – Rashed – Tube Light T5 Recessed 12watt 6500K – CRI 70 840Lumen – 0.5PF 165 To 265V IP 20 – Linear W22 x L600 x H34mm White / Aluminum (Housing) – 2 Year Warranty Non CB	800	25	32	80	92.8	0.0205	0.6571 m ³
20		RA30096 (RFE-0283)	E-Series – Rashed – Tube Light T5 Recessed 14watt 3000K – CRI 70 882Lumen – 0.5PF 165 To 265V IP 20 – Linear W22 x L900 x H34mm White / Aluminum (Housing) – 2 Year Warranty Non CB	1,300	25	52	228.8	254.8	0.0274	1.4237 m ³
21		RA60097 (RFE-0282)	E-Series – Rashed – Tube Light T5 Recessed 14watt 6500K – CRI 70 980Lumen – 0.5PF 165 To 265V IP 20 – Linear W22 x L900 x H34mm White / Aluminum (Housing) – 2 Year Warranty Non CB	800	25	32	140.8	156.8	0.0274	0.8761 m ³
22		RA30100 (RFE-0285)	E-Series – Rashed – Tube Light T5 Recessed 24watt 3000K – CRI 70 1512Lumen – 0.5PF 165 To 265V IP 20 – Linear W22 x L1200 x H34mm White / Aluminum (Housing) – 2 Year Warranty Non CB	2,000	25	80	448	504	0.0316	2.5249 m ³
23		RA60101 (RFE-0284)	E-Series – Rashed – Tube Light T5 Recessed 24watt 6500K – CRI 70 1680Lumen – 0.5PF 165 To 265V IP 20 – Linear W22 x L1200 x H34mm White / Aluminum (Housing) – 2 Year Warranty Non CB	1,000	25	40	224	252	0.0316	1.2624 m ³
24		GF0039	RFM-0049-Rafeed marketing bag	30	15	2	28	30	0.134	0.2679 m ³
25		GF0031	RFM-0073 Calendar	50	–	1	14	14	–	0.0371 m ³
26		GF0023	RFM-0044 Rafeed note book	40	–	1	19	20.7	–	0.0307 m ³
27		GF0020	RFM-0079-NON CB ES Catalog	50						
28		GF0811	replacement for RFE-0114 –Driver	4	–	1	19	20.7	–	0.0307 m ³
29		GF0812	replacement for RFE-0114 –PCB	15						
Total				13,189		605	354,970	480,540		33.8068 m ³

Stamp



03928754

3 of 3

Powered By LUMYTIC

Signature