



MAR Spotlight MR30001

مار

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, loadian, and a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .


Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.







Power 6 W

Lumen 450 lm

Input Voltage 90-265 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 75 lm/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: MR16

Applications Government institutions, Supermarkets, Galleries, Offices, Restaurants, Schools, Hospitals & Clinics, Hotel





MAR Spotlight MR60003

مار

Aligh performance with a wide degree beam angle, with no waiting time to **مار** سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.


الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.





Power 6 W

Lumen 500 lm

Input Voltage 90-265 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 6500 K

Lumen Efficiency 83 lm/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: MR16

Applications Government institutions, Supermarkets, Galleries, Offices, Restaurants, Schools, Hospitals & Clinics, Hotel





MAR Spotlight MR40002

مار

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, loadian, and a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .


Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.







Power 6 W

Lumen 480 lm

Input Voltage 90-265 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: MR16

Applications Government institutions, Supermarkets, Galleries, Offices, Restaurants, Schools, Hospitals & Clinics, Hotel





MAR Spotlight MR60008

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.







Power 6 W

Lumen 500 lm

Input Voltage 100-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 6500 K

Lumen Efficiency 83 lm/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method not dimmable

Materials Aluminum, plastic

Color Silver, White

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: GU10

Applications Offices, Hospitals & Clinics, Supermarkets,

Schools, Showrooms, Government institutions,

Restaurants, Hotel





MAR Spotlight MR40007

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .


Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.







Power 6 W

Lumen 475 lm

Input Voltage 100-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 79 lm/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method not dimmable

Materials Aluminum, plastic

Color Silver, White

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: GU10

Applications Offices, Hospitals & Clinics, Supermarkets,

Schools, Showrooms, Restaurants, Hotel





MAR Spotlight MR30006

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.







Power 6 W

Lumen 450 lm

Input Voltage 100-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 75 lm/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method not dimmable

Materials Aluminum, plastic

Color Silver, White

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: GU10





MAR Spotlight MR60003-A

Energy saving: a perfect 50W halogen bulb replacement and save over

Easy to install: can be easily fitted. Ideal for living room, bedroom,

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.


يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.

95% on your energy bill and safer than halogen bulbs.







Power 7 W

Lumen 620 lm

Input Voltage 90-265 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 6500 K

Lumen Efficiency 88 lm/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 52 \text{ mm}$

Working temperature -20 C° to +45 C°

Installation way Base: MR16

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Government institutions, Restaurants, Hotel, Galleries







MAR Spotlight MR40002-A

مار

Aligh performance with a wide degree beam angle, with no waiting time to **مار** سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

 $\mbox{\bf Energy saving}:$ a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.







Power 7 W

Lumen 610 lm

Input Voltage 90-265 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 87 Im/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 52 \text{ mm}$

Working temperature -20 C° to +45 C°

Installation way Base: MR16

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Government institutions, Restaurants, Hotel, Galleries







MAR Spotlight MR30001-A

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .


Energy saving: a perfect 50W halogen bulb replacement and save over


95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.









IP20

Power 7 W

Lumen 600 lm

Input Voltage 90-265 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 85 lm/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 52 \text{ mm}$

Working temperature -20 C° to +45 C°

Installation way Base: MR16

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Government institutions, Restaurants, Hotel, Galleries







MAR Spotlight MR60008-A

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over


95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.









IP20

Power 7 W

Lumen 620 lm

Input Voltage 90-265 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 6500 K

Lumen Efficiency 88 lm/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method not dimmable

Materials Stainless Steel

Color Silver

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +45 C°

Installation way Base: GU10

Applications Offices, Hospitals & Clinics, Supermarkets,

Schools, Showrooms, Government institutions,

Restaurants, Hotel







MAR Spotlight MR40007-A

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .


Energy saving: a perfect 50W halogen bulb replacement and save over 95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.









IP20

Power 7 W

Lumen 610 lm

Input Voltage 90-265 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 87 Im/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method not dimmable

Materials Aluminum, plastic

Color Silver, White

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +45 C°

Installation way Base: GU10

Applications Offices, Hospitals & Clinics, Supermarkets,

Schools, Showrooms, Restaurants, Hotel







MAR Spotlight MR30006-A

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.


الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .


Energy saving: a perfect 50W halogen bulb replacement and save over 95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.









IP20

Power 7 W

Lumen 600 lm

Input Voltage 90-265 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 85 lm/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method not dimmable

Materials Stainless Steel

Color Silver

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +45 C°

Installation way Base: GU10







MAR Spotlight MR30242

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .


Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.







Power 7 W

Lumen 490 lm

Input Voltage 100-240 V AC product

Frequency Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 70 lm/W

Beam Angle 38°

CRI 80

Dimming Method not dimmable

Materials plastic

Color White

Dimension (D x H) $85 \times 45 \text{ mm}$

Cut Out 75 mm

Working temperature -20 C° to +40 C°

Installation way Recessed







MAR Spotlight MR40243

مار

Aligh performance with a wide degree beam angle, with no waiting time to **مار** سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .


Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.







Power 7 W

Lumen 525 lm

Input Voltage 100-240 V AC product

Frequency Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 75 lm/W

Beam Angle 38°

CRI 80

Dimming Method not dimmable

Materials plastic

Color White

Dimension (D x H) $85 \times 45 \text{ mm}$

Cut Out 75 mm

Working temperature -20 C° to +40 C°

Installation way Recessed

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Showrooms, Restaurants, Hotel, Fashion Stores







MAR Spotlight MR60244

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .


Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.







Power 7 W

Lumen 560 lm

Input Voltage 100-240 V AC product

Frequency Hz

PF 0.5

LED type SMD

Color Temperature 6500 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

CRI 80

Dimming Method not dimmable

Materials plastic

Color White

Dimension (D x H) $85 \times 45 \text{ mm}$

Cut Out 75 mm

Working temperature -20 C° to +40 C°

Installation way Recessed







MAR Spotlight MR30242-A

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.


الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.





Power 7 W

Lumen 490 lm

Input Voltage 100-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 70 lm/W

Beam Angle 38°

CRI 80

Dimming Method not dimmable

Materials plastic

Color White

Dimension (D x H) $85 \times 45 \text{ mm}$

Cut Out 75 mm

Working temperature $-20 \, \text{C}^{\circ}$ to $+40 \, \text{C}^{\circ}$

Installation way Recessed

Applications Fashion Stores, Hotel, Restaurants, Showrooms, Schools, Supermarkets, Hospitals & Clinics, Offices







MAR Spotlight MR60244-A

مار

Aligh performance with a wide degree beam angle, with no waiting time to **مار** سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .


Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.







Power 7 W

Lumen 560 lm

Input Voltage 100-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 6500 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

CRI 80

Dimming Method not dimmable

Materials plastic

Color White

Dimension (D x H) $85 \times 45 \text{ mm}$

Cut Out 75 mm

Working temperature $-20 \, \text{C}^{\circ}$ to $+40 \, \text{C}^{\circ}$

Installation way Recessed

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Showrooms, Restaurants, Hotel, Fashion Stores







MAR Spotlight MR30261

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over 95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.







Power 7 W

Lumen 560 lm

Input Voltage 180-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method Phase cut

Materials Aluminum, plastic

Color Silver, White

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: GU10

Applications Offices, Hospitals & Clinics, Supermarkets,

Schools, Showrooms, Government institutions, Restaurants, Hotel, Galleries, Fashion Stores







MAR Spotlight MR30262

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.







IP20

Power 7 W

Lumen 560 lm

Input Voltage 180-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method Phase cut

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: MR16

Applications Offices, Hospitals & Clinics, Supermarkets,

Schools, Showrooms, Government institutions, Restaurants, Hotel, Galleries, Fashion Stores







MAR Spotlight MR40263

مار

Aligh performance with a wide degree beam angle, with no waiting time to **مار** سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.


الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 180-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method Phase cut

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: MR16

Applications Offices, Hospitals & Clinics, Supermarkets,

Schools, Showrooms, Government institutions, Restaurants, Hotel, Galleries, Fashion Stores







MAR Spotlight MR60265

مار

Aligh performance with a wide degree beam angle, with no waiting time to **مار** سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, loadian, and a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.







Power 7 W

Lumen 560 lm

Input Voltage 180-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 6000 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method Phase cut

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: MR16

Applications Offices, Hospitals & Clinics, Supermarkets,

Schools, Showrooms, Government institutions, Restaurants, Hotel, Galleries, Fashion Stores







MAR Spotlight MR40264

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.







Power 7 W

Lumen 560 lm

Input Voltage 180-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method Phase cut

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: GU10

Applications Offices, Hospitals & Clinics, Supermarkets,

Schools, Showrooms, Government institutions, Restaurants, Hotel, Galleries, Fashion Stores







MAR Spotlight MR60266

مار

Aligh performance with a wide degree beam angle, with no waiting time to **مار** سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, room.

يعتبر هذاً السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.







Power 7 W

Lumen 560 lm

Input Voltage 180-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 6000 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method Phase cut

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: GU10

Applications Offices, Hospitals & Clinics, Supermarkets,

Schools, Showrooms, Government institutions, Restaurants, Hotel, Galleries, Fashion Stores







MAR Spotlight MR40243-A

مار

Aligh performance with a wide degree beam angle, with no waiting time to **مار** سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .


Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.







IP20

Power 7 W

Lumen 525 lm

Input Voltage 100-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 75 lm/W

Beam Angle 38°

CRI 80

Dimming Method not dimmable

Materials plastic

Color White

Dimension (D x H) $85 \times 45 \text{ mm}$

Cut Out 75 mm

Working temperature -20 C° to +40 C°

Installation way Recessed

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Showrooms, Restaurants, Hotel, Fashion Stores







MAR Spotlight MR30292

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over 95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.





Power 7 W

Lumen 580 lm

Input Voltage 170-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 82 Im/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 53 \text{ mm}$

Working temperature -10 C° to +40 C°

Installation way Base: GU10

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Restaurants, Hotel, Government institutions, Galleries







MAR Spotlight MR40294

مار

Aligh performance with a wide degree beam angle, with no waiting time to **مار** سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.





Power 7 W

Lumen 580 lm

Input Voltage 170-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 82 Im/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 53 \text{ mm}$

Working temperature -10 C° to +40 C°

Installation way Base: GU10

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Restaurants, Hotel, Government institutions, Galleries







MAR Spotlight MR60296

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.





Power 7 W

Lumen 580 lm

Input Voltage 170-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 6500 K

Lumen Efficiency 82 Im/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 53 \text{ mm}$

Working temperature -10 C° to +40 C°

Installation way Base: GU10

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Government institutions, Restaurants, Hotel, Galleries







MAR Spotlight MR30293

مار

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, loadian, and a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض.

يعتبر هذاً السُبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 110-220 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type MR16

CRI 85

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 48 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: MR16

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Government institutions, Restaurants, Hotel, Galleries







MAR Spotlight MR40295

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 110-220 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 80 Im/W

Beam Angle 38°

Base Type MR16

CRI 85

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 48 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: MR16

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Government institutions, Restaurants, Hotel, Galleries







MAR Spotlight MR60297

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 110-220 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 6500 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type MR16

CRI 85

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 48 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: MR16

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Government institutions, Restaurants, Hotel, Galleries







MAR Spotlight MR60305

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .


Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.







Power 7 W

Lumen 700 lm

Input Voltage 100-240 V AC product

Frequency 50/60 Hz

PF 0.9

LED type SMD

Color Temperature 6000 K

Lumen Efficiency 100 lm/W

Beam Angle 50°

CRI 80

Dimming Method not dimmable

Materials plastic

Color White

Dimension (D x H) $93 \times 42.5 \text{ mm}$

Cut Out 75 mm

Working temperature -20 C° to +40 C°

Installation way Recessed







MAR Spotlight MR40304

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room. Energy saving: a perfect 50W halogen bulb replacement and save over

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.


الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.

95% on your energy bill and safer than halogen bulbs.







Power 7 W

Lumen 650 lm

Input Voltage 100-240 V AC product

Frequency 50/60 Hz

PF 0.9

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 92 lm/W

Beam Angle 50°

CRI 80

Dimming Method not dimmable

Materials plastic

Color White

Dimension (D x H) $93 \times 42.5 \text{ mm}$

Cut Out 75 mm

Working temperature -20 C° to +40 C°

Installation way Recessed







MAR Spotlight MR30303

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .


Energy saving: a perfect 50W halogen bulb replacement and save over


95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.









Power 7 W

Lumen 630 lm

Input Voltage 100-240 V AC product

Frequency 50/60 Hz

PF 0.9

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 90 lm/W

Beam Angle 50°

CRI 80

Dimming Method not dimmable

Materials plastic


Color White

Dimension (D x H) $93 \times 42.5 \text{ mm}$

Cut Out 75 mm

Working temperature -20 C° to +40 C°

Installation way Recessed









MAR Spotlight MR30303-A

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.


الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over 95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.







Power 7 W

Lumen 630 lm

Input Voltage 200-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 90 lm/W

Beam Angle 50°

CRI 80

Dimming Method not dimmable

Materials plastic

Color White

Dimension (D x H) $93 \times 42.5 \text{ mm}$

Cut Out 75 mm

Working temperature -20 C° to +40 C°

Installation way Recessed







MAR Spotlight MR40304-A

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .


Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.







Power 7 W

Lumen 650 lm

Input Voltage 200-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 92 lm/W

Beam Angle 50°

CRI 80

Dimming Method not dimmable

Materials plastic

Color White

Dimension (D x H) $93 \times 42.5 \text{ mm}$

Cut Out 75 mm

Working temperature -20 C° to +40 C°

Installation way Recessed







MAR Spotlight MR60305-A

مار

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, loadian, and a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .


Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.







Power 7 W

Lumen 650 lm

Input Voltage 200-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 6000 K

Lumen Efficiency 92 lm/W

Beam Angle 50°

CRI 80

Dimming Method not dimmable

Materials plastic

Color White

Dimension (D x H) 93 x 42.5 mm

Cut Out 75 mm

Working temperature -20 C° to +40 C°

Installation way Recessed

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Showrooms, Restaurants, Hotel, Fashion Stores







MAR Spotlight MR60297A

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over 95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.





IP20

Power 7 W

Lumen 560 lm

Input Voltage 110-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 6500 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 48 \text{ mm}$

Working temperature -10 C° to +40 C°

Installation way Base: MR16







MAR Spotlight MR40295A

مار

Aligh performance with a wide degree beam angle, with no waiting time to **مار** سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 110-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 48 \text{ mm}$

Working temperature -10 C° to +40 C°

Installation way Base: MR16

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Government institutions, Restaurants, Hotel, Galleries







MAR Spotlight MR30293A

مار

Aligh performance with a wide degree beam angle, with no waiting time to **مار** سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

 $\mbox{\bf Energy saving}:$ a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 110-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 48 \text{ mm}$

Working temperature -10 C° to +40 C°

Installation way Base: MR16

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Government institutions, Restaurants, Hotel, Galleries







MAR Spotlight MR60296A

مار

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, loadian, and a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 110-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 6500 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 53 \text{ mm}$

Working temperature -10 C° to +40 C°

Installation way Base: GU10

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Government institutions, Restaurants, Hotel, Galleries







MAR Spotlight MR40294A

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 110-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 80 Im/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 53 \text{ mm}$

Working temperature -10 C° to +40 C°

Installation way Base: GU10







MAR Spotlight MR30292A

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 110-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 53 \text{ mm}$

Working temperature -10 C° to +40 C°

Installation way Base: GU10







MAR Spotlight MR60305-B

مار

Aligh performance with a wide degree beam angle, with no waiting time to **مار** سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .


Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.









Power 7 W

Lumen 700 lm

Input Voltage 200-240 V AC product

Frequency Hz

PF 0.5

LED type SMD

Color Temperature 6000 K

Lumen Efficiency 100 lm/W

Beam Angle 50°

CRI 80

Dimming Method not dimmable

Materials plastic

Color White

Dimension (D x H) $93 \times 42.5 \text{ mm}$

Cut Out 75 mm

Working temperature -20 C° to +40 C°

Installation way Recessed

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Showrooms, Restaurants, Hotel, Fashion Stores





MAR Spotlight MR40304-B

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.


الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over 95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.







IP20

Power 7 W

Lumen 650 lm

Input Voltage 200-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 92 Im/W

Beam Angle 50°

CRI 80

Dimming Method not dimmable

Materials plastic

Color White

Dimension (D x H) $93 \times 42.5 \text{ mm}$

Cut Out 75 mm

Working temperature -20 C° to +40 C°

Installation way Recessed

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Showrooms, Restaurants, Hotel, Fashion Stores





MAR Spotlight MR30303-B

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .


Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.







Power 7 W

Lumen 630 lm

Input Voltage 200-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 90 lm/W

Beam Angle 50°

CRI 80

Dimming Method not dimmable

Materials plastic

Color White

Dimension (D x H) $93 \times 42.5 \text{ mm}$

Cut Out 75 mm

Working temperature -20 C° to +40 C°

Installation way Recessed

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Showrooms, Restaurants, Hotel, Fashion Stores





MAR Spotlight MR30262-A

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over 95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.





Power 7 W

Lumen 470 lm

Input Voltage 220-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 67 Im/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method Phase cut

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: MR16

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Showrooms, Government institutions,

Restaurants, Hotel, Galleries, Fashion Stores





MAR Spotlight MR40263-A

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.





Power 7 W

Lumen 470 lm

Input Voltage 220-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 67 Im/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method Phase cut

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: MR16

Applications Offices, Hospitals & Clinics, Supermarkets,

Schools, Showrooms, Government institutions, Restaurants, Hotel, Galleries, Fashion Stores





MAR Spotlight MR60265-A

مار

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, loadian, and a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over 95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.





Power 7 W

Lumen 470 lm

Input Voltage 220-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 6500 K

Lumen Efficiency 67 lm/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method Phase cut

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: MR16

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Showrooms, Government institutions,

Restaurants, Hotel, Galleries, Fashion Stores





MAR Spotlight MR30261-A

مار

Aligh performance with a wide degree beam angle, with no waiting time to **مار** سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, loadian, and a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.





Power 7 W

Lumen 600 lm

Input Voltage 220-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 85 lm/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method Phase cut

Materials Aluminum, plastic

Color Silver, White

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: GU10

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Showrooms, Government institutions, Restaurants, Hotel, Galleries, Fashion Stores





MAR Spotlight MR40264-A

مار

Aligh performance with a wide degree beam angle, with no waiting time to **مار** سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over 95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications.

Housing: Plastic outside and aluminum inside.





Power 7 W

Lumen 600 lm

Input Voltage 220-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 85 Im/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method Phase cut

Materials Aluminum, plastic

Color Silver, White

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: GU10

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Showrooms, Government institutions,

Restaurants, Hotel, Galleries , Fashion Stores





MAR Spotlight MR60266-A

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over 95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.





Power 7 W

Lumen 600 lm

Input Voltage 220-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 6500 K

Lumen Efficiency 85 lm/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method Phase cut

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: GU10

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Showrooms, Government institutions, Restaurants, Hotel, Galleries, Fashion Stores





MAR Spotlight MR30293-B

مار

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, loadian, and a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over 95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 165-265 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 49 \text{ mm}$

Working temperature -10 C° to +40 C°

Installation way Base: MR16





MAR Spotlight MR40295-B

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 165-265 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 49 \text{ mm}$

Working temperature -10 C° to +40 C°

Installation way Base: MR16





MAR Spotlight MR60297-B

مار

Aligh performance with a wide degree beam angle, with no waiting time to **مار** سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 165-265 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 6500 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 49 \text{ mm}$

Working temperature -10 C° to +40 C°

Installation way Base: MR16





MAR Spotlight MR30292-B

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 110-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 53 \text{ mm}$

Working temperature -10 C° to +40 C°

Installation way Base: GU10





MAR Spotlight MR40294-B

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 110-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 80 Im/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 53 \text{ mm}$

Working temperature -10 C° to +40 C°

Installation way Base: GU10





MAR Spotlight MR40294-C

مار

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, loadian, and a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 110-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 53 \text{ mm}$

Working temperature -10 C° to +40 C°

Installation way Base: GU10





MAR Spotlight MR30292-C

مار

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, loadian, and a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 110-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 53 \text{ mm}$

Working temperature -10 C° to +40 C°

Installation way Base: GU10





MAR Spotlight MR30262-B

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over 95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 220-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method Phase cut

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: MR16

Applications Offices, Hospitals & Clinics, Supermarkets,

Schools, Showrooms, Government institutions, Restaurants, Hotel, Galleries, Fashion Stores





MAR Spotlight MR40263-B

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over 95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 220-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 80 Im/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method Phase cut

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: MR16

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Showrooms, Government institutions, Restaurants, Hotel, Galleries, Fashion Stores





MAR Spotlight MR60265-B

مار

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, loadian, and a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over 95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.

, **------**





Power 7 W

Lumen 560 lm

Input Voltage 220-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 6500 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method Phase cut

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 56 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: MR16

Applications Offices, Hospitals & Clinics, Supermarkets, Schools, Showrooms, Government institutions,

Restaurants, Hotel, Galleries , Fashion Stores





MAR Spotlight MR60297-C

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over 95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 110-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 6500 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 48 \text{ mm}$

Working temperature -10 C° to +40 C°

Installation way Base: MR16





MAR Spotlight MR30293-C

مار

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, loadian, and a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 110-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 48 \text{ mm}$

Working temperature -10 C° to +40 C°

Installation way Base: MR16





MAR Spotlight MR40295-C

مار

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, loadian, and a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 110-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type MR16

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 48 \text{ mm}$

Working temperature -10 C° to +40 C°

Installation way Base: MR16





MAR Spotlight MR60296-B

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over 95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.







Power 7 W

Lumen 560 lm

Input Voltage 110-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 6500 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 53 \text{ mm}$

Working temperature -10 C° to +40 C°

Installation way Base: GU10





MAR Spotlight MR60296-C

مار

Aligh performance with a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من warm up to full brightness, creating a comfortable atmosphere for any التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, loadian, and a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. **Housing**: Plastic outside and aluminum inside.





Power 7 W

Lumen 560 lm

Input Voltage 110-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 6500 K

Lumen Efficiency 80 lm/W

Beam Angle 38°

Base Type GU10

CRI 80

Dimming Method not dimmable

Materials plastic, Aluminum

Color White, Silver

Dimension (D x H) $50 \times 53 \text{ mm}$

Working temperature -10 C° to +40 C°

Installation way Base: GU10





MAR Spotlight MR30745-A

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.





Power 12 W

Lumen 1200 lm

Input Voltage 220-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 3000 K

Lumen Efficiency 100 lm/W

Beam Angle 100°

Base Type GU10

CRI 80

Dimming Method not dimmable

Materials PC

Color White

Dimension (D x H) $50 \times 80 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: GU10





MAR Spotlight MR40746-A

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.





Power 12 W

Lumen 1200 lm

Input Voltage 220-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 4000 K

Lumen Efficiency 100 lm/W

Beam Angle 100°

Base Type GU10

CRI 80

Dimming Method not dimmable

Materials PC

Color White

Dimension (D x H) $50 \times 80 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: GU10





MAR Spotlight MR60747-A

a wide degree beam angle, with no waiting time to مار سبوت لايت بحجمه صغير وزاوية انتشاره العريضة يمكن استعماله في العديد من التطبيقات حيث انه يستخدم في الفنادق, المشافي, المكاتب, المدارس, سويرماركت, warm up to full brightness, creating a comfortable atmosphere for any المطاعم, المؤسسات الحكومية وصالات العرض. room.

يعتبر هذا السبوت بديلا عن لمبة الهالوجين 50 واط بنسبة 95%.

الهيكل: ألمنيوم من الداخل و البلاستيك من الخارج .

Energy saving: a perfect 50W halogen bulb replacement and save over

95% on your energy bill and safer than halogen bulbs.

Easy to install: can be easily fitted. Ideal for living room, bedroom,

kitchen, hallway, hotel and much more applications. Housing: Plastic outside and aluminum inside.





Power 12 W

Lumen 1200 lm

Input Voltage 220-240 V AC product

Frequency 50/60 Hz

PF 0.5

LED type SMD

Color Temperature 6000 K

Lumen Efficiency 100 lm/W

Beam Angle 100°

Base Type GU10

CRI 80

Dimming Method not dimmable

Materials PC

Color White

Dimension (D x H) $50 \times 80 \text{ mm}$

Working temperature -20 C° to +40 C°

Installation way Base: GU10