

Supply Contract

Number: SC-221111250328

Date: 26/11/2025

This contract executed and entered into this 26th day of November ,2025 **Between:**

Seller



NINGBO SUNLE LIGHTING ELECTRIC CO.,LTD 宁波晟乐照明电器有限公司

Reference Name: Sunle

Address: NO. 88 ZONGYAN ROAD, XIKOU TOWN, NINGBO, CHINA 浙江省宁波市奉化区溪口镇综研路88号

Legal Person: Andy Zou 乐奏

Website: www.sunlecn.com

Contact Person: Andy Zou 乐奏

Email: sale@sunlecn.com

Tel: 0086-574-88879248

Buyer



ATC MIDDLE EAST FZCO

Reference Name: ATC

Address: JAFZA One, 11th Floor, Jebel Ali Free Zone , Dubai, UAE

Contact Person: Echo Chan

Email: echo.c@atclighting.co

Tel: 008615018796671

Bank Account

The following is our account :

Beneficiary: NINGBO SUNLE LIGHTING ELECTRIC CO.,LTD

Bank Name: PING AN BANK CO LTD

Bank Address: SHENZHEN, CHINA.

Account Number: OSA15000092010139

Swift Code: SZDBCNBS

Supply Contract Summary

Total Amount

¥ 408,246.40

Total Volume

22.67 m³



90546821

Seller Signature & Stamp

宁波晟乐照明电器有限公司
NINGBO SUNLE LIGHTING ELECTRIC CO., LTD

乐奏 *Andy Zou*

Buyer Signature & Stamp



#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
1	BD30937-C		E-Series - Badr - Solar Flood Light Mounted with bracket 50watt 3000K - CRI 70 700Lumen - Beam Angle 120° Battery Voltage 3.2- Battery Capacity 6- Battery Type LiFePO4 Battery- Panel Output Voltage 5- Solar Panel Type mono-crystalline - Solar Panel Power 6- -IP 65 - Rectangular W190 x L292 x H45mm Grey / Die-cast aluminum (Housing) - 2 Year Warranty Certified CB	200	¥105.8	4	L37 x W21.3 x H28.1	0.02 m ³	50	1.11 m ³	¥21160
2	BD40938-C		E-Series - Badr - Solar Flood Light Mounted with bracket 50watt 4000K - CRI 70 700Lumen - Beam Angle 120° Battery Voltage 3.2- Battery Capacity 6- Battery Type LiFePO4 Battery- Panel Output Voltage 5- Solar Panel Type mono-crystalline - Solar Panel Power 6- -IP 65 - Rectangular W190 x L292 x H45mm Grey / Die-cast aluminum (Housing) - 2 Year Warranty Certified CB	104	¥105.8	4	L37 x W21.3 x H28.1	0.02 m ³	26	0.58 m ³	¥11003.2
3	BD60939-C		E-Series - Badr - Solar Flood Light Mounted with bracket 50watt 6500K - CRI 70 700Lumen - Beam Angle 120° Battery Voltage 3.2- Battery Capacity 6- Battery Type LiFePO4 Battery- Panel Output Voltage 5- Solar Panel Type mono-crystalline - Solar Panel Power 6- -IP 65 - Rectangular W190 x L292 x H45mm Grey / Die-cast aluminum (Housing) - 2 Year Warranty Certified CB	200	¥105.8	4	L37 x W21.3 x H28.1	0.02 m ³	50	1.11 m ³	¥21160
4	BD30940-C		E-Series - Badr - Solar Flood Light Mounted with bracket 100watt 3000K - CRI 70 1120Lumen - Beam Angle 120° Battery Voltage 6.4- Battery Capacity 6- Battery Type LiFePO4 Battery- Panel Output Voltage 8- Solar Panel Type mono-crystalline - Solar Panel Power 8- -IP 65 - Rectangular W190 x L292 x H46mm Grey / Die-cast aluminum (Housing) - 2 Year Warranty Certified CB	200	¥127.1	4	L37 x W21.3 x H28.1	0.02 m ³	50	1.11 m ³	¥25420
5	BD40941-C		E-Series - Badr - Solar Flood Light Mounted with bracket 100watt 4000K - CRI 70 1120Lumen - Beam Angle 120° Battery Voltage 6.4- Battery Capacity 6- Battery Type LiFePO4 Battery- Panel Output Voltage 8- Solar Panel Type mono-crystalline - Solar Panel Power 8- -IP 65 - Rectangular W190 x L292 x H46mm Grey / Die-cast aluminum (Housing) - 2 Year Warranty Certified CB	100	¥127.1	4	L37 x W21.3 x H28.1	0.02 m ³	25	0.55 m ³	¥12710
6	BD60942-C		E-Series - Badr - Solar Flood Light Mounted with bracket 100watt 6500K - CRI 70 1120Lumen - Beam Angle 120° Battery Voltage 6.4- Battery Capacity 6- Battery Type LiFePO4 Battery- Panel Output Voltage 8- Solar Panel Type mono-crystalline - Solar Panel Power 8- -IP 65 - Rectangular W190 x L292 x H46mm Grey / Die-cast aluminum (Housing) - 2 Year Warranty Certified CB	152	¥127.1	4	L37 x W21.3 x H28.1	0.02 m ³	38	0.84 m ³	¥19319.2

Seller Signature & Stamp

宁波晟乐照明电器有限公司
NINGBO SUNLE LIGHTING ELECTRIC CO., LTD

乐奏 Andy. wu



90546821

2 of 5

Powered By LUMYTIC

Buyer Signature & Stamp



#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
7	BD30943-C		E-Series – Badr – Solar Flood Light Mounted with bracket 150watt 3000K – CRI 70 2800Lumen – Beam Angle 120° Battery Voltage 6.4– Battery Capacity 12– Battery Type LiFePO4 Battery– Panel Output Voltage 8– Solar Panel Type mono–crystalline – Solar Panel Power 20– –IP 65 – Rectangular W190 x L292 x H47mm Grey / Die–cast aluminum (Housing) – 2 Year Warranty Certified CB	152	¥161.1	4	L37 x W21.3 x H28.1	0.02 m ³	38	0.84 m ³	¥24487.2
8	BD40944-C		E-Series – Badr – Solar Flood Light Mounted with bracket 150watt 4000K – CRI 70 2800Lumen – Beam Angle 120° Battery Voltage 6.4– Battery Capacity 12– Battery Type LiFePO4 Battery– Panel Output Voltage 8– Solar Panel Type mono–crystalline – Solar Panel Power 20– –IP 65 – Rectangular W190 x L292 x H47mm Grey / Die–cast aluminum (Housing) – 2 Year Warranty Certified CB	200	¥161.1	4	L37 x W21.3 x H28.1	0.02 m ³	50	1.11 m ³	¥32220
9	BD60945-C		E-Series – Badr – Solar Flood Light Mounted with bracket 150watt 6500K – CRI 70 2800Lumen – Beam Angle 120° Battery Voltage 6.4– Battery Capacity 12– Battery Type LiFePO4 Battery– Panel Output Voltage 8– Solar Panel Type mono–crystalline – Solar Panel Power 20– –IP 65 – Rectangular W190 x L292 x H47mm Grey / Die–cast aluminum (Housing) – 2 Year Warranty Certified CB	200	¥161.1	4	L37 x W21.3 x H28.1	0.02 m ³	50	1.11 m ³	¥32220
10	BD30946-C		E-Series – Badr – Solar Flood Light Mounted with bracket 200watt 3000K – CRI 70 4200Lumen – Beam Angle 120° Battery Voltage 6.4– Battery Capacity 18– Battery Type LiFePO4 Battery– Panel Output Voltage 9– Solar Panel Type mono–crystalline – Solar Panel Power 35– –IP 65 – Rectangular W320 x L510 x H60mm Grey / Die–cast aluminum (Housing) – 2 Year Warranty Certified CB	152	¥244.2	2	L61 x W13 x H42.3	0.03 m ³	76	2.55 m ³	¥37118.4
11	BD40947-C		E-Series – Badr – Solar Flood Light Mounted with bracket 200watt 4000K – CRI 70 4200Lumen – Beam Angle 120° Battery Voltage 6.4– Battery Capacity 18– Battery Type LiFePO4 Battery– Panel Output Voltage 9– Solar Panel Type mono–crystalline – Solar Panel Power 35– –IP 65 – Rectangular W320 x L510 x H60mm Grey / Die–cast aluminum (Housing) – 2 Year Warranty Certified CB	302	¥244.2	2	L61 x W13 x H42.3	0.03 m ³	151	5.07 m ³	¥73748.4
12	BD60948-C		E-Series – Badr – Solar Flood Light Mounted with bracket 200watt 6500K – CRI 70 4200Lumen – Beam Angle 120° Battery Voltage 6.4– Battery Capacity 18– Battery Type LiFePO4 Battery– Panel Output Voltage 9– Solar Panel Type mono–crystalline – Solar Panel Power 35– –IP 65 – Rectangular W320 x L510 x H60mm Grey / Die–cast aluminum (Housing) – 2 Year Warranty Certified CB	400	¥244.2	2	L61 x W13 x H42.3	0.03 m ³	200	6.71 m ³	¥97680
				2,362					804	23 m ³	
Total	Only Four Hundred Eight Thousand Two Hundred Forty Six Point Forty Zero CNY										¥408,246.40

Seller Signature & Stamp

宁波晟乐照明电器有限公司
NINGBO SUNLE LIGHTING ELECTRIC CO., LTD

乐奏 *Andy. wu*



90546821

3 of 5

Powered By LUMYTIC

Buyer Signature & Stamp



Terms and Conditions

General

1. Transfer and confidentiality: The Seller has no right to transfer this contract, The Seller and The Buyer both sides must abide by the contract, shall not be foreign to expose the contract content, such as has occurred, a responsibility shall be investigated for the other party.
2. The Seller must make sure the goods matched with The Buyer's standard, the quality will base on contract and sealed sample.
3. All the finished products in this contract should produce in The Seller's factory, if produce in third parties, The Buyer can cancel the order, and the Seller must return all the amount which paid by The Buyer. The Buyer will make inspection during production or after production
4. The goods of this contract products are The Seller produce according to the The Buyer's brand, The Seller shall not be entitled to the finished product sales to a third party without authorization.
5. For repeat order, The Seller can not change any material without The Buyer's confirmation. If change, The Buyer will not pick up the goods and The Seller must return the full amount which paid by the Buyer.

Logistic

1. FOB Shenzhen; If load container in Jiangmen or Zhongshan or Foshan, the seller will send the goods to the specific address which arranged by the Buyer.

Technical

1. All items should pass CB and IECEE, if can not pass CB and IECEE, Seller should take all the responsibility which cause by this. And Seller will responsible for all the cost which should pay in China for make CB and IECEE, Buyer will responsible for all the cost which should pay in Saudi Arabia for make CB and IECEE.
2. Working temperature should be: $-20^{\circ}\sim+55^{\circ}$.
3. Material: DIE CASSTING ALIUMIUM
4. Color Temperature Consistency: The difference in color temperature between batches must not exceed 200K when compared to the last batch or within the same production batch; Difference of color temperature for Each batch can not be recognize by eyes.
5. percentage of battery charge that cut off discharge on it 20%.
6. Solar Panel monocrystalline for all order, 5V 6Wp for 5W device, 8V 8W for 8W device, 8V 20W for 20W device, 9V 35Wp for 28W device.
7. Solar controller must has overcharge, over discharge, over-temperature protection and short-circuit protection.
8. Pink cap on the bracket screw, Solar panel frame with black color.
9. Light Distributor material: Tempered Glass.
10. IP65, CRI 70
11. 32700 LiFePO4 battery 3.2V/6AH for 5W device.
32700 LiFePO4 battery 6.4V/6AH for 8W device.
32700 LiFePO4 battery 6.4V/12AH for 20W device.
32700 LiFePO4 battery 6.4V/18AH for 28W device.
12. Solar controller: Light control+Time control+Remote control+Digital display , Intelligent power control, Output power: 5W, 8W, 20W and 28W.

Seller Signature & Stamp

宁波晟乐照明电器有限公司
NINGBO SUNLE LIGHTING ELECTRIC CO., LTD

乐奏 *Andy.wn*



90546821
4 of 5

Powered By LUMYTIC

Buyer Signature & Stamp



13. Cable: 2*1mm, waterproof plug cable Length= 4.5m.
14. Light source LED:
5W: 3030/116PCS
8W: 3030/156PCS
20W: 3030/236PCS
28W: 3030/356PCS
15. Discharging scenario will be at the buyer requirements.
16. Led chip brand: Focus lighting.
Led package factory: Fanchen.
Batteries cells brand: KAN BATTERY.
17. Solar controller PWM integrated DOB solar controller, brand: SUNLE.

Delivery & Payment

1. Delivery date 30 days
2. Payment term: 20% pay before delivery, 80% ship against documents.

Production & Packaging

1. The Seller should make a sample base on product requirement from the contract for The Buyer's confirmation before production.
2. Customize Package requirement pls check from another file. Product can not have any supplier information or inspect mark or Chinese. Package and all part of product need keep clean, if not must rework.
3. The Seller must make sure the goods matched with The Buyer's standard, the quality will base on contract and sealed sample.
4. Package and all part of product need keep clean, if not must rework.

Warranty & Inspection

1. Product inspection: when The Buyer inspect the goods by count/weight/try to assemble/visual appearance/Test by machine and so on. If find any part not meet the contract requirement or have quality problem, The Seller have to return full amount which the Buyer paid.
2. After sale service policy: If the defective rate less than 3%, The Seller will provide PCB with LED and driver to The Buyer free of charge for maintenance ; if the defective rate more than 3%, The Seller will provide PCB with LED and driver to The Buyer free of charge for maintenance, and The Seller will bear the maintenance cost; if the defective rate more than 8%, The Buyer will stop sell this item in the market and The Seller will reproduce the whole order free of charge or return the whole amount which The Buyer paid for this order.
3. Warranty time 2 years.

--- The End ---

Seller Signature & Stamp

宁波晟乐照明电器有限公司
NINGBO SUNLE LIGHTING ELECTRIC CO., LTD

乐奏

Andy. wu



90546821

5 of 5

Powered By LUMYTIC

Buyer Signature & Stamp

