

Proforma Invoice

To: AHMED ABID AL-SHEIKH Trading CO.
Attention: Turkey Ahmed Abed Al-Sheikh
Email: aaalsheikhest@gmail.com
Tel: +966126205171

From: ATC MIDDLE EAST FZCO
Sales: Echo Chan
Email: echo.c@atclighting.co
Tel: 008615018796671

PI Number: PI-010402240184
Date: 06/02/2024

Dear Sir,
Kindly confirm below information.

Operation Dep Information

AHMED ABID AL-SHEIKH Trading CO.
Turkey Ahmed Abed Al-Sheikh
KILO-08
old makkah road
Jeddah - Saudi Arabia
Tel : +966 12 620 5171
Email : aaalsheikhest@gmail.com

Consignee Information

AHMED ABID AL-SHEIKH Trading CO.
Turkey Ahmed Abed Al-Sheikh
KILO-08
old makkah road
Jeddah - Saudi Arabia
Tel : +966 12 620 5171
Email : aaalsheikhest@gmail.com
CR. No. : 4030028786
VAT No. : 300183671700003

Terms & Conditions

Prices EXW | Ex Works
Payment 20% In Advance ,80% Before Delivery
Validity 15 Days
Delivery 60 Days

Follow up your order



71285963

Proforma Invoice Summary




Total Amount	\$ 42,796
Total Volume	12.19 m ³

Prepared by
(Sales)
Echo Chan

Approved By
(Wholesale Sales Manager)
--

Stamp

Signature

#	Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
1	SF30001-A		Comfortlife - Safari - Floodlight Surface 5watt 3000K - CRI 80 500Lumen - Battery Voltage 3.7- Battery Capacity 3000- Battery Type Li-ion- Panel Output Voltage 5- Solar Panel Type mono-crystalline - Solar Panel Power 2.3- -IP 65 - Rectangular W149.62 x L231.9 x H33.68mm Black / ABS (Housing) - Transparent / plastic (Housing) - Warranty 2 Years Certified CB	1,008	\$ 7.82	18	L39 x W25.5 x H34.5	0.03 m ³	56	1.92 m ³	\$ 7,882.56
2	SF30001-B		Comfortlife - Safari - Floodlight Surface 5watt 6000K - CRI 80 550Lumen - Battery Voltage 3.7- Battery Capacity 3000- Battery Type Li-ion- Panel Output Voltage 5- Solar Panel Type mono-crystalline - Solar Panel Power 2.3- -IP 65 - Rectangular W149.62 x L231.9 x H33.68mm Black / ABS (Housing) - Transparent / plastic (Housing) - Warranty 2 Years Certified CB	1,008	\$ 7.82	18	L39 x W25.5 x H34.5	0.03 m ³	56	1.92 m ³	\$ 7,882.56
3			Collapsed mosquito trap, with rechargeable 2000 mAh polymer li battery UV wave length: 0.06W, 0.1W 2835 390-400nm, Grid voltage ≥2000V Size: 290*200*80mm Material: ABS+PC Working time after full charge :12 hours	500	\$ 10.84	10	L47.5 x W43.5 x H32	0.07 m ³	50	3.31 m ³	\$ 5,420.00
4			Portable double light source searchlight, front light source power 5w and side light source power 10w, 300lm +500lm, operation: Main lamp: high mode, middle mode, low mode, Side lamp: white light red-light, red- light flash, IP45, 1M impact resistant lamp size :100*88*180mm Battery :2*2000mAh Charge time :5 hrs. working time: 6-10hrs Material: ABS+PC With Battery indicator light, input port: Type C With solar charging method 5.5v 0.5w Max 120ma	1,000	\$ 5.87	40	L37 x W53 x H49.5	0.10 m ³	25	2.43 m ³	\$ 5,870.00
5			Portable double light source searchlight, front light source power 10w and under light source power 10w, 500lm +300lm, operation: Main lamp: high mode, middle mode, flash mode, Side lamp: high mode, low mode, red flash, IPX5, 1M impact resistant lamp size :85*85*200mm Battery :2*2000mAh Charge time :5 hrs. working time: 5-10hrs Material: ABS+PC With Battery indicator light, input port :Type C	1,000	\$ 7.13	50	L41 x W45.5 x H50.5	0.09 m ³	20	1.88 m ³	\$ 7,130.00
6			Multifunctional Zoom Glaring Flashlight, front light source power 10w and side light source power 3w, brightness 500lm, operation: High Mode - Middle Mode - Low Mode - Fast - Side light: Yellow light - red light - red flash, IP45, 1M impact resistant lamp size: 33*28*180mm Battery: 18650(1*2000mAh) Charge time :3 hrs. working time: 4-12hrs Material: Aluminum alloy+ ABS Telescopic Zoom, double light source. Tail hook. Digital display	480	\$ 7.59	120	L46 x W37.5 x H63	0.11 m ³	4	0.43 m ³	\$ 3,643.20


Stamp

Signature



71285963

2 of 3

#	Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount	
7			Multifunctional Zoom Glaring Flashlight, front light source power 10w and side light source power 3w, brightness 500lm, operation: High Mode - Middle Mode - Low Mode - Fast - Side light: Yellow light - red light - red flash, IP45, 1M impact resistant lamp size: 34*28*170mm Battery: (1*4000mAh) Charge time :5 hrs. working time: 5-16hrs Material: Aluminum alloy+ ABS COB Side light. Bottom magnet, Carry clip.	540	\$ 9.2	60	L37.5 x W30 x H29.5	0.03 m ³	9	0.30 m ³	\$ 4,968.00	
				5,536					220	12 m ³		
Total	<p style="text-align: center;">Only Forty Two Thousand Seven Hundred Ninety Six Point Thirty Two USD</p>										\$ 42,796.32	

Stamp

Signature



71285963

3 of 3