

# Packing List

**Consignee:** Advanced smart systems LLC  
**Attention:** Mario Karam  
**Tel:** 03 105453  
**Address:** gazir , main road, Beirut, Beirut, Lebanon

**From:** MYGA TRADING LLC  
**Attention:** Kinan Kaddour  
**Tel:**  
**Address:** Warehouse #1 100/1, 32C Um Ramool 0127,0128,0133  
Dubai UAE

**Shipment No:** 040206230115  
**Order No:**  
0060,0064,0078,0088,0103,0108,0118,0122,  
**Date:** 07/06/2023

#	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
1	AN30013-G	E-Series - Anar - Bulb <b>G45 E27</b> Socket <b>5watt 3000K</b> - CRI 80 450Lumen - 0.5PF 220 - 240V <b>BULB W45 x H80mm</b> White / plastic (Housing) - 14g - <b>Warranty 2years</b> Non CB	<b>3,000</b>	100	30	60	90	0.0207	0.6218m³
2	AN60014-G	E-Series - Anar - Bulb <b>G45 E27</b> Socket <b>5watt 6500K</b> - CRI 80 500Lumen - 0.5PF 220 - 240V <b>BULB W45 x H80mm</b> White / plastic (Housing) - 14g - <b>Warranty 2years</b> Non CB	<b>1,500</b>	100	15	30	45	0.0207	0.3109m³
3	AN30328-C	E-Series - Anar - Bulb <b>A80 E27</b> Socket <b>20watt 3000K</b> - CRI 82 1800Lumen - 0.5PF 150 - 300V <b>BULB W80 x H145mm</b> White / plastic (Housing) - 68g - <b>Warranty 2years</b> Certified CB	<b>50</b>	50	1	2.9	5.1	0.056	0.056m³
4	AN60329-C	E-Series - Anar - Bulb <b>A80 E27</b> Socket <b>20watt 6500K</b> - CRI 82 2000Lumen - 0.5PF 150 - 300V <b>BULB W80 x H145mm</b> White / plastic (Housing) - 68g - <b>Warranty 2years</b> Certified CB	<b>150</b>	50	3	8.7	15.3	0.056	0.1679m³
5	AZ30009-E	E-Series - Azhar - Candle light <b>C35 E14</b> Socket <b>4watt 3000K</b> - CRI 80 470Lumen - 0.5PF 220 - 240V <b>Candle Bulb W35 x H97mm</b> Transparent / Glass (Housing) - 14g - <b>Warranty 2years</b> Non CB	<b>480</b>	80	6	6.72	14.16	0.019	0.1142m³
6	AZ30011-E	E-Series - Azhar - Candle light <b>CA35 E14</b> Socket <b>4watt 3000K</b> - CRI 80 470Lumen - 0.5PF 220 - 240V <b>Candle Bulb W35 x H121mm</b> Transparent / Glass (Housing) - 14g - <b>Warranty 2years</b> Non CB	<b>960</b>	80	12	13.44	28.32	0.019	0.2283m³
7	AZ60010-E	E-Series - Azhar - Candle light <b>C35 E14</b> Socket <b>4watt 6500K</b> - CRI 80 470Lumen - 0.5PF 220 - 240V <b>Candle Bulb W35 x H97mm</b> Transparent / Glass (Housing) - 14g - <b>Warranty 2years</b> Non CB	<b>720</b>	80	9	10.08	21.24	0.019	0.1713m³
8	AR30031-A (RFE-0346A)	E-Series - Amir - Down Light Recessed <b>8watt 3000K</b> - CRI 80 623Lumen - 0.5PF 200 - 240V <b>CREE LED Round D90 x H50mm</b> Cut out 75mm White / Aluminum (Housing) - 150g - <b>Warranty 5years</b> Non CB	<b>200</b>	100	2	17.2	20.2	0.0873	0.1746m³
9	AR30037-A (RFE-0302A)	E-Series - Amir - Down Light Recessed <b>10watt 3000K</b> - CRI 80 845Lumen - 0.5PF 100 - 240V <b>Round D120 x H50mm</b> Cut out 95mm White / Aluminum (Housing) - 235g - <b>Warranty 3years</b> Non CB	<b>250</b>	50	5	61.5	76.95	0.0729	0.3643m³
10	AR30039 (RFE-0304)	E-Series - Amir - Down Light Recessed <b>20watt 3000K</b> - CRI 80 1975Lumen - 0.5PF 100 - 265V <b>Round D170 x H52mm</b> Cut out 145mm White / Aluminum (Housing) - <b>Warranty 2years</b>	<b>200</b>	20	10	102.4	124.9	0.0422	0.4219m³
11	AR30041 (RFE-0306)	E-Series - Amir - Down Light Recessed <b>36watt 3000K</b> - CRI 80 3274Lumen - 0.5PF 180 - 265V <b>Round D225 x H65mm</b> Cut out 205mm White / Aluminum (Housing) - 880g - <b>Warranty 2years</b>	<b>140</b>	20	7	32.34	102.9	0.0832	0.5825m³
12	AS60134-B (RFE-0260A)	E-Series - Anis - Floodlight Mounted with bracket <b>10watt 6000K</b> - CRI 70 850Lumen - 0.8PF 176 - 265V <b>Rectangular W127 x L120 x H23mm</b> Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 250g - <b>Warranty 2years</b> Non CB	<b>60</b>	60	1	15.3	16.8	0.0356	0.0356m³
13	ASP0129-B (RFE-0339A)	E-Series - Anis - Floodlight Mounted with bracket <b>10watt Purple</b> - 700Lumen - 0.8PF 176 - 265V <b>Rectangular W127 x L120 x H23mm</b> Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 250g - <b>Warranty 2years</b> Non CB	<b>240</b>	60	4	61.2	67.2	0.0356	0.1423m³
14	AS30139-B (RFE-0263A)	E-Series - Anis - Floodlight Mounted with bracket <b>30watt 3000K</b> - CRI 70 2400Lumen - 0.9PF 176 - 265V <b>Rectangular W185 x L158 x H25mm</b> Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 485g - <b>Warranty 2years</b> Non CB	<b>300</b>	20	15	162	186	0.0289	0.4339m³
15	AS60140-B (RFE-0262A)	E-Series - Anis - Floodlight Mounted with bracket <b>30watt 6000K</b> - CRI 70 2550Lumen - 0.9PF 176 - 265V <b>Rectangular W185 x L158 x H25mm</b> Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 485g - <b>Warranty 2years</b> Non CB	<b>300</b>	20	15	162	186	0.0289	0.4339m³

Stamp



Signature

#	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
---	-------------	------	----------	---------	-----	----------	----------	-------------	--------------

Stamp



32514807

Signature

#	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
16	AS30145-B (RFE-0265A.)	E-Series - Anis - Floodlight Mounted with bracket <b>50watt 3000K</b> - CRI 70 4000Lumen - 0.9PF 176 - 265V <b>Rectangular W230 x L195 x H30mm</b> Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 820g - <b>Warranty 2years</b> Non CB	<b>10</b>	10	1	8.8	10	0.0201	0.0201m <sup>3</sup>

TLLU4569244  
40HQ

Stamp



32514807

Signature

#	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
17	AS60146-B (RFE-0264A.)	E-Series - Anis - Floodlight Mounted with bracket <b>50watt 6000K</b> - CRI 70 4250Lumen - 0.9PF 176 - 265V <b>Rectangular W230 x L195 x H30mm</b> Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 820g - <b>Warranty 2years</b> Non CB	10	10	1	8.8	10	0.0201	0.0201m <sup>3</sup>
18	AS30147-B (RFE-0267A.)	E-Series - Anis - Floodlight Mounted with bracket <b>100watt 3000K</b> - CRI 70 8000Lumen - 0.9PF 176 - 265V <b>Rectangular W297 x L242 x H32mm</b> Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 1540g - <b>Warranty 2years</b> Non CB	10	5	2	16.4	18	0.0172	0.0343m <sup>3</sup>
19	AS60148-B (RFE-0266A.)	E-Series - Anis - Floodlight Mounted with bracket <b>100watt 6000K</b> - CRI 70 8500Lumen - 0.9PF 176 - 265V <b>Rectangular W297 x L242 x H32mm</b> Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 1540g - <b>Warranty 2years</b> Non CB	10	5	2	16.4	18	0.0172	0.0343m <sup>3</sup>
20	DE30284A	E-Series - Deem - Panel Light Surface 2837SMD 48 pcs <b>48watt 3000K</b> - CRI 80 4320Lumen - 0.5PF 200 - 240V <b>Rectangular W300 x L1200 x H30mm</b> White / PVC (Front frame) - White / Iron (Back cover) - 1500g - <b>Warranty 2years</b> Non CB, Backlit	64	8	8	101.6	109.6	0.1403	1.122m <sup>3</sup>
21	DE60286A	E-Series - Deem - Panel Light Surface 2837SMD 48 pcs <b>48watt 6000K</b> - CRI 80 4320Lumen - 0.5PF 200 - 240V <b>Rectangular W300 x L1200 x H30mm</b> White / PVC (Front frame) - White / Iron (Back cover) - 1500g - <b>Warranty 2years</b> Non CB, Backlit	72	8	9	114.3	123.3	0.1403	1.2623m <sup>3</sup>
22	DE30440-A	E-Series - Deem - Panel Light Surface 2837SMD 48 pcs <b>50watt 3000K</b> - CRI 80 4500Lumen - 0.5PF 200 - 240V <b>Square W600 x L600 x H30mm</b> White / PVC (Front frame) - White / Iron (Back cover) - 3000g - <b>Warranty 2years</b> Non CB	96	8	12	144	156	0.1414	1.6973m <sup>3</sup>
23	DE30114-D	E-Series - Deem - Panel Light Recessed <b>50watt 3000K</b> - CRI 80 4000Lumen - 0.9PF 220 - 240V <b>Square W595 x L595 x H8mm</b> White / Aluminum (Housing) - 1940g - <b>Warranty 2years</b> Non CB	95	5	19	174.8	220.4	0.0696	1.3233m <sup>3</sup>
24	DE60439-A	E-Series - Deem - Panel Light Surface 2837SMD 48 pcs <b>50watt 6000K</b> - CRI 80 4500Lumen - 0.5PF 200 - 240V <b>Square W600 x L600 x H30mm</b> White / PVC (Front frame) - White / Iron (Back cover) - 3000g - <b>Warranty 2years</b> Non CB	288	8	36	432	468	0.1414	5.0918m <sup>3</sup>
25	DE60115-D	E-Series - Deem - Panel Light Recessed <b>50watt 6000K</b> - CRI 80 4000Lumen - 0.9PF 220 - 240V <b>Square W595 x L595 x H8mm</b> White / Aluminum (Housing) - 1940g - <b>Warranty 2years</b> Non CB	95	5	19	174.8	220.4	0.0696	1.3233m <sup>3</sup>
26	DE60289A	E-Series - Deem - Panel Light Surface 2837SMD 96 pcs <b>96watt 6000K</b> - CRI 80 8640Lumen - 0.5PF 200 - 240V <b>Rectangular W600 x L1200 x H30mm</b> White / PVC (Front frame) - White / Iron (Back cover) - 3000g - <b>Warranty 2years</b> Non CB, Backlit	56	4	14	161	175	0.1772	2.4806m <sup>3</sup>
27	LA30043 (RFE-0096)	E-Series - Lana - Recessed Panel Downlight Recessed <b>3watt 3000K</b> - CRI 70 203Lumen - 0.5PF 175 - 265V <b>Round D85 x H14.5mm</b> Cut out 60mm White / Aluminum (Housing) - 60g - <b>Warranty 2years</b> Non CB	950	50	19	104.5	142.5	0.0274	0.5198m <sup>3</sup>
28	LA60050 (RFE-0095)	E-Series - Lana - Recessed Panel Downlight Recessed <b>3watt 6000K</b> - CRI 70 225Lumen - 0.5PF 175 - 265V <b>Round D85 x H14.5mm</b> Cut out 60mm White / Aluminum (Housing) - 60g - <b>Warranty 2years</b> Non CB	400	50	8	44	60	0.0274	0.2189m <sup>3</sup>
29	LA30051 (RFE-0333)	E-Series - Lana - Recessed Panel Downlight Recessed <b>6watt 3000K</b> - CRI 70 432Lumen - 0.5PF 175 - 265V <b>Round D120 x H10mm</b> Cut out 110mm White / Aluminum (Housing) - 85g - <b>Warranty 2years</b> Non CB	1,480	40	37	185	236.8	0.0267	0.989m <sup>3</sup>
30	LA60052 (RFE-0332)	E-Series - Lana - Recessed Panel Downlight Recessed <b>6watt 6000K</b> - CRI 70 480Lumen - 0.5PF 175 - 265V <b>Round D120 x H10mm</b> Cut out 110mm White / Aluminum (Housing) - 85g - <b>Warranty 2years</b> Non CB	960	40	24	120	153.6	0.0267	0.6415m <sup>3</sup>
31	LA30053 (RFE-0094)	E-Series - Lana - Recessed Panel Downlight Recessed <b>12watt 3000K</b> - CRI 70 810Lumen - 0.5PF 175 - 265V <b>Round D170 x H10mm</b> Cut out 155mm White / Aluminum (Housing) - 160g - <b>Warranty 2years</b> Non CB	270	30	9	62.1	88.2	0.0407	0.3662m <sup>3</sup>
32	LA60058 (RFE-0093)	E-Series - Lana - Recessed Panel Downlight Recessed <b>12watt 6000K</b> - CRI 70 900Lumen - 0.5PF 175 - 265V <b>Round D170 x H10mm</b> Cut out 155mm White / Aluminum (Housing) - 160g - <b>Warranty 2years</b> Non CB	270	30	9	62.1	88.2	0.0407	0.3662m <sup>3</sup>
33	LA30062 (RFE-0092)	E-Series - Lana - Recessed Panel Downlight Recessed <b>18watt 3000K</b> - CRI 70 1260Lumen - 0.5PF 175 - 265V <b>Round D220 x H14.5mm</b> Cut out 205mm White / Aluminum (Housing) - 260g - <b>Warranty 2years</b> Non CB	980	20	49	318.5	343	0.0368	1.8032m <sup>3</sup>
34	LA60067 (RFE-0091)	E-Series - Lana - Recessed Panel Downlight Recessed <b>18watt 6000K</b> - CRI 70 1458Lumen - 0.5PF 175 - 265V <b>Round D220 x H14.5mm</b> Cut out 205mm White / Aluminum (Housing) - 260g - <b>Warranty 2years</b> Non CB	1,480	20	74	481	518	0.0368	2.7233m <sup>3</sup>
35	TAB0118-B (RFE-0226A.)	E-Series - Taj - Strip light Surface 2835SMD 180Pcs/1M <b>6watt/m Blue</b> - 71Lumen/m - 1PF <b>220 - 240V Linear W17 x L50000 x H7mm</b> White / FPCB (Body) - 7200g - <b>Warranty 2years</b> Non CB	10	1	10	70	75	0.0154	0.1536m <sup>3</sup>
36	TA30121-A (RFE-0098A.)	E-Series - Taj - Strip light Surface 2835SMD 180Pcs/1M <b>7watt/m 3000K</b> - CRI 70 625Lumen/m - 1PF <b>220 - 240V Linear W17 x L50000 x H7mm</b> White / FPCB (Inside Structure) - Transparent / PVC (Housing) - 7200g - <b>Warranty 2years</b> Certified CB	20	1	20	140	150	0.0154	0.3072m <sup>3</sup>

Stamp



32514807

Signature

#	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
37	TA60122-A (RFE-0167A.)	E-Series - Taj - Strip light Surface 2835SMD 180Pcs/1M <b>7watt/m 6000K</b> - CRI 70 640Lumen/m - 1PF <b>220 - 240V Linear W17 x L50000 x H7mm</b> White / FPCB (Inside Structure) - Transparent / PVC (Housing) - 7200g - <b>Warranty 2years</b> Certified CB	20	1	20	140	150	0.0154	0.3072m³
38	TL30127-A (RFE-0370.)	E-Series - Tala - Strip light Surface 2835SMD 240Pcs/1M <b>20watt/m 3000K</b> - CRI 80 2100Lumen/m - 1PF <b>12V Linear W10 x L5000 x H1.4mm</b> White / FPCB (Body) - <b>Warranty 2years</b> Non CB	400	50	8	49.04	52.4	0.038	0.3041m³
39	TL60128-A (RFE-0369.)	E-Series - Tala - Strip light Surface 2835SMD 240Pcs/1M <b>20watt/m 6000K</b> - CRI 80 2100Lumen/m - 1PF <b>12V Linear W10 x L5000 x H1.4mm</b> White / FPCB (Body) - <b>Warranty 2years</b> Non CB	200	50	4	24.52	26.2	0.038	0.1521m³
40	LA30074 (RFE-0199)	E-Series - Lana - Surface Panel Downlight Surface <b>18watt 3000K</b> - CRI 70 1215Lumen - 0.5PF 175 - 265V <b>Round D208 x H28mm</b> White / Aluminum (Housing) - <b>Warranty 2years</b> Non CB	1,260	20	63	415.8	554.4	0.0444	2.7972m³
41	LA60076 (RFE-0198)	E-Series - Lana - Surface Panel Downlight Surface <b>18watt 6000K</b> - CRI 70 1350Lumen - 0.5PF 175 - 265V <b>Round D208 x H28mm</b> White / Aluminum (Housing) - <b>Warranty 2years</b> Non CB	1,480	20	74	488.4	651.2	0.0444	3.2856m³
42	LA30078 (RFE-0195)	E-Series - Lana - Surface Panel Downlight Surface <b>24watt 3000K</b> - CRI 70 1620Lumen - 0.5PF 175 - 265V <b>Round D295 x H28mm</b> White / Aluminum (Housing) - 520g - <b>Warranty 2years</b> Non CB	280	20	14	156.8	207.2	0.0728	1.0198m³
43	LA30079 (RFE-0245)	E-Series - Lana - Surface Panel Downlight Surface <b>24watt 3000K</b> - CRI 70 1620Lumen - 0.5PF 175 - 265V <b>Square W278 x L278 x H28mm</b> White / Aluminum (Housing) - <b>Warranty 2years</b> Non CB	20	20	1	14.4	18	0.0728	0.0728m³
44	LA60080 (RFE-0194)	E-Series - Lana - Surface Panel Downlight Surface <b>24watt 6000K</b> - CRI 70 1800Lumen - 0.5PF 175 - 265V <b>Round D295 x H28mm</b> White / Aluminum (Housing) - 520g - <b>Warranty 2years</b> Non CB	780	20	39	436.8	577.2	0.0728	2.8409m³
45	RA30088 (RFE-0279)	E-Series - Rashed - Tube Light <b>T5 Recessed 6watt 3000K</b> - CRI 70 378Lumen - 0.5PF 165 - 265V <b>Linear W22 x L300 x H34mm</b> White / Aluminum (Housing) - <b>Warranty 2years</b> Non CB	25	25	1	1.5	2.5	0.0134	0.0134m³
46	RA60091 (RFE-0286)	E-Series - Rashed - Tube Light <b>T5 Recessed 8watt 6500K</b> - CRI 70 560Lumen - 0.5PF 165 - 265V <b>Linear W22 x L450 x H34mm</b> White / Aluminum (Housing) - <b>Warranty 2years</b> Non CB	25	25	1	1.8	2.6	0.0134	0.0134m³
47	RA30092 (RFE-0281)	E-Series - Rashed - Tube Light <b>T5 Recessed 12watt 3000K</b> - CRI 70 756Lumen - 0.5PF 165 - 265V <b>Linear W22 x L600 x H34mm</b> White / Aluminum (Housing) - <b>Warranty 2years</b> Non CB	25	25	1	2.3	2.8	0.0213	0.0213m³
48	RA30096 (RFE-0283)	E-Series - Rashed - Tube Light <b>T5 Recessed 14watt 3000K</b> - CRI 70 882Lumen - 0.5PF 165 - 265V <b>Linear W22 x L900 x H34mm</b> White / Aluminum (Housing) - <b>Warranty 2years</b> Non CB	25	25	1	3.5	4.95	0.0328	0.0328m³
49	RA30098 (RFE-0321)	E-Series - Rashed - Tube Light <b>T5 Recessed 18watt 3000K</b> - CRI 70 1134Lumen - 0.5PF 165 - 265V <b>Linear W22 x L1000 x H34mm</b> White / Aluminum (Housing) - <b>Warranty 2years</b> Non CB	25	25	1	3.5	4.95	0.0328	0.0328m³
50	RA30100 (RFE-0285)	E-Series - Rashed - Tube Light <b>T5 Recessed 24watt 3000K</b> - CRI 70 1512Lumen - 0.5PF 165 - 265V <b>Linear W22 x L1200 x H34mm</b> White / Aluminum (Housing) - <b>Warranty 2years</b> Non CB	25	25	1	3.9	6.3	0.0328	0.0328m³
51	RY60313-B	E-Series - Rayan - Tube Light <b>T8 Double Ended PIN 20watt 6500K</b> - CRI 70 1800Lumen - 0.5PF 176 - 264V <b>Linear W29 x L1200 mm</b> White / Glass (Housing) - 160g - <b>Warranty 2years</b> Non CB	475	25	19	64.6	98.8	0.0475	0.9031m³
52	ES-0526A (RFE-0134A)	Plug For Strips 220V 50m 2835 12mm, Connected to electric plug type C. Non CB	800	200	4	28	32	0.042	0.168m³
53	ES-0512 (RFE-0100)	RGB wireless controller for Strips 220V 50m 5050 RGB 10mm strips 3pin for S.A. Certified CB	80	40	2	22	24	0.0602	0.1204m³
54	GF0039	RFM-0049-Rafeed marketing bag	30	15	2	28	30	0.134	0.2679m³
55	AN30328-C	E-Series - Anar - Bulb <b>A80 E27 Socket 20watt 3000K</b> - CRI 82 1800Lumen - 0.5PF 150 - 300V <b>BULB W80 x H145mm</b> White / plastic (Housing) - 68g - <b>Warranty 2years</b> Certified CB	30	-	1	5.22	9.1	-	0.0196m³
56	AN60329-C	E-Series - Anar - Bulb <b>A80 E27 Socket 20watt 6500K</b> - CRI 82 2000Lumen - 0.5PF 150 - 300V <b>BULB W80 x H145mm</b> White / plastic (Housing) - 68g - <b>Warranty 2years</b> Certified CB	30	-	1	5.22	9.1	-	0.056m³
57	DE30114-D	E-Series - Deem - Panel Light Recessed <b>50watt 3000K</b> - CRI 80 4000Lumen - 0.9PF 220 - 240V <b>Square W595 x L595 x H8mm</b> White / Aluminum (Housing) - 1940g - <b>Warranty 2years</b> Non CB	2	-	1	9.3	13.5	-	0.0602m³

TLLU4569244  
40HQ

Stamp



Signature

#	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
58	DE60115-D	E-Series - Deem - Panel Light Recessed <b>50watt 6000K</b> - CRI 80 4000Lumen - 0.9PF 220 - 240V <b>Square W595 x L595 x H8mm</b> White / Aluminum (Housing) - 1940g - <b>Warranty 2years</b> Non CB	2						
59	AR30041 (RFE-0306)	E-Series - Amir - Down Light Recessed <b>36watt 3000K</b> - CRI 80 3274Lumen - 0.5PF 180 - 265V <b>Round D225 x H65mm</b> Cut out 205mm White / Aluminum (Housing) - 880g - <b>Warranty 2years</b>	20	-	1	5	6	-	0.0821m <sup>3</sup>
60	GF0024	RFM-0051 Project Gift Rafeed pen 2018 Black	250	-	1	3	4.09	-	0.0224m <sup>3</sup>
61	GF0019	RFM-0043 Rafeed pen Pink	250	-	1	3	4.09	-	0.0224m <sup>3</sup>
62	Driver for RI60164-A (RFE-0113,)	E-Series - Rami - Street Light Mounted on pole <b>150watt 6000K</b> - CRI 70 15750Lumen - 0.9PF 100 - 240V <b>Rectangular W240 x L684 x H87mm</b> Silver / Aluminum (Housing) - 3380g - <b>Warranty 2years</b> Non CB	15	-	1	6	7	-	0.0365m <sup>3</sup>
63	TLLU4569244 40HQ Driver for AR30417 (RFE-0076)	E-Series - Amir - Down Light Recessed <b>10watt 3000K</b> - CRI 80 600Lumen - 0.5PF 200 - 240V <b>Round D90 x H50mm</b> Cut out 75mm White / Aluminum (Housing) - 150g - <b>Warranty 5years</b>	300	-	1	4	5	-	0.064m <sup>3</sup>
64	DE30440-A	E-Series - Deem - Panel Light Surface 2837SMD 48 pcs <b>50watt 3000K</b> - CRI 80 4500Lumen - 0.5PF 200 - 240V <b>Square W600 x L600 x H30mm</b> White / PVC (Front frame) - White / Iron (Back cover) - 3000g - <b>Warranty 2years</b> Non CB	4	-	1	13	14.75	-	0.1414m <sup>3</sup>
65	DE60439-A	E-Series - Deem - Panel Light Surface 2837SMD 48 pcs <b>50watt 6000K</b> - CRI 80 4500Lumen - 0.5PF 200 - 240V <b>Square W600 x L600 x H30mm</b> White / PVC (Front frame) - White / Iron (Back cover) - 3000g - <b>Warranty 2years</b> Non CB	4	-	1	13	14.75	-	0.1414m <sup>3</sup>
66	LED for AR30037-A (RFE-0302A)	E-Series - Amir - Down Light Recessed <b>10watt 3000K</b> - CRI 80 845Lumen - 0.5PF 100 - 240V <b>Round D120 x H50mm</b> Cut out 95mm White / Aluminum (Housing) - 235g - <b>Warranty 3years</b> Non CB	300	-	1	3	4	-	0.0224m <sup>3</sup>
<b>Total</b>			<b>23,358</b>		<b>782</b>	<b>5,624</b>	<b>6,902</b>		<b>39.6479m<sup>3</sup></b>

Stamp



32514807

Signature