

Packing List

Consignee: AHMED ABID AL-SHEIKH Trading CO.
Attention: Turky Ahmed Abed Al-Sheikh
Tel: +966 12 620 5171
Address: KILO-08, Jeddah, Jeddah, Saudi Arabia

From: MYGA TRADING LLC
Attention: Kinan Kaddour
Tel:
Address: Warehouse #1 100/1, 32C Um Ramool
Dubai UAE

Shipment No: 010407230121
Order No: 0017,0085,0097,0126
Date: 05/07/2023

#	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
1	AN30013-E	E-Series - Anar - Bulb G45 E27 Socket 5watt 3000K - CRI 80 450Lumen - 0.5PF 220 - 240V IP 20 - BULB W45 x H80mm White / plastic (Housing) - 14g - Warranty 2years Certified CB	25,000	100	250	500	750	0.0207	5.1818m³
2	AN60014-E	E-Series - Anar - Bulb G45 E27 Socket 5watt 6500K - CRI 80 500Lumen - 0.5PF 220 - 240V IP 20 - BULB W45 x H80mm White / plastic (Housing) - 14g - Warranty 2years Certified CB	10,000	100	100	200	300	0.0207	2.0727m³
3	AN30017-F	E-Series - Anar - Bulb A60 E27 Socket 9watt 3000K - CRI 82 810Lumen - 0.5PF 150 - 300V IP 20 - BULB W60 x H107mm White / plastic (Housing) - 22g - Warranty 2years Certified CB	99	99	1	2.6	2.6	0.0533	0.0533m³
4	AN60018-F	E-Series - Anar - Bulb A60 E27 Socket 9watt 6500K - CRI 82 900Lumen - 0.5PF 150 - 300V IP 20 - BULB W60 x H107mm White / plastic (Housing) - 22g - Warranty 2years Certified CB	99	99	1	2.6	2.6	0.0533	0.0533m³
5	ANR0426	E-Series - Anar - Bulb A60 E27 Socket Dimmable WiFi and Bluetooth Dimming "Tuya platform" 9watt RGBCW - 800Lumen - 0.5PF 220 - 240V IP 20 - BULB W60 x H120mm White / plastic (Housing) - 48g - Warranty 2years Certified CB	100	100	1	4.7	7.5	0.0568	0.0568m³
6	ANR0413	E-Series - Anar - Bulb A60 E27 Socket Dimmable WiFi and Bluetooth Dimming "Tuya platform" 12watt RGBCW - 1000Lumen - 0.5PF 220 - 240V IP 20 - BULB W60 x H120mm White / plastic (Housing) - 48g - Warranty 2years Certified CB	100	100	1	4.7	7.5	0.0568	0.0568m³
7	AN30021-F	E-Series - Anar - Bulb A60 E27 Socket 15watt 3000K - CRI 82 1350Lumen - 0.5PF 150 - 300V IP 20 - BULB W60 x H122mm White / plastic (Housing) - 34g - Warranty 2years Certified CB	100	100	1	3.4	5.4	0.0529	0.0529m³
8	AN60022-F	E-Series - Anar - Bulb A60 E27 Socket 15watt 6500K - CRI 82 1500Lumen - 0.5PF 150 - 300V IP 20 - BULB W60 x H122mm White / plastic (Housing) - 34g - Warranty 2years Certified CB	100	100	1	3.4	5.4	0.0529	0.0529m³
9	AN60024-G	E-Series - Anar - Bulb A80 E27 Socket 18watt 6500K - CRI 82 1800Lumen - 0.5PF 150 - 300V IP 20 - BULB W80 x H150mm White / plastic (Housing) - 61g - Warranty 2years Certified CB	50	50	1	4	5.2	0.057	0.057m³
10	AS30149-A (RFE-0269A)	E-Series - Anis - Floodlight Mounted with bracket 150watt 3000K - CRI 80 12249Lumen - 0.9PF 176 - 265V IP 65 - Rectangular W338 x L232 x H38mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 2400g - Warranty 2years Certified CB	246	6	41	598.6	651.9	0.0309	1.2689m³
11	AS60150-A (RFE-0268A)	E-Series - Anis - Floodlight Mounted with bracket 150watt 6500K - CRI 80 12997Lumen - 0.9PF 176 - 265V IP 65 - Rectangular W338 x L232 x H38mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 2400g - Warranty 2years Certified CB	312	6	52	759.2	826.8	0.0309	1.6093m³
12	AS30151-A (RFE-0271A)	E-Series - Anis - Floodlight Mounted with bracket 200watt 3000K - CRI 80 15778Lumen - 0.9PF 176 - 265V IP 65 - Rectangular W408 x L280 x H40mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 3580g - Warranty 2years Certified CB	252	4	63	888.3	989.1	0.0257	1.6208m³
13	AS60152-A (RFE-0270A)	E-Series - Anis - Floodlight Mounted with bracket 200watt 6500K - CRI 80 17077Lumen - 0.9PF 176 - 265V IP 65 - Rectangular W408 x L280 x H40mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 3580g - Warranty 2years Certified CB	248	4	62	874.2	973.4	0.0257	1.5951m³
14	AS30153-B (RFE-0273A)	E-Series - Anis - Floodlight Mounted with bracket 300watt 3000K - CRI 80 23636Lumen - 0.9PF 176 - 265V IP 65 - Rectangular W473 x L335 x H45mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 5040g - Warranty 2years Non CB	99	3	33	498.3	551.1	0.03	0.989m³
15	AS30153-A (RFE-0273A)	E-Series - Anis - Floodlight Mounted with bracket 300watt 3000K - CRI 80 23636Lumen - 0.9PF 176 - 265V IP 65 - Rectangular W473 x L335 x H45mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 5040g - Warranty 2years Certified CB	195	3	65	981.5	1085.5	0.03	1.948m³

Stamp



14078365

Signature

#	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
16	AS60154-A (RFE-0272A)	E-Series - Anis - Floodlight Mounted with bracket 300watt 6500K - CRI 80 25279Lumen - 0.9PF 176 - 265V IP 65 - Rectangular W473 x L335 x H45mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 5040g - Warranty 2years Certified CB	198	3	66	996.6	1102.2	0.03	1.9779m³
17	ZR30422	E-Series - Zora - Solar Light Planted in soil 0.05watt 3000K - CRI 80 5Lumen - Battery Voltage 1.2- Battery Capacity 300- Battery type NiMH- Panel Output Voltage 3- Solar Panel Type Polycrystalline- Solar Panel power 0.03- 1PF -IP 44 - T Shape W100 x H398mm Black / plastic (Housing) - 110g - Warranty 1years Certified CB	12	12	1	1.3	2.1	0.0148	0.0148m³
18	ZR20424	E-Series - Zora - Solar Light Planted in soil 1.08watt 2000K - CRI 80 2Lumen - Battery Voltage 1- Battery type NiMH- Panel Output Voltage 2- Solar Panel Type Polycrystalline- Solar Panel power 0.24- 1PF -IP 44 - T Shape W120 x H770mm Black / plastic (Housing) - 263g - Warranty 1years Certified CB	12	12	1	4.8	6	0.0703	0.0703m³
19	ZR30423	E-Series - Zora - Solar Light Planted in soil 0.75watt 3000K - CRI 80 50Lumen - Battery Voltage 4- Battery type NiMH- Panel Output Voltage 3- Solar Panel Type Polycrystalline- Solar Panel power 0.45- 1PF -IP 44 - T Shape W92 x L245 x H348mm Black / plastic (Housing) - 423g - Warranty 1years Certified CB	4	4	1	1.7	2.8	0.0184	0.0184m³
20	ZR50425	E-Series - Zora - Solar Light sidewall mounted 2.4watt 5000K - CRI 80 150Lumen - Battery Voltage 3.7- Battery Capacity 1200- Battery type Li-ion- Panel Output Voltage 3- Solar Panel Type Polycrystalline- Solar Panel power 1.35- 1PF -IP 44 - Rectangular W171 x L116 x H50mm Black / plastic (Housing) - 184g - Warranty 1years Certified CB	12	12	1	2.2	3.5	0.0176	0.0176m³
21	TF30191	E-Series - Taif - Strip light Surface 2835SMD 75Pcs/1M 8watt/m 3000K - CRI 80 929Lumen/m - 1PF 220 - 240V IP 65 - Linear W13.8 x L50000 x H6.4mm Transparent / PVC (Housing) - 4200g - Warranty 3years Certified CB	200	1	200	900	1100	0.0127	2.535m³
22	TF40192	E-Series - Taif - Strip light Surface 2835SMD 75Pcs/1M 8watt/m 4000K - CRI 80 929Lumen/m - 1PF 220 - 240V IP 65 - Linear W13.8 x L50000 x H6.4mm Transparent / PVC (Housing) - 4200g - Warranty 3years Certified CB	200	1	200	900	1100	0.0127	2.535m³
23	TF60193	E-Series - Taif - Strip light Surface 2835SMD 75Pcs/1M 8watt/m 6000K - CRI 80 929Lumen/m - 1PF 220 - 240V IP 65 - Linear W13.8 x L50000 x H6.4mm Transparent / PVC (Housing) - 4200g - Warranty 3years Certified CB	200	1	200	900	1100	0.0127	2.535m³
24	TAB0118-A (RFE-0226A)	E-Series - Taj - Strip light Surface 2835SMD 180Pcs/1M 6watt/m Blue - 71Lumen/m - 1PF 220 - 240V IP 65 - Linear W17 x L50000 x H7mm White / FPCB (Body) - 7200g - Warranty 2years Certified CB	300	1	300	2100	2250	0.0154	4.608m³
25	TAP0117-A (RFE-0227A)	E-Series - Taj - Strip light Surface 2835SMD 180Pcs/1M 6watt/m Purple - 230Lumen/m - 1PF 220 - 240V IP 65 - Linear W17 x L50000 x H7mm White / FPCB (Inside Structure) - Transparent / PVC (Housing) - 7200g - Warranty 2years Certified CB	300	1	300	2100	2250	0.0154	4.608m³
26	TA30121-B (RFE-0098A)	E-Series - Taj - Strip light Surface 2835SMD 180Pcs/1M 7watt/m 3000K - CRI 70 625Lumen/m - 1PF 220 - 240V IP 65 - Linear W17 x L50000 x H7mm White / FPCB (Inside Structure) - Transparent / PVC (Housing) - 7200g - Warranty 2years Non CB	36	1	36	252	270	0.0154	0.553m³
27	TA30121-A (RFE-0098A)	E-Series - Taj - Strip light Surface 2835SMD 180Pcs/1M 7watt/m 3000K - CRI 70 625Lumen/m - 1PF 220 - 240V IP 65 - Linear W17 x L50000 x H7mm White / FPCB (Inside Structure) - Transparent / PVC (Housing) - 7200g - Warranty 2years Certified CB	177	1	177	1239	1327.5	0.0154	2.7187m³
28	TA60122-B (RFE-0167A)	E-Series - Taj - Strip light Surface 2835SMD 180Pcs/1M 7watt/m 6000K - CRI 70 640Lumen/m - 1PF 220 - 240V IP 65 - Linear W17 x L50000 x H7mm White / FPCB (Inside Structure) - Transparent / PVC (Housing) - 7200g - Warranty 2years Non CB	27	1	27	189	202.5	0.0154	0.4147m³
29	TAF0245 (RFE-0409)	E-Series - Taj - Strip light Surface 5050SMD 120Pcs/1M Dual line 10watt/m RGB - 215Lumen/m - 1PF 220 - 240V IP 65 - Linear W17.5 x L50000 x H7mm White / FPCB (Inside Structure) - Transparent / PVC (Housing) - 7200g - Warranty 2years Certified CB	1,000	1	1000	7000	7500	0.0154	15.36m³
30	TA60122-A (RFE-0167A)	E-Series - Taj - Strip light Surface 2835SMD 180Pcs/1M 7watt/m 6000K - CRI 70 640Lumen/m - 1PF 220 - 240V IP 65 - Linear W17 x L50000 x H7mm White / FPCB (Inside Structure) - Transparent / PVC (Housing) - 7200g - Warranty 2years Certified CB	22	1	22	154	165	0.0154	0.3379m³
31	AS30149-A (RFE-0269A)	E-Series - Anis - Floodlight Mounted with bracket 150watt 3000K - CRI 80 12249Lumen - 0.9PF 176 - 265V IP 65 - Rectangular W338 x L232 x H38mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 2400g - Warranty 2years Certified CB	6	-	1	1	1	-	0m³
32	AS30153-A (RFE-0273A)	E-Series - Anis - Floodlight Mounted with bracket 300watt 3000K - CRI 80 23636Lumen - 0.9PF 176 - 265V IP 65 - Rectangular W473 x L335 x H45mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 5040g - Warranty 2years Certified CB	3	-	1	1	1	-	0m³
33	AS30153-A (RFE-0273A)	E-Series - Anis - Floodlight Mounted with bracket 300watt 3000K - CRI 80 23636Lumen - 0.9PF 176 - 265V IP 65 - Rectangular W473 x L335 x H45mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 5040g - Warranty 2years Certified CB	2	-	1	1	1	-	0m³
34	AS60154-A (RFE-0272A)	E-Series - Anis - Floodlight Mounted with bracket 300watt 6500K - CRI 80 25279Lumen - 0.9PF 176 - 265V IP 65 - Rectangular W473 x L335 x H45mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 5040g - Warranty 2years Certified CB	2	-	1	1	1	-	0m³
35	AN30017-F	E-Series - Anar - Bulb A60 E27 Socket 9watt 3000K - CRI 82 810Lumen - 0.5PF 150 - 300V IP 20 - BULB W60 x H107mm White / plastic (Housing) - 22g - Warranty 2years Certified CB	51	-	1	1	1	-	0m³
36	AN60018-F	E-Series - Anar - Bulb A60 E27 Socket 9watt 6500K - CRI 82 900Lumen - 0.5PF 150 - 300V IP 20 - BULB W60 x H107mm White / plastic (Housing) - 22g - Warranty 2years Certified CB	51	-	1	1	1	-	0m³

WHSU4004422
40HQ

Stamp



14078365

Signature

#	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
37	AN60022-F	E-Series - Anar - Bulb A60 E27 Socket 15watt 6500K - CRI 82 1500Lumen - 0.5PF 150 - 300V IP 20 - BULB W60 x H122mm White / plastic (Housing) - 34g - Warranty 2years Certified CB	80	-	1	1	1	-	0m ³
38	ANR0413	E-Series - Anar - Bulb A60 E27 Socket Dimmable WiFi and Bluetooth Dimming "Tuya platform" 12watt RGBCW - 1000Lumen - 0.5PF 220 - 240V IP 20 - BULB W60 x H120mm White / plastic (Housing) - 48g - Warranty 2years Certified CB	75	-	1	1	1	-	0m ³
39	ANR0426	E-Series - Anar - Bulb A60 E27 Socket Dimmable WiFi and Bluetooth Dimming "Tuya platform" 9watt RGBCW - 800Lumen - 0.5PF 220 - 240V IP 20 - BULB W60 x H120mm White / plastic (Housing) - 48g - Warranty 2years Certified CB	93	-	1	1	1	-	0m ³
40	ANR0413	E-Series - Anar - Bulb A60 E27 Socket Dimmable WiFi and Bluetooth Dimming "Tuya platform" 12watt RGBCW - 1000Lumen - 0.5PF 220 - 240V IP 20 - BULB W60 x H120mm White / plastic (Housing) - 48g - Warranty 2years Certified CB	20	-	1	1	1	-	0m ³
41	WHSU4004422 40HQ ZR50425	E-Series - Zora - Solar Light sidewall mounted 2.4watt 5000K - CRI 80 150Lumen - Battery Voltage 3.7- Battery Capacity 1200- Battery type Li-ion- Panel Output Voltage 3- Solar Panel Type Polycrystalline- Solar Panel power 1.35- 1PF -IP 44 - Rectangular W171 x L116 x H50mm Black / plastic (Housing) - 184g - Warranty 1years Certified CB	4	-	1	1	1	-	0m ³
42	ZR30422	E-Series - Zora - Solar Light Planted in soil 0.05watt 3000K - CRI 80 5Lumen - Battery Voltage 1.2- Battery Capacity 300- Battery type NiMH- Panel Output Voltage 3- Solar Panel Type Polycrystalline- Solar Panel power 0.03- 1PF -IP 44 - T Shape W100 x H398mm Black / plastic (Housing) - 110g - Warranty 1years Certified CB	9	-	1	1.8	2.8	-	0.0155m ³
43	ZR20424	E-Series - Zora - Solar Light Planted in soil 1.08watt 2000K - CRI 80 2Lumen - Battery Voltage 1- Battery type NiMH- Panel Output Voltage 2- Solar Panel Type Polycrystalline- Solar Panel power 0.24- 1PF -IP 44 - T Shape W120 x H770mm Black / plastic (Housing) - 263g - Warranty 1years Certified CB	9	-	1	5	6.8	-	0.0776m ³
44	AS30151-A (RFE-0271A)	E-Series - Anis - Floodlight Mounted with bracket 200watt 3000K - CRI 80 15778Lumen - 0.9PF 176 - 265V IP 65 - Rectangular W408 x L280 x H40mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 3580g - Warranty 2years Certified CB	4	-	1	14.1	15.7	-	0.0257m ³
Total			40,109		3,218	22,097	24,581		55.0916m³

Stamp



14078365

Signature