

## Packing List

**Consignee:** Tatawar Maana Est

**Attention:** Abdulaziz aljouai

**Tel:** +966504881194

**Address:** KILO-08, Buraydah, Buraydah, Saudi Arabia

**From:** ATC MIDDLE EAST FZCO

**Attention:** Echo Chan

**Tel:** 008615018796671

**Address:** JAFZA One, 11th Floor, Jebel Ali Free  
Zone , Dubai, UAE

**Shipment No:** 010711230153

**Order No:** 0136,0165

**Date:** 13/11/2023

Stamp



71948062

Signature

#	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
1	MT60180	E-Series - Matar - Bulkhead Surface <b>30watt 6500K</b> - CRI 80 2400Lumen - 0.9PF 220 To 240V IP 65 - <b>Rectangular W146 x L271 x H76mm</b> White / PC (Housing) - 255g - <b>Warranty 2 Years</b> Certified CB	2,000	10	200	620	920	0.0438	8.7653m³
2	MT60179	E-Series - Matar - Bulkhead Surface <b>30watt 6500K</b> - CRI 80 2400Lumen - 0.9PF 220 To 240V IP 65 - <b>Round D221 x H72mm</b> White / PC (Housing) - 275g - <b>Warranty 2 Years</b> Certified CB	10	10	1	3.05	4.9	0.0504	0.0504m³
3	AR30031-C (RFE-0346B)	E-Series - Amir - Down Light Recessed <b>8watt 3000K</b> - CRI 80 600Lumen - 0.9PF 100 To 240V IP 20 - <b>CREE LED Round D90 x H50mm</b> Cut Out 75mm White / Aluminum (Housing) - 150g - <b>Warranty 5 Years</b> Certified CB	300	100	3	55.95	58.95	0.0873	0.2619m³
4	AR60033-C (RFE-0345B)	E-Series - Amir - Down Light Recessed <b>8watt 6000K</b> - CRI 80 650Lumen - 0.9PF 100 To 240V IP 20 - <b>CREE LED Round D90 x H50mm</b> Cut Out 75mm White / Aluminum (Housing) - 150g - <b>Warranty 5 Years</b> Certified CB	300	100	3	55.95	58.95	0.0873	0.2619m³
5	AR40247-B (RFE-0414B)	E-Series - Amir - Down Light Recessed <b>20watt 4000K</b> - CRI 80 1800Lumen - 0.9PF 100 To 240V IP 20 - <b>Round D170 x H55mm</b> Cut Out 145mm White / Aluminum (Housing) - 510g - <b>Warranty 3 Years</b> Certified CB	800	20	40	459.6	499.6	0.0513	2.052m³
6	AR60253-A (RFE-0326A)	E-Series - Amir - Down Light Recessed <b>30watt 6000K</b> - CRI 80 2700Lumen - 0.9PF 220 To 240V IP 20 - <b>Round D225 x H55mm</b> Cut Out 205mm White / Aluminum (Housing) - 665g - <b>Warranty 3 Years</b> Certified CB	1,500	20	75	1227.75	1302.75	0.1036	7.768m³
7	AR40254-A (RFE-0415A)	E-Series - Amir - Down Light Recessed <b>40watt 4000K</b> - CRI 80 3400Lumen - 0.9PF 220 To 240V IP 20 - <b>Round D225 x H65mm</b> Cut Out 205mm White / Aluminum (Housing) - <b>Warranty 3 Years</b> Certified CB	420	20	21	423.99	444.99	0.1036	2.175m³
8	AR60042-B (RFE-0305A)	E-Series - Amir - Down Light Recessed <b>40watt 6000K</b> - CRI 80 3400Lumen - 0.9PF 220 To 240V IP 20 - <b>Round D225 x H65mm</b> Cut Out 205mm White / Aluminum (Housing) - <b>Warranty 3 Years</b> Certified CB	60	20	3	60.57	63.57	0.1036	0.3107m³
9	AR40283-B	E-Series - Amir - Down Light Recessed <b>60watt 4000K</b> - CRI 80 5200Lumen - 0.9PF 220 To 240V IP 20 - <b>CREE LED Round D230 x H115mm</b> Cut Out 205mm White / Aluminum (Housing) - 1120g - <b>Warranty 5 Years</b> Certified CB	12	12	1	14.1	15.1	0.1067	0.1067m³
10	AR60036-B	E-Series - Amir - Down Light Recessed <b>60watt 6000K</b> - CRI 80 5500Lumen - 0.9PF 220 To 240V IP 20 - <b>CREE LED Round D230 x H115mm</b> Cut Out 205mm White / Aluminum (Housing) - 1120g - <b>Warranty 5 Years</b> Certified CB	36	12	3	42.3	45.3	0.1067	0.3202m³
11	AS30149-A (RFE-0269A)	E-Series - Anis - Floodlight Mounted with bracket <b>150watt 3000K</b> - CRI 80 12249Lumen - 0.9PF 176 To 265V IP 65 - <b>Rectangular W338 x L232 x H38mm</b> Transparent / Glass (Front Cover) - White / Aluminum (Housing) - <b>Warranty 2 Years</b> Certified CB	204	6	34	496.4	557.6	0.0309	1.0522m³
12	AS60150-A (RFE-0268A)	E-Series - Anis - Floodlight Mounted with bracket <b>150watt 6500K</b> - CRI 80 12997Lumen - 0.9PF 176 To 265V IP 65 - <b>Rectangular W338 x L232 x H38mm</b> Transparent / Glass (Front Cover) - White / Aluminum (Housing) - <b>Warranty 2 Years</b> Certified CB	300	6	50	730	820	0.0309	1.5474m³
13	AS30151-A (RFE-0271A)	E-Series - Anis - Floodlight Mounted with bracket <b>200watt 3000K</b> - CRI 80 15778Lumen - 0.9PF 176 To 265V IP 65 - <b>Rectangular W408 x L280 x H40mm</b> Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 3580g - <b>Warranty 2 Years</b> Certified CB	500	4	125	1762.5	1962.5	0.0257	3.2159m³
14	AS60152-A (RFE-0270A)	E-Series - Anis - Floodlight Mounted with bracket <b>200watt 6500K</b> - CRI 80 17077Lumen - 0.9PF 176 To 265V IP 65 - <b>Rectangular W408 x L280 x H40mm</b> Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 3580g - <b>Warranty 2 Years</b> Certified CB	500	4	125	1762.5	1962.5	0.0257	3.2159m³
15	AS60154-A (RFE-0272A)	E-Series - Anis - Floodlight Mounted with bracket <b>300watt 6500K</b> - CRI 80 25279Lumen - 0.9PF 176 To 265V IP 65 - <b>Rectangular W473 x L335 x H45mm</b> Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 5040g - <b>Warranty 2 Years</b> Certified CB	300	3	100	1510	1670	0.03	2.9968m³

Stamp



71948062

Signature

#	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
16	SA60158-A	E-Series - Sari - High Bay Suspendant <b>Dimmable 1-10V, PWM, Resistor 200watt 6500K</b> - CRI 80 30000Lumen - 0.95PF 100 To 277V IP 65 - <b>Round D347 x H142mm</b> Black / Aluminum (Housing) - <b>Warranty 3 Years</b> Certified CB	200	1	200	600	800	0.024	4.8m <sup>3</sup>
17	NV60217	E-Series - Nova - Recessed Panel Downlight Recessed <b>15watt 6000K</b> - CRI 80 1275Lumen - 0.9PF 220 To 240V IP 44-20 - <b>Round D170 x H34mm</b> Cut Out 150mm White / plastic (Housing) - 120g - <b>Warranty 2 Years</b> Certified CB	30	30	1	3.84	6	0.0482	0.0482m <sup>3</sup>
18	NV60228	E-Series - Nova - Recessed Panel Downlight Recessed <b>24watt 6000K</b> - CRI 80 1850Lumen - 0.9PF 220 To 240V IP 44-20 - <b>Round D224 x H34mm</b> Cut Out 200mm White / plastic (Housing) - 200g - <b>Warranty 2 Years</b> Certified CB	60	20	3	12.6	18.6	0.0537	0.1612m <sup>3</sup>
19	MR30292	E-Series - Mar - Spotlight <b>GU10</b> Base: GU10 2835SMD 7Pcs 1W <b>7watt 3000K</b> - CRI 80 580Lumen - 0.5PF 170 To 240V IP 20 - <b>Round D50 x H53mm</b> Silver / Aluminum (Inside Structure) - White / plastic (Outside) - 21g - <b>Warranty 2 Years</b> Certified CB	19,900	100	199	398	636.8	0.0183	3.6334m <sup>3</sup>
20	MR40294	E-Series - Mar - Spotlight <b>GU10</b> Base: GU10 2835SMD 7Pcs 1W <b>7watt 4000K</b> - CRI 80 580Lumen - 0.5PF 170 To 240V IP 20 - <b>Round D50 x H53mm</b> Silver / Aluminum (Inside Structure) - White / plastic (Outside) - 21g - <b>Warranty 2 Years</b> Certified CB	9,900	100	99	198	316.8	0.0183	1.8076m <sup>3</sup>
21	MR40304	E-Series - Mar - Spotlight Recessed <b>7watt 4000K</b> - CRI 80 650Lumen - 0.9PF 100 To 240V IP 20 - <b>Round D93 x H42.5mm</b> Cut Out 75mm White / plastic (Housing) - 85g - <b>Warranty 3 Years</b> Certified CB	700	100	7	68.6	73.5	0.0707	0.495m <sup>3</sup>
22	FANU1264637 40HQ MR60305	E-Series - Mar - Spotlight Recessed <b>7watt 6000K</b> - CRI 80 700Lumen - 0.9PF 100 To 240V IP 20 - <b>Round D93 x H42.5mm</b> Cut Out 75mm White / plastic (Housing) - 85g - <b>Warranty 3 Years</b> Certified CB	100	100	1	9.8	10.5	0.0707	0.0707m <sup>3</sup>
23	TAF0245 (RFE-0409)	E-Series - Taj - Strip light Surface 5050SMD 120Pcs/1M Dual line <b>10watt/m RGB</b> - 215Lumen/m - 1PF <b>220 To 240V</b> IP 65 - <b>Linear W17.5 x L50000 x H7mm</b> White / FPCB (Inside Structure) - Transparent / PVC (Housing) - 7200g - <b>Warranty 2 Years</b> Certified CB	300	1	300	2100	2250	0.0154	4.608m <sup>3</sup>
24	TA40248 (RFE-0410A)	E-Series - Taj - Strip light Surface 2835SMD 180Pcs/1M <b>7watt/m 4000K</b> - CRI 70 625Lumen/m - 1PF <b>220 To 240V</b> IP 65 - <b>Linear W17 x L50000 x H7mm</b> White / FPCB (Inside Structure) - Transparent / PVC (Housing) - 7200g - <b>Warranty 2 Years</b> Certified CB	650	1	650	4550	4875	0.0154	9.984m <sup>3</sup>
25	NV40257	E-Series - Nova - Surface Panel Downlight Surface <b>24watt 4000K</b> - CRI 80 1850Lumen - 0.9PF 220 To 240V IP 44-20 - <b>Round D226 x H36mm</b> White / plastic (Housing) - 280g - <b>Warranty 2 Years</b> Certified CB	760	20	38	159.6	239.4	0.0537	2.0415m <sup>3</sup>
26	ES-0513A (RFE-0172A)	Plug For Strips 220V 50m 2835 12mm, without electric plug for S.A. Certified CB	7,000	200	35	553	623	0.042	1.47m <sup>3</sup>
27	ES-0838	Plug with "CLIPS" For Strips 220V 50m 2835 12mm, without electric plug for S.A. Certified CB	2,600	200	13	208	234	0.0566	0.7359m <sup>3</sup>
28	Driver for AR30035-A (RFE-0308.)	E-Series - Amir - Down Light Recessed <b>60watt 3000K</b> - CRI 80 4800Lumen - 0.9PF 180 To 265V IP 20 - <b>CREE LED Round D225 x H100mm</b> Cut Out 205mm White / Aluminum (Housing) - 1120g - <b>Warranty 5 Years</b> Certified CB	320	-	1	51.7	52.73	-	0.1338m <sup>3</sup>
29	Driver for AR30035-A (RFE-0308.)	E-Series - Amir - Down Light Recessed <b>60watt 3000K</b> - CRI 80 4800Lumen - 0.9PF 180 To 265V IP 20 - <b>CREE LED Round D225 x H100mm</b> Cut Out 205mm White / Aluminum (Housing) - 1120g - <b>Warranty 5 Years</b> Certified CB	280	-	1	49.4	50.4	-	0.1338m <sup>3</sup>
<b>Total</b>			<b>50,042</b>		<b>2,332</b>	<b>18,187</b>	<b>20,573</b>		<b>64.2234m<sup>3</sup></b>

Stamp



71948062

Signature