

Packing List

Consignee: AHMED ABID AL-SHEIKH Trading CO.
Attention: Turkey Ahmed Abed Al-Sheikh
Tel: +966 12 620 5171
Address: KILO-08, Jeddah, Jeddah, Saudi Arabia

From: ATC MIDDLE EAST FZCO
Attention: Echo Chan
Tel: 008615018796671
Address: JAFZA One, 11th Floor, Jebel Ali Free
Zone , Dubai, UAE

Shipment Number: SH-010405250240
Order Number:
0172,0184,0203,0207,0223,0257
Date: 26/05/2025

Stamp



76082541

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
1	024011 20GP	AR30031-C (RFE-0346B)	E-Series - Amir - Down Light Recessed 8watt 3000K - CRI 80 600Lumen - 0.9PF 220 To 240V IP 20 - CREE LED Round D90 x H50mm Cut Out 75mm White / Aluminum (Housing) - 5 Year Warranty Certified CB with	200	100	2	37.3	39.3	0.0873	0.1746m³
2		AR30039-C (RFE-0304B)	E-Series - Amir - Down Light Recessed 20watt 3000K - CRI 80 1700Lumen - 0.9PF 220 To 240V IP 20 - Round D170 x H55mm Cut Out 145mm White / Aluminum (Housing) - 500g - 3 Year Warranty Certified CB with	40	20	2	22.98	24.98	0.0513	0.1026m³
3		AR60040-C (RFE-0303B)	E-Series - Amir - Down Light Recessed 20watt 6000K - CRI 80 1700Lumen - 0.9PF 220 To 240V IP 20 - Round D170 x H55mm Cut Out 145mm White / Aluminum (Housing) - 500g - 3 Year Warranty Certified CB with	40	20	2	22.98	24.98	0.0513	0.1026m³
4		AR30251-A (RFE-0327A.)	E-Series - Amir - Down Light Recessed 30watt 3000K - CRI 80 2700Lumen - 0.9PF 220 To 240V IP 20 - Round D225 x H55mm Cut Out 205mm White / Aluminum (Housing) - 665g - 3 Year Warranty Certified CB with	40	20	2	32.74	34.74	0.1036	0.2071m³
5		AR60253-A (RFE-0326A.)	E-Series - Amir - Down Light Recessed 30watt 6000K - CRI 80 2700Lumen - 0.9PF 220 To 240V IP 20 - Round D225 x H55mm Cut Out 205mm White / Aluminum (Housing) - 665g - 3 Year Warranty Certified CB with	40	20	2	32.74	34.74	0.1036	0.2071m³
6		AR30035-B	E-Series - Amir - Down Light Recessed 60watt 3000K - CRI 80 5200Lumen - 0.9PF 220 To 240V IP 20 - CREE LED Round D230 x H115mm Cut Out 205mm White / Aluminum (Housing) - 5 Year Warranty Certified CB with	24	12	2	39.7	41.7	0.1067	0.2134m³
7		AS30139-A (RFE-0263A)	E-Series - Anis - Floodlight Mounted with bracket 30watt 3000K - CRI 70 2400Lumen - 0.9PF 176 To 265V IP 65 - Rectangular W185 x L158 x H25mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 2 Year Warranty Certified CB with	60	20	3	29.1	33	0.0234	0.0703m³
8		AS60140-A (RFE-0262A)	E-Series - Anis - Floodlight Mounted with bracket 30watt 6000K - CRI 70 2550Lumen - 0.9PF 176 To 265V IP 65 - Rectangular W185 x L158 x H25mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 2 Year Warranty Certified CB with	40	20	2	19.4	22	0.0234	0.0468m³
9		AS30145-A (RFE-0265A)	E-Series - Anis - Floodlight Mounted with bracket 50watt 3000K - CRI 70 4000Lumen - 0.9PF 176 To 265V IP 65 - Rectangular W230 x L195 x H30mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 2 Year Warranty Certified CB with	30	10	3	24.9	27.9	0.0205	0.0616m³
10		AS60146-A (RFE-0264A)	E-Series - Anis - Floodlight Mounted with bracket 50watt 6000K - CRI 70 4250Lumen - 0.9PF 176 To 265V IP 65 - Rectangular W230 x L195 x H30mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 2 Year Warranty Certified CB with	20	10	2	16.6	18.6	0.0205	0.0411m³
11		AS30147-A (RFE-0267A)	E-Series - Anis - Floodlight Mounted with bracket 100watt 3000K - CRI 70 8000Lumen - 0.9PF 176 To 265V IP 65 - Rectangular W297 x L242 x H32mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 2 Year Warranty Certified CB with	15	5	3	23.1	25.5	0.0172	0.0515m³
12		AS60148-A (RFE-0266A)	E-Series - Anis - Floodlight Mounted with bracket 100watt 6000K - CRI 70 8500Lumen - 0.9PF 176 To 265V IP 65 - Rectangular W297 x L242 x H32mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 2 Year Warranty Certified CB with	20	5	4	30.8	34	0.0172	0.0687m³
13		AS30151-C	E-Series - Anis - Floodlight Mounted with bracket with lens 200watt 3000K - CRI 80 15778Lumen - 0.9PF 176 To 265V IP 65 - Rectangular W408 x L280 x H40mm Transparent / PC (Lens) - White / Aluminum (Housing) - 3 Year Warranty Certified CB with	456	4	114	1276.8	1436.4	0.0257	2.9329m³
14		SA60831-A	E-Series - Sari - High Bay Suspendant 150watt 6000K - CRI 80 15000Lumen - 0.9PF 100 To 265V IP 65 - Round D300 x H30mm Black / Aluminum (Housing) - 2 Year Warranty Certified CB with	150	10	15	127.5	142.5	0.0444	0.6654m³

Stamp



76082541

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
---	------------------	-------------	------	----------	---------	-----	----------	----------	-------------	--------------

Stamp



76082541

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
15		SA60834-A	E-Series - Sari - High Bay Suspendant 200watt 6000K - CRI 80 20000Lumen - 0.9PF 100 To 265V IP 65 - Round D360 x H30mm Black / Aluminum (Housing) - 2 Year Warranty Certified CB with	360	10	36	630	651.6	0.0631	2.2703m³

024011
20GP

Stamp



76082541

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
16		SA60158-A	E-Series - Sari - High Bay Suspendant Dimmable 1-10V, PWM, Resistor 200watt 6500K - CRI 80 30000Lumen - 0.95PF 100 To 277V IP 65 - Round D347 x H142mm Black / Aluminum (Housing) - 5 Year Warranty Certified CB with	150	10	15	34.5	51	0.0327	0.4908m³
17		DE30348-D	E-Series - Deem - Panel Light Recessed 40watt 3000K - CRI 80 4000Lumen - 0.9PF 220 To 240V IP 20 - Square W595 x L595 x H8mm White / Aluminum (Housing) - 2 Year Warranty Certified CB with	5	5	1	9.2	11.6	0.0712	0.0712m³
18		DE40238-D	E-Series - Deem - Panel Light Recessed 40watt 4000K - CRI 80 4000Lumen - 0.9PF 220 To 240V IP 20 - Square W595 x L595 x H8mm White / Aluminum (Housing) - 2 Year Warranty Certified CB with	5	5	1	9.2	11.6	0.0712	0.0712m³
19		DE60239-D	E-Series - Deem - Panel Light Recessed 40watt 6000K - CRI 80 4000Lumen - 0.9PF 220 To 240V IP 20 - Square W595 x L595 x H8mm White / Aluminum (Housing) - 2 Year Warranty Certified CB with	20	5	4	36.8	46.4	0.0712	0.2848m³
20		DE30114-F	E-Series - Deem - Panel Light Recessed 50watt 3000K - CRI 80 4950Lumen - 0.9PF 220 To 240V IP 20 - Square W595 x L595 x H8mm White / Aluminum (Housing) - 2 Year Warranty Certified CB with	10	5	2	18.4	23.2	0.0712	0.1424m³
21		DE40240-E	E-Series - Deem - Panel Light Recessed 50watt 4000K - CRI 80 4950Lumen - 0.9PF 220 To 240V IP 20 - Square W595 x L595 x H8mm White / Aluminum (Housing) - 2 Year Warranty Certified CB with	5	5	1	9.2	11.6	0.0712	0.0712m³
22		DE60115-F	E-Series - Deem - Panel Light Recessed 50watt 6000K - CRI 80 4950Lumen - 0.9PF 220 To 240V IP 20 - Square W595 x L595 x H8mm White / Aluminum (Housing) - 2 Year Warranty Certified CB with	15	5	3	27.6	34.8	0.0712	0.2136m³
23		ES-0897A	Rafeed, Tri-proof Housing IP65, 9W for T8 DOUBLE-END wiring ABS base, PC cover, with stainless steel clips, T8 lamp holder (UL), without LED tube, Dimensions: 670x68x73 mm, warranty 5years Certified CB	20	20	1	10.3	12	0.0631	0.0631m³
24		ES-0896A	Rafeed, Tri-proof Housing IP65, 2*9W for T8 DOUBLE-END wiring ABS base, PC cover, with stainless steel clips, T8 lamp holder (UL), without LED tube, Dimensions: 670x104x73 mm, warranty 5years Certified CB	555	15	37	410.7	469.9	0.0707	2.6166m³
25		ES-0898A	Rafeed, Tri-proof Housing IP65, 18W for T8 DOUBLE-END wiring ABS base, PC cover, with stainless steel clips, T8 lamp holder (UL), without LED tube, Dimensions: 1270x68x73mm, warranty 5years Certified CB	24	12	2	23.2	26.6	0.0721	0.1443m³
26		ES-0899A	Rafeed, Tri-proof Housing IP65, 2*18W for T8 DOUBLE-END wiring ABS base, PC cover, with stainless steel clips, T8 lamp holder (UL), without LED tube, Dimensions: 1270x104x73mm, warranty 5years Certified CB	20	10	2	25	28.4	0.088	0.176m³
27		EQ0754	18650 Rechargeable battery, lithium-ion, Type-C charging 5VDC/700mA, with charging cable, 3.7V, 2000mAh, 7400mWh, charging time 3-3.5h, long life ≥1000 cycles, max discharge current 5A, 1 year warranty, Operating temperature -20° / +60°C, Weight 40g, D18xH65mm.	540	90	6	33.6	40.8	0.0293	0.1758m³
28		EQ0756	9V Rechargeable battery, lithium-ion, Type-C charging 5VDC/500mA, with charging cable, 9V, 400mAh, 3700mWh, charging time 2-2.5h, long life ≥1000 cycles, max discharge current 150mA, 1 year warranty, Operating temperature -20° / +60°C, Weight 24g, 48.1*26*16.8mm	630	90	7	30.1	38.5	0.0293	0.2051m³
29		EQ0747	AA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 1700mAh, 2600mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 18g, D14xH50mm.	1,080	120	9	81	91.8	0.0293	0.2637m³
30		EQ0751	AAA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/250mA, with 2in1 cable, 1.5V, 580mAh, 880mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60°C, Weight 8.5g, D10xH44mm.	480	160	3	18	21.6	0.0293	0.0879m³
31		EQ0759	21 inch All in one smart TV Dimensions: L2512.8mm W2279.3mm H112mm Storage:64G, RAM:4G Display size: 21.5", color gamut: 100%SRGB Brightness: 300-350cd/m², Resolution: 1080*1920 IPS Battery: 11.1V 6000MA (Cell 18650 2000mA 3 parallel 3 series) Speaker: built-in sound chamber speaker 4 3W * 2 Microphone: Noise reduction MIC 4015 Operating System: Android 13 Default Language: English+ Multilingual Shell material: ABS	70	1	70	633.5	843.5	0.0501	3.51m³

Stamp



76082541

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
32	024011 20GP	EQ0743	AA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/500mA, with 4in1 cable, 1.5V, 1460mAh, 2220mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 16g, D14xH50mm.	360	120	3	32.1	35.7	0.0293	0.0879m³
33		EQ0744	AA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/500mA, with 4in1 cable, 1.5V, 1700mAh, 2600mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 18g, D14xH50mm.	1,080	120	9	144	154.8	0.0293	0.2637m³
34		EQ0749	AAA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/250mA, with 4in1 cable, 1.5V, 580mAh, 880mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60°C, Weight 8.5g, D10xH44mm.	1,280	160	8	74.4	84	0.0293	0.2344m³
35		EQ0676	Portable double light source searchlight, front light source power 5w and side light source power 10w, 300lm +500lm, operation: Main lamp: high mode, middle mode, low mode, Side lamp: white light red-light, red-light flash, IPX5, 1M impact resistant lamp size :100*88*180mm Battery :2*2000mAh Charge time :5 hrs. working time: 6-10hrs Material: ABS+PC With Battery indicator light, input port: Type C With solar charging method 5.5v 0.5w Max 120ma	960	40	24	659.52	695.52	0.1594	3.8259m³
36		EQ0675	Portable double light source searchlight, front light source power 10w and under light source power 10w, 500lm +300lm, operation: Main lamp: high mode, middle mode, flash mode, Side lamp: high mode, low mode, red flash, IPX5, 1M impact resistant lamp size :85*85*200mm Battery :2*2000mAh Charge time :5 hrs. working time: 5-10hrs Material: ABS+PC With Battery indicator light, input port :Type C	960	40	24	485.76	522.24	0.1224	2.9367m³
37		EQ0700	Front light source power 10w and side light source power 3w, brightness 500lm, operation: High Mode - Middle Mode - Low Mode - Fast - Side light: Yellow light - red light - red flash, IPX5, 1M impact resistant lamp size: 33*28*180mm Battery: 18650(1*2000mAh) Charge time :3 hrs. working time: 4-12hrs Material: Aluminum alloy+ ABS Telescopic Zoom, double light source. Tail hook. Digital display	420	60	7	101.5	105.7	0.0427	0.2989m³
38		EQ0701	Front light source power 10w and side light source power 3w, brightness 500lm, operation: High Mode - Middle Mode - Low Mode - Fast - Side light: Yellow light - red light - red flash, IP67, 1M impact resistant lamp size: 34*28*170mm Battery: (1*4000mAh) Charge time :5 hrs. working time: 5-16hrs Material: Aluminum alloy+ ABS COB Side light. Bottom magnet, Carry clip.	480	60	8	158.72	170.72	0.0477	0.3818m³
39		EQ0700	Front light source power 10w and side light source power 3w, brightness 500lm, operation: High Mode - Middle Mode - Low Mode - Fast - Side light: Yellow light - red light - red flash, IPX5, 1M impact resistant lamp size: 33*28*180mm Battery: 18650(1*2000mAh) Charge time :3 hrs. working time: 4-12hrs Material: Aluminum alloy+ ABS Telescopic Zoom, double light source. Tail hook. Digital display	58	-	1	14.5	15.1	-	0.0427m³
40		EQ0701	Front light source power 10w and side light source power 3w, brightness 500lm, operation: High Mode - Middle Mode - Low Mode - Fast - Side light: Yellow light - red light - red flash, IP67, 1M impact resistant lamp size: 34*28*170mm Battery: (1*4000mAh) Charge time :5 hrs. working time: 5-16hrs Material: Aluminum alloy+ ABS COB Side light. Bottom magnet, Carry clip.	58	-	1	14.87	18.03	-	0.0477m³
41		EQ0676	Portable double light source searchlight, front light source power 5w and side light source power 10w, 300lm +500lm, operation: Main lamp: high mode, middle mode, low mode, Side lamp: white light red-light, red-light flash, IPX5, 1M impact resistant lamp size :100*88*180mm Battery :2*2000mAh Charge time :5 hrs. working time: 6-10hrs Material: ABS+PC With Battery indicator light, input port: Type C With solar charging method 5.5v 0.5w Max 120ma	38	-	1	27.48	28.98	-	0.1612m³
42		EQ0675	Portable double light source searchlight, front light source power 10w and under light source power 10w, 500lm +300lm, operation: Main lamp: high mode, middle mode, flash mode, Side lamp: high mode, low mode, red flash, IPX5, 1M impact resistant lamp size :85*85*200mm Battery :2*2000mAh Charge time :5 hrs. working time: 5-10hrs Material: ABS+PC With Battery indicator light, input port :Type C	38	-	1	20.24	21.74	-	0.1224m³
43		SA60834-A	E-Series - Sari - High Bay Suspended 200watt 6000K - CRI 80 20000Lumen - 0.9PF 100 To 265V IP 65 - Round D360 x H30mm Black / Aluminum (Housing) - 2 Year Warranty Certified CB with	6	-	1	17.5	18.1	-	0.0631m³
Total				10,902		446	5,528	6,226		24.2698m³

Stamp



76082541

Signature