

# Packing List

**Consignee:** AHMED ABID AL-SHEIKH Trading CO.

**Attention:** Turkey Ahmed Abed Al-Sheikh

**Tel:** +966 12 620 5171

**Address:** KILO-08, Jeddah, Jeddah, Saudi Arabia

**From:** ATC MIDDLE EAST FZCO

**Attention:** Echo Chan

**Tel:** 008615018796671

**Address:** JAFZA One, 11th Floor, Jebel Ali Free  
Zone , Dubai, UAE

**Shipment Number:** SH-010406260261

**Order Number:** 0172,0192,0274,0300

**Date:** 06/06/2026

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
1	ONEU5488023 40HQ	AR20955-A	E-Series – Amir – Down Light Recessed <b>9watt 2700K</b> – CRI 95 650Lumen – 0.5PF 220 To 240V IP 20 – <b>Round D85.5 x H72.5mm</b> Cut Out 75mm Black and grey / Aluminum (Housing) – <b>3 Year Warranty</b> Certified CB	2,000	50	40	508	532	0.0431	1.7228 m <sup>3</sup>
2		AR30956-A	E-Series – Amir – Down Light Recessed <b>9watt 3000K</b> – CRI 95 650Lumen – 0.5PF 220 To 240V IP 20 – <b>Round D85.5 x H72.5mm</b> Cut Out 75mm Black and grey / Aluminum (Housing) – <b>3 Year Warranty</b> Certified CB	2,000	50	40	508	532	0.0431	1.7228 m <sup>3</sup>
3		AR40957-A	E-Series – Amir – Down Light Recessed <b>9watt 4000K</b> – CRI 95 650Lumen – 0.5PF 220 To 240V IP 20 – <b>Round D85.5 x H72.5mm</b> Cut Out 75mm Black and grey / Aluminum (Housing) – <b>3 Year Warranty</b> Certified CB	800	50	16	203.2	212.8	0.0431	0.6891 m <sup>3</sup>
4		AR60958-A	E-Series – Amir – Down Light Recessed <b>9watt 6000K</b> – CRI 95 650Lumen – 0.5PF 220 To 240V IP 20 – <b>Round D85.5 x H72.5mm</b> Cut Out 75mm Black and grey / Aluminum (Housing) – <b>3 Year Warranty</b> Certified CB	500	50	10	127	133	0.0431	0.4307 m <sup>3</sup>
5		AS30149-C	E-Series – Anis – Floodlight Mounted with bracket with lens <b>150watt 3000K</b> – CRI 80 12249Lumen – 0.9PF 176 To 265V IP 65 – <b>Rectangular W338 x L232 x H38mm</b> Transparent / PC (Lens) – White / Aluminum (Housing) – <b>3 Year Warranty</b> Certified CB	24	6	4	58.4	65.6	0.0309	0.1238 m <sup>3</sup>
6		AS60150-C	E-Series – Anis – Floodlight Mounted with bracket with lens <b>150watt 6500K</b> – CRI 80 12997Lumen – 0.9PF 176 To 265V IP 65 – <b>Rectangular W338 x L232 x H38mm</b> Transparent / PC (Lens) – White / Aluminum (Housing) – <b>3 Year Warranty</b> Certified CB	468	6	78	1138.8	1279.2	0.0309	2.414 m <sup>3</sup>
7		AT30855-A	E-Series – Astral – Linear Dot Light Recessed <b>8watt 3000K</b> – CRI 95 640Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W74 x L74 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	200	50	4	44	48.4	0.0368	0.1472 m <sup>3</sup>
8		AT40856-A	E-Series – Astral – Linear Dot Light Recessed <b>8watt 4000K</b> – CRI 95 640Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W74 x L74 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	100	50	2	22	24.2	0.0368	0.0736 m <sup>3</sup>
9		AT60857-A	E-Series – Astral – Linear Dot Light Recessed <b>8watt 6000K</b> – CRI 95 640Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W74 x L74 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	100	50	2	22	24.2	0.0368	0.0736 m <sup>3</sup>
10		AT30697-A	E-Series – Astral – Linear Dot Light Recessed <b>10watt 3000K</b> – CRI 95 700Lumen – 0.9PF 220 To 240V IP 20 – <b>Linear W44 x L147 x H31mm</b> White / Aluminum (Housing) – 157g – <b>2 Year Warranty</b> Certified CB	510	30	17	102	120.7	0.022	0.3745 m <sup>3</sup>
11		AT60699-A	E-Series – Astral – Linear Dot Light Recessed <b>10watt 6000K</b> – CRI 95 700Lumen – 0.9PF 220 To 240V IP 20 – <b>Linear W44 x L147 x H31mm</b> White / Aluminum (Housing) – 157g – <b>2 Year Warranty</b> Certified CB	90	30	3	18	21.3	0.022	0.0661 m <sup>3</sup>
12		AT30700-A	E-Series – Astral – Linear Dot Light Recessed <b>18watt 3000K</b> – CRI 95 1620Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W103 x L103 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	210	30	7	77	89.6	0.0356	0.249 m <sup>3</sup>
13		AT40701-A	E-Series – Astral – Linear Dot Light Recessed <b>18watt 4000K</b> – CRI 95 1620Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W103 x L103 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	30	30	1	11	12.8	0.0356	0.0356 m <sup>3</sup>
14		AT60702-A	E-Series – Astral – Linear Dot Light Recessed <b>18watt 6000K</b> – CRI 95 1620Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W103 x L103 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	120	30	4	44	51.2	0.0356	0.1423 m <sup>3</sup>

Stamp



35726498

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
15	ONEU5488023 40HQ	AT30703-A	E-Series – Astral – Linear Dot Light Recessed <b>20watt 3000K</b> – CRI 95 1500Lumen – 0.9PF 220 To 240V IP 20 – <b>Linear W44 x L280 x H31mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	500	20	25	170	210	0.0257	0.6417 m <sup>3</sup>
16		AT60705-A	E-Series – Astral – Linear Dot Light Recessed <b>20watt 6000K</b> – CRI 95 1500Lumen – 0.9PF 220 To 240V IP 20 – <b>Linear W44 x L280 x H31mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	80	20	4	27.2	33.6	0.0257	0.1027 m <sup>3</sup>
17		AT30706-A	E-Series – Astral – Linear Dot Light Recessed <b>30watt 3000K</b> – CRI 95 2250Lumen – 0.9PF 220 To 240V IP 20 – <b>Linear W44 x L412 x H31mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	380	10	38	190	228	0.0194	0.7386 m <sup>3</sup>
18		AT30858-A	E-Series – Astral – Linear Dot Light Recessed <b>32watt 3000K</b> – CRI 95 2880Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W133 x L133 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	220	20	11	110	127.6	0.0335	0.3683 m <sup>3</sup>
19		AT40859-A	E-Series – Astral – Linear Dot Light Recessed <b>32watt 4000K</b> – CRI 95 2880Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W133 x L133 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	60	20	3	30	34.8	0.0335	0.1004 m <sup>3</sup>
20		AT60860-A	E-Series – Astral – Linear Dot Light Recessed <b>32watt 6000K</b> – CRI 95 2880Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W133 x L133 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	100	20	5	50	58	0.0335	0.1674 m <sup>3</sup>
21		PL20727-A	E-Series – Polkadot – Linear Light Suspendant <b>40watt 2700K</b> – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – <b>Linear W50 x L1200 x H75mm</b> Black / Aluminum (Housing) – 1375g – <b>5 Year Warranty</b> Certified CB	290	10	29	391.5	449.5	0.0681	1.9759 m <sup>3</sup>
22		PL30454-A	E-Series – Polkadot – Linear Light Suspendant <b>40watt 3000K</b> – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – <b>Linear W50 x L1200 x H75mm</b> Black / Aluminum (Housing) – 1375g – <b>5 Year Warranty</b> Certified CB	290	10	29	391.5	449.5	0.0681	1.9759 m <sup>3</sup>
23		PL30455-A	E-Series – Polkadot – Linear Light Suspendant <b>40watt 3000K</b> – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – <b>Linear W50 x L1200 x H75mm</b> White / Aluminum (Housing) – 1375g – <b>5 Year Warranty</b> Certified CB	240	10	24	324	372	0.0681	1.6353 m <sup>3</sup>
24		PL40457-A	E-Series – Polkadot – Linear Light Suspendant <b>40watt 4000K</b> – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – <b>Linear W50 x L1200 x H75mm</b> White / Aluminum (Housing) – 1375g – <b>5 Year Warranty</b> Certified CB	240	10	24	324	372	0.0681	1.6353 m <sup>3</sup>
25		PL40456-A	E-Series – Polkadot – Linear Light Suspendant <b>40watt 4000K</b> – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – <b>Linear W50 x L1200 x H75mm</b> Black / Aluminum (Housing) – 1375g – <b>5 Year Warranty</b> Certified CB	490	10	49	661.5	759.5	0.0681	3.3386 m <sup>3</sup>
26		PL60459-A	E-Series – Polkadot – Linear Light Suspendant <b>40watt 6500K</b> – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – <b>Linear W50 x L1200 x H75mm</b> White / Aluminum (Housing) – 1375g – <b>5 Year Warranty</b> Certified CB	490	10	49	661.5	759.5	0.0681	3.3386 m <sup>3</sup>
27		PL60458-A	E-Series – Polkadot – Linear Light Suspendant <b>40watt 6500K</b> – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – <b>Linear W50 x L1200 x H75mm</b> Black / Aluminum (Housing) – 1375g – <b>5 Year Warranty</b> Certified CB	690	10	69	931.5	1069.5	0.0681	4.7013 m <sup>3</sup>
28		PR30566-A	E-Series – Petra – Magnetic Light On rail <b>6watt 3000K</b> – CRI 90 480Lumen – 48V IP 20 – <b>Linear W22 x L113 x H43.5mm</b> Black / Aluminum (Housing) – <b>5</b> <b>Year Warranty</b> Certified CB	510	30	17	37.4	42.5	0.0051	0.0875 m <sup>3</sup>
29		PR30565-A	E-Series – Petra – Magnetic Light On rail <b>6watt 3000K</b> – CRI 90 390Lumen – 48V IP 20 – <b>Rectangular W22 x L116 x H102mm</b> Black / Aluminum (Housing) – <b>5 Year Warranty</b> Certified CB	510	30	17	81.6	100.3	0.0155	0.2631 m <sup>3</sup>
30		PR30567-A	E-Series – Petra – Magnetic Light On rail <b>6watt 3000K</b> – CRI 90 450Lumen – 48V IP 20 – <b>Rectangular W22 x L116 x H102mm</b> Black / Aluminum (Housing) – 177g – <b>5 Year Warranty</b> Certified CB	510	30	17	81.6	100.3	0.0155	0.2631 m <sup>3</sup>
31		PR60573-A	E-Series – Petra – Magnetic Light On rail <b>6watt 6000K</b> – CRI 90 480Lumen – 48V IP 20 – <b>Linear W22 x L113 x H43.5mm</b> Black / Aluminum (Housing) – <b>5</b> <b>Year Warranty</b> Certified CB	510	30	17	37.4	42.5	0.0051	0.0875 m <sup>3</sup>

Stamp



35726498

2 of 8

Powered By LUMYTIC

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
32	ONEU5488023 40HQ	PR60574-A	E-Series - Petra - Magnetic Light On rail <b>6watt 6000K</b> - CRI 90 390Lumen - 48V IP 20 - <b>Rectangular W22 x L116 x H102mm</b> Black / Aluminum (Housing) - <b>5 Year Warranty</b> Certified CB	510	30	17	81.6	100.3	0.0155	0.2631 m <sup>3</sup>
33		PR60575-A	E-Series - Petra - Magnetic Light On rail <b>6watt 6000K</b> - CRI 90 450Lumen - 48V IP 20 - <b>Rectangular W22 x L116 x H102mm</b> Black / Aluminum (Housing) - 177g - <b>5 Year Warranty</b> Certified CB	510	30	17	81.6	100.3	0.0155	0.2631 m <sup>3</sup>
34		PR30585-A	E-Series - Petra - Magnetic Light On rail <b>12watt 3000K</b> - CRI 90 960Lumen - 48V IP 20 - <b>Linear W22 x L220 x H43.5mm</b> Black / Aluminum (Housing) - 141g - <b>5 Year Warranty</b> Certified CB	510	30	17	71.4	79.9	0.0095	0.1616 m <sup>3</sup>
35		PR30879-A	E-Series - Petra - Magnetic Light On rail <b>12watt 3000K</b> - CRI 90 780Lumen - 48V IP 20 - <b>Linear W22 x L303 x H43.5mm</b> Black / Aluminum (Housing) - <b>5 Year Warranty</b> Certified CB	510	30	17	91.12	96.22	0.0127	0.2154 m <sup>3</sup>
36		PR60597-A	E-Series - Petra - Magnetic Light On rail <b>12watt 6000K</b> - CRI 90 960Lumen - 48V IP 20 - <b>Linear W22 x L220 x H43.5mm</b> Black / Aluminum (Housing) - 141g - <b>5 Year Warranty</b> Certified CB	510	30	17	71.4	79.9	0.0095	0.1616 m <sup>3</sup>
37		PR60599-A	E-Series - Petra - Magnetic Light On rail <b>12watt 6000K</b> - CRI 90 780Lumen - 48V IP 20 - <b>Rectangular W22 x L224 x H102mm</b> Black / Aluminum (Housing) - 288g - <b>5 Year Warranty</b> Certified CB	510	30	17	158.1	180.2	0.0281	0.4776 m <sup>3</sup>
38		PR60600-A	E-Series - Petra - Magnetic Light On rail <b>12watt 6000K</b> - CRI 90 900Lumen - 48V IP 20 - <b>Rectangular W22 x L224 x H102mm</b> Black / Aluminum (Housing) - 311g - <b>5 Year Warranty</b> Certified CB	510	30	17	158.1	180.2	0.0281	0.4776 m <sup>3</sup>
39		PR60881-A	E-Series - Petra - Magnetic Light On rail <b>12watt 6000K</b> - CRI 90 780Lumen - 48V IP 20 - <b>Linear W22 x L303 x H43.5mm</b> Black / Aluminum (Housing) - <b>5 Year Warranty</b> Certified CB	510	30	17	91.12	96.22	0.0127	0.2154 m <sup>3</sup>
40		PR30602-A	E-Series - Petra - Magnetic Light On rail <b>18watt 3000K</b> - CRI 90 1440Lumen - 48V IP 20 - <b>Linear W22 x L328 x H43.5mm</b> Black / Aluminum (Housing) - 200g - <b>5 Year Warranty</b> Certified CB	510	30	17	105.4	113.9	0.0137	0.2323 m <sup>3</sup>
41		PR30603-A	E-Series - Petra - Magnetic Light On rail <b>18watt 3000K</b> - CRI 90 1350Lumen - 48V IP 20 - <b>Rectangular W22 x L332 x H102mm</b> Black / Aluminum (Housing) - <b>5 Year Warranty</b> Certified CB	510	30	17	234.6	260.1	0.0407	0.692 m <sup>3</sup>
42		PR60608-A	E-Series - Petra - Magnetic Light On rail <b>18watt 6000K</b> - CRI 90 1440Lumen - 48V IP 20 - <b>Linear W22 x L328 x H43.5mm</b> Black / Aluminum (Housing) - 200g - <b>5 Year Warranty</b> Certified CB	510	30	17	105.4	113.9	0.0137	0.2323 m <sup>3</sup>
43		PR60609-A	E-Series - Petra - Magnetic Light On rail <b>18watt 6000K</b> - CRI 90 1260Lumen - 48V IP 20 - <b>Rectangular W22 x L332 x H102mm</b> Black / Aluminum (Housing) - <b>5 Year Warranty</b> Certified CB	510	30	17	234.6	260.1	0.0407	0.692 m <sup>3</sup>
44		PR60607-A	E-Series - Petra - Magnetic Light On rail <b>18watt 6000K</b> - CRI 90 1350Lumen - 48V IP 20 - <b>Rectangular W22 x L332 x H102mm</b> Black / Aluminum (Housing) - <b>5 Year Warranty</b> Certified CB	510	30	17	234.6	260.1	0.0407	0.692 m <sup>3</sup>
45		PR30610-A	E-Series - Petra - Magnetic Light On rail <b>20watt 3000K</b> - CRI 90 1400Lumen - 48V IP 20 - <b>Round D60 x H115mm</b> Black / Aluminum (Housing) - 238g - <b>5 Year Warranty</b> Certified CB	200	40	5	51	59	0.0723	0.3614 m <sup>3</sup>
46		PR40611-A	E-Series - Petra - Magnetic Light On rail <b>20watt 4000K</b> - CRI 90 1400Lumen - 48V IP 20 - <b>Round D60 x H115mm</b> Black / Aluminum (Housing) - 238g - <b>5 Year Warranty</b> Certified CB	320	40	8	81.6	94.4	0.0723	0.5782 m <sup>3</sup>
47		PR60612-A	E-Series - Petra - Magnetic Light On rail <b>20watt 6000K</b> - CRI 90 1400Lumen - 48V IP 20 - <b>Round D60 x H115mm</b> Black / Aluminum (Housing) - 238g - <b>5 Year Warranty</b> Certified CB	200	40	5	51	59	0.0723	0.3614 m <sup>3</sup>
48		PR30882-A	E-Series - Petra - Magnetic Light On rail <b>24watt 3000K</b> - CRI 90 1680Lumen - 48V IP 20 - <b>Linear W22 x L603 x H43.5mm</b> Black / Aluminum (Housing) - <b>5 Year Warranty</b> Certified CB	510	30	17	166.6	176.8	0.0246	0.4174 m <sup>3</sup>

Stamp



35726498

3 of 8

Powered By LUMYTIC

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
49	ONEU5488023 40HQ	PR30613-A	E-Series - Petra - Magnetic Light On rail <b>24watt 3000K</b> - CRI 90 1920Lumen - 48V IP 20 - <b>Linear W22 x L436 x H43.5mm</b> Black / Aluminum (Housing) - 256g - <b>5 Year Warranty</b> Certified CB	510	30	17	136	146.2	0.018	0.3063 m <sup>3</sup>
50		PR30615-A	E-Series - Petra - Magnetic Light On rail <b>24watt 3000K</b> - CRI 90 1680Lumen - 48V IP 20 - <b>Rectangular W22 x L440 x H102mm</b> Black / Aluminum (Housing) - <b>5 Year Warranty</b> Certified CB	510	30	17	311.1	340	0.0527	0.8966 m <sup>3</sup>
51		PR30616-A	E-Series - Petra - Magnetic Light On rail <b>24watt 3000K</b> - CRI 90 1800Lumen - 48V IP 20 - <b>Rectangular W22 x L440 x H102mm</b> Black / Aluminum (Housing) - <b>5 Year Warranty</b> Certified CB	510	30	17	311.1	340	0.0527	0.8966 m <sup>3</sup>
52		PR60884-A	E-Series - Petra - Magnetic Light On rail <b>24watt 6000K</b> - CRI 90 1680Lumen - 48V IP 20 - <b>Linear W22 x L603 x H43.5mm</b> Black / Aluminum (Housing) - <b>5 Year Warranty</b> Certified CB	510	30	17	166.6	176.8	0.0246	0.4174 m <sup>3</sup>
53		PR60623-A	E-Series - Petra - Magnetic Light On rail <b>24watt 6000K</b> - CRI 90 1920Lumen - 48V IP 20 - <b>Linear W22 x L436 x H43.5mm</b> Black / Aluminum (Housing) - 256g - <b>5 Year Warranty</b> Certified CB	510	30	17	136	146.2	0.018	0.3063 m <sup>3</sup>
54		PR60621-A	E-Series - Petra - Magnetic Light On rail <b>24watt 6000K</b> - CRI 90 1680Lumen - 48V IP 20 - <b>Rectangular W22 x L440 x H102mm</b> Black / Aluminum (Housing) - <b>5 Year Warranty</b> Certified CB	510	30	17	311.1	340	0.0527	0.8966 m <sup>3</sup>
55		PR60622-A	E-Series - Petra - Magnetic Light On rail <b>24watt 6000K</b> - CRI 90 1800Lumen - 48V IP 20 - <b>Rectangular W22 x L440 x H102mm</b> Black / Aluminum (Housing) - <b>5 Year Warranty</b> Certified CB	510	30	17	311.1	340	0.0527	0.8966 m <sup>3</sup>
56		PR30626-A	E-Series - Petra - Magnetic Light On rail <b>36watt 3000K</b> - CRI 90 2520Lumen - 48V IP 20 - <b>Linear W22 x L900 x H43.5mm</b> Black / Aluminum (Housing) - 419g - <b>5 Year Warranty</b> Certified CB	510	30	17	198.9	212.5	0.0368	0.6261 m <sup>3</sup>
57		PR30625-A	E-Series - Petra - Magnetic Light On rail <b>36watt 3000K</b> - CRI 90 2880Lumen - 48V IP 20 - <b>Linear W22 x L652 x H43.5mm</b> Black / Aluminum (Housing) - 376g - <b>5 Year Warranty</b> Certified CB	510	30	17	198.9	212.5	0.0267	0.4544 m <sup>3</sup>
58		PR60630-A	E-Series - Petra - Magnetic Light On rail <b>36watt 6000K</b> - CRI 90 2880Lumen - 48V IP 20 - <b>Linear W22 x L652 x H43.5mm</b> Black / Aluminum (Housing) - 376g - <b>5 Year Warranty</b> Certified CB	510	30	17	198.9	212.5	0.0267	0.4544 m <sup>3</sup>
59		PR30631-A	E-Series - Petra - Magnetic Light On rail <b>48watt 3000K</b> - CRI 90 3360Lumen - 48V IP 20 - <b>Linear W22 x L1200 x H43.5mm</b> Black / Aluminum (Housing) - <b>5 Year Warranty</b> Certified CB	510	30	17	255	272	0.0483	0.8213 m <sup>3</sup>
60		PR60633-A	E-Series - Petra - Magnetic Light On rail <b>48watt 6000K</b> - CRI 90 3360Lumen - 48V IP 20 - <b>Linear W22 x L1200 x H43.5mm</b> Black / Aluminum (Housing) - <b>5 Year Warranty</b> Certified CB	510	30	17	255	272	0.0483	0.8213 m <sup>3</sup>
61		AB30673-A	E-Series - Albert - Track light On rail <b>30watt 3000K</b> - CRI 80 2400Lumen - 0.9PF 220 To 240V IP 20 - <b>CREE LED Round D88 x H105mm</b> Black / Aluminum (Housing) - 540g - <b>5 Year Warranty</b> Certified CB	200	20	10	150	150	0.0485	0.4851 m <sup>3</sup>
62		AB30674-A	E-Series - Albert - Track light On rail <b>30watt 3000K</b> - CRI 80 2400Lumen - 0.9PF 220 To 240V IP 20 - <b>CREE LED Round D88 x H105mm</b> White / Aluminum (Housing) - 540g - <b>5 Year Warranty</b> Certified CB	200	20	10	150	150	0.0485	0.4851 m <sup>3</sup>
63		AB60677-A	E-Series - Albert - Track light On rail <b>30watt 6000K</b> - CRI 80 2400Lumen - 0.9PF 220 To 240V IP 20 - <b>CREE LED Round D88 x H105mm</b> White / Aluminum (Housing) - 540g - <b>5 Year Warranty</b> Certified CB	100	20	5	75	75	0.0485	0.2426 m <sup>3</sup>
64		AB60678-A	E-Series - Albert - Track light On rail <b>30watt 6000K</b> - CRI 80 2400Lumen - 0.9PF 220 To 240V IP 20 - <b>CREE LED Round D88 x H105mm</b> Black / Aluminum (Housing) - 540g - <b>5 Year Warranty</b> Certified CB	200	20	10	150	150	0.0485	0.4851 m <sup>3</sup>
65		AB30680-A	E-Series - Albert - Track light On rail <b>40watt 3000K</b> - CRI 80 3200Lumen - 0.9PF 220 To 240V IP 20 - <b>CREE LED Round D97 x H105mm</b> Black / Aluminum (Housing) - 600g - <b>5 Year Warranty</b> Certified CB	300	20	15	225	225	0.0562	0.8426 m <sup>3</sup>

Stamp



35726498

4 of 8

Powered By LUMYTIC

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
66	ONEU5488023 40HQ	AB30679-A	E-Series – Albert – Track light On rail <b>40watt 3000K</b> – CRI 80 3200Lumen – 0.9PF 220 To 240V IP 20 – <b>CREE LED Round D97 x H105mm White / Aluminum (Housing) – 600g – 5 Year Warranty Certified CB</b>	<b>300</b>	20	15	225	225	0.0562	0.8426 m <sup>3</sup>
67		AB60684-A	E-Series – Albert – Track light On rail <b>40watt 6000K</b> – CRI 80 3200Lumen – 0.9PF 220 To 240V IP 20 – <b>CREE LED Round D97 x H105mm Black / Aluminum (Housing) – 600g – 5 Year Warranty Certified CB</b>	<b>300</b>	20	15	225	225	0.0562	0.8426 m <sup>3</sup>
68		AB60683-A	E-Series – Albert – Track light On rail <b>40watt 6000K</b> – CRI 80 3200Lumen – 0.9PF 220 To 240V IP 20 – <b>CREE LED Round D97 x H105mm White / Aluminum (Housing) – 600g – 5 Year Warranty Certified CB</b>	<b>300</b>	20	15	225	225	0.0562	0.8426 m <sup>3</sup>
69		D0169 (PS20-D1-300-24)	Power supply 300W, Input Voltage AC 220 To 240V, Output Voltage DC 24 V, Output Current 0 To 12500 mA, IP20, W62 x L228 x H31, 3 Year Warranty	<b>432</b>	24	18	246.24	250.2	0.0185	0.3324 m <sup>3</sup>
70		D0165 (PS20-D1-60-24)	Power supply 60W, Input Voltage AC 220 To 240V, Output Voltage DC 24 V, Output Current 0 To 2500 mA, IP20, W49 x L146 x H29, 3 Year Warranty	<b>396</b>	44	9	71.28	72.9	0.0185	0.1662 m <sup>3</sup>
71		D0166 (PS20-D1-100-24)	Power supply 100W, Input Voltage AC 220 To 240V, Output Voltage DC 24 V, Output Current 0 To 4200 mA, IP20, W49 x L175 x H31, 3 Year Warranty	<b>560</b>	40	14	131.6	138.6	0.0185	0.2586 m <sup>3</sup>
72		D0168 (PS20-D1-200-24)	Power supply 200W, Input Voltage AC 220 To 240V, Output Voltage DC 24 V, Output Current 0 To 8300 mA, IP20, W59 x L185 x H31, 3 Year Warranty	<b>320</b>	32	10	104	107	0.0185	0.1847 m <sup>3</sup>
73		ES-1839	Input connector box for using a normal power supply with magnet rail.	<b>1,000</b>	200	5	26.5	28	0.0276	0.1382 m <sup>3</sup>
74		ES-1840	Direct connector to connect the power between two straight rails together.	<b>1,000</b>	200	5	26.8	28.7	0.0237	0.1187 m <sup>3</sup>
75		ES-1841	Flexible connector to connect the power between two rails together in flexible way.	<b>1,000</b>	200	5	33.8	35.8	0.0331	0.1653 m <sup>3</sup>
76		ES-1850	Vertical 90° connector to connect two surface rails (Needs to connector inside).	<b>500</b>	100	5	43.8	45.8	0.038	0.19 m <sup>3</sup>
77		ES-1849	Horizontal 90° connector to connect two surface rails (Needs to connector inside).	<b>500</b>	100	5	44.5	46.4	0.038	0.19 m <sup>3</sup>
78		ES-1853	2 meters suspending kit.	<b>5,100</b>	300	17	222.7	230.69	0.038	0.6461 m <sup>3</sup>
79		ES-1843	Vertical 90° connector to connect two rails (Needs to connector inside)	<b>500</b>	100	5	37	39	0.038	0.19 m <sup>3</sup>
80		ES-1842	Horizontal 90° connector to connect two rails (Needs to connector inside).	<b>500</b>	100	5	35.5	37.5	0.038	0.19 m <sup>3</sup>
81		ES-1851	"T" connector to connect three surface rails like T shape (Needs to connector inside).	<b>500</b>	50	10	88.8	92.8	0.038	0.3801 m <sup>3</sup>
82		ES-1844	"T" connector to connect three recessed rails like T shape (Needs to connector inside).	<b>500</b>	50	10	74	78	0.038	0.3801 m <sup>3</sup>

Stamp



35726498

5 of 8

Powered By LUMYTIC

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume	
83	ONEU5488023 40HQ	ES-1852	"X" connector to connect four surface rails like + shape (Needs to connector inside)	500	50	10	90	94	0.038	0.3801 m <sup>3</sup>	
84		ES-1845	"+" connector to connect four recessed rails like + shape (Needs to connector inside).	500	50	10	75.5	79.5	0.038	0.3801 m <sup>3</sup>	
85		ES-1856	Surface 4wire Track rail, Size L1000xW26.5xH50mm, thickness 1.4mm.	500	10	50	525	550	0.0175	0.8755 m <sup>3</sup>	
86		ES-1846	Recessed 4wire magnetic track rail, Size: L1000xW50*26.5xH44.5mm thickness 1.4mm	500	10	50	415	435	0.0263	1.313 m <sup>3</sup>	
87		ES-1857	Surface 4wire Track rail, Size: L2000xW26.5xH50mm, thickness 1.4mm.	500	10	50	975	1000	0.0345	1.7255 m <sup>3</sup>	
88		ES-1847	Recessed 4wire magnetic track rail, Size: L2000xW50*26.5xH44.5mm thickness 1.4mm	400	10	40	684	700	0.0523	2.0904 m <sup>3</sup>	
89		ES-1858	Surface 4wire Track rail, Size: L3000xW26.5xH50mm, thickness 1.4mm.	500	10	50	1595	1619.5	0.0515	2.5755 m <sup>3</sup>	
90		ES-1848	Recessed 4wire magnetic track rail, Size: L3000xW50*26.5xH44.5mm thickness 1.4mm	500	10	50	1295	1315	0.0783	3.913 m <sup>3</sup>	
91		D0206 – TST-01 Driver for AT30855-A	E-Series – Astral – Linear Dot Light Recessed <b>8watt 3000K</b> – CRI 95 640Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W74 x L74 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	3							
92		AT30855-A	E-Series – Astral – Linear Dot Light Recessed <b>8watt 3000K</b> – CRI 95 640Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W74 x L74 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	49							
93		D0206 – TST-01 Driver for AT40856-A	E-Series – Astral – Linear Dot Light Recessed <b>8watt 4000K</b> – CRI 95 640Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W74 x L74 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	1							
94		D0206 – TST-01 Driver for AT60857-A	E-Series – Astral – Linear Dot Light Recessed <b>8watt 6000K</b> – CRI 95 640Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W74 x L74 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	2							
95		AT60857-A	E-Series – Astral – Linear Dot Light Recessed <b>8watt 6000K</b> – CRI 95 640Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W74 x L74 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	49	-	1	15.2	17.2	-	0.0681 m <sup>3</sup>	
96		D0206 – TST-01 Driver for AT30697-A	E-Series – Astral – Linear Dot Light Recessed <b>10watt 3000K</b> – CRI 95 700Lumen – 0.9PF 220 To 240V IP 20 – <b>Linear W44 x L147 x H31mm</b> White / Aluminum (Housing) – 157g – <b>2 Year Warranty</b> Certified CB	10							
97	D0206 – TST-01 Driver for AT40698-A	E-Series – Astral – Linear Dot Light Recessed <b>10watt 4000K</b> – CRI 95 700Lumen – 0.9PF 220 To 240V IP 20 – <b>Linear W44 x L147 x H31mm</b> White / Aluminum (Housing) – 157g – <b>2 Year Warranty</b> Certified CB	1								
98	D0206 – TST-01 Driver for AT60699-A	E-Series – Astral – Linear Dot Light Recessed <b>10watt 6000K</b> – CRI 95 700Lumen – 0.9PF 220 To 240V IP 20 – <b>Linear W44 x L147 x H31mm</b> White / Aluminum (Housing) – 157g – <b>2 Year Warranty</b> Certified CB	1								
99	AT60699-A	E-Series – Astral – Linear Dot Light Recessed <b>10watt 6000K</b> – CRI 95 700Lumen – 0.9PF 220 To 240V IP 20 – <b>Linear W44 x L147 x H31mm</b> White / Aluminum (Housing) – 157g – <b>2 Year Warranty</b> Certified CB	29								

Stamp



35726498

6 of 8

Powered By LUMYTIC

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
100	ONEU5488023 40HQ	D0206 – TST-01 Driver for AT30700-A	E-Series – Astral – Linear Dot Light Recessed <b>18watt 3000K</b> – CRI 95 1620Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W103 x L103 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	4						
101		D0206 – TST-01 Driver for AT40701-A	E-Series – Astral – Linear Dot Light Recessed <b>18watt 4000K</b> – CRI 95 1620Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W103 x L103 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	2						
102		AT40701-A	E-Series – Astral – Linear Dot Light Recessed <b>18watt 4000K</b> – CRI 95 1620Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W103 x L103 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	29						
103		D0206 – TST-01 Driver for AT60702-A	E-Series – Astral – Linear Dot Light Recessed <b>18watt 6000K</b> – CRI 95 1620Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W103 x L103 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	2						
104		D0206 – TST-01 Driver for AT30703-A	E-Series – Astral – Linear Dot Light Recessed <b>20watt 3000K</b> – CRI 95 1500Lumen – 0.9PF 220 To 240V IP 20 – <b>Linear W44 x L280 x H31mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	10						
105		D0206 – TST-01 Driver for AT40704-A	E-Series – Astral – Linear Dot Light Recessed <b>20watt 4000K</b> – CRI 95 1500Lumen – 0.9PF 220 To 240V IP 20 – <b>Linear W44 x L280 x H31mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	1						
106		D0206 – TST-01 Driver for AT60705-A	E-Series – Astral – Linear Dot Light Recessed <b>20watt 6000K</b> – CRI 95 1500Lumen – 0.9PF 220 To 240V IP 20 – <b>Linear W44 x L280 x H31mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	1						
107		AT60705-A	E-Series – Astral – Linear Dot Light Recessed <b>20watt 6000K</b> – CRI 95 1500Lumen – 0.9PF 220 To 240V IP 20 – <b>Linear W44 x L280 x H31mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	18						
108		D0206 – TST-01 Driver for AT30706-A	E-Series – Astral – Linear Dot Light Recessed <b>30watt 3000K</b> – CRI 95 2250Lumen – 0.9PF 220 To 240V IP 20 – <b>Linear W44 x L412 x H31mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	10						
109		D0206 – TST-01 Driver for AT40707-A	E-Series – Astral – Linear Dot Light Recessed <b>30watt 4000K</b> – CRI 95 2250Lumen – 0.9PF 220 To 240V IP 20 – <b>Linear W44 x L412 x H31mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	1						
110		D0206 – TST-01 Driver for AT60708-A	E-Series – Astral – Linear Dot Light Recessed <b>30watt 6000K</b> – CRI 95 2250Lumen – 0.9PF 220 To 240V IP 20 – <b>Linear W44 x L412 x H31mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	1						
111		D0206 – TST-01 Driver for AT30858-A	E-Series – Astral – Linear Dot Light Recessed <b>32watt 3000K</b> – CRI 95 2880Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W133 x L133 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	2						
112		D0206 – TST-01 Driver for AT40859-A	E-Series – Astral – Linear Dot Light Recessed <b>32watt 4000K</b> – CRI 95 2880Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W133 x L133 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	1						
113		D0206 – TST-01 Driver for AT60860-A	E-Series – Astral – Linear Dot Light Recessed <b>32watt 6000K</b> – CRI 95 2880Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W133 x L133 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	1						
114		AT60860-A	E-Series – Astral – Linear Dot Light Recessed <b>32watt 6000K</b> – CRI 95 2880Lumen – 0.9PF 220 To 240V IP 20 – <b>Square W133 x L133 x H33mm</b> White / Aluminum (Housing) – <b>2 Year Warranty</b> Certified CB	18						
115		PL20727-A	E-Series – Polkadot – Linear Light Suspendant <b>40watt 2700K</b> – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – <b>Linear W50 x L1200 x H75mm</b> Black / Aluminum (Housing) – 1375g – <b>5 Year Warranty</b> Certified CB	9						
116	PL30454-A	E-Series – Polkadot – Linear Light Suspendant <b>40watt 3000K</b> – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – <b>Linear W50 x L1200 x H75mm</b> Black / Aluminum (Housing) – 1375g – <b>5 Year Warranty</b> Certified CB	9							

Stamp



35726498

7 of 8

Powered By LUMYTIC

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
117	ONEU5488023 40HQ	PL30455-A	E-Series – Polkadot – Linear Light Suspendant <b>40watt 3000K</b> – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – <b>Linear W50 x L1200 x H75mm</b> White / Aluminum (Housing) – 1375g – <b>5 Year Warranty</b> Certified CB	9						
118		PL40457-A	E-Series – Polkadot – Linear Light Suspendant <b>40watt 4000K</b> – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – <b>Linear W50 x L1200 x H75mm</b> White / Aluminum (Housing) – 1375g – <b>5 Year Warranty</b> Certified CB	9						
119		PL40456-A	E-Series – Polkadot – Linear Light Suspendant <b>40watt 4000K</b> – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – <b>Linear W50 x L1200 x H75mm</b> Black / Aluminum (Housing) – 1375g – <b>5 Year Warranty</b> Certified CB	9						
120		PL60459-A	E-Series – Polkadot – Linear Light Suspendant <b>40watt 6500K</b> – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – <b>Linear W50 x L1200 x H75mm</b> White / Aluminum (Housing) – 1375g – <b>5 Year Warranty</b> Certified CB	9						
121		PL60458-A	E-Series – Polkadot – Linear Light Suspendant <b>40watt 6500K</b> – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – <b>Linear W50 x L1200 x H75mm</b> Black / Aluminum (Housing) – 1375g – <b>5 Year Warranty</b> Certified CB	9						
<b>Total</b>				<b>46,159</b>		<b>1,644</b>	<b>20,524</b>	<b>22,144</b>		<b>65.8945</b> <b>m<sup>3</sup></b>

Stamp



35726498

8 of 8

Powered By LUMYTIC

Signature