

Packing List

Consignee: AHMED ABID AL-SHEIKH Trading CO.

Attention: Turkey Ahmed Abed Al-Sheikh

Tel: +966 12 620 5171

Address: KILO-08, Jeddah, Jeddah, Saudi Arabia

From: ATC MIDDLE EAST FZCO

Attention: Echo Chan

Tel: 008615018796671

Address: JAFZA One, 11th Floor, Jebel Ali Free
Zone , Dubai, UAE

Shipment Number: SH-010409250242

Order Number:

0223,0241,0244,0246,0248,0267

Date: 17/09/2025

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
---	---------------------	----------------	------	----------	---------	-----	-------------	-------------	----------------	-----------------

Stamp



60184592

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
1	024231 40HQ	ES-0896A	Rafeed, Tri-proof Housing IP65, 2*9W for T8 DOUBLE-END wiring ABS base, PC cover, with stainless steel clips, T8 lamp holder (UL), without LED tube, Dimensions: 670x104x73 mm, warranty 5years Certified CB	3,000	15	200	2220	2540	0.0707	14.144 m ³
2		ES-0899A	Rafeed, Tri-proof Housing IP65, 2*18W for T8 DOUBLE-END wiring ABS base, PC cover, with stainless steel clips, T8 lamp holder (UL), without LED tube, Dimensions: 1270x104x73mm, warranty 5years Certified CB	5,000	10	500	6250	7100	0.088	43.989 m ³
3		EQ0750	AAA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/120mA, with 2in1 cable, 1.5V, 440mAh, 660mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60° C, Weight 8g, D10xH44mm.	1,440	160	9	49.5	60.3	0.0293	0.2637 m ³
4		EQ0756	9V Rechargeable battery, lithium-ion, Type-C charging 5VDC/500mA, with charging cable, 9V, 400mAh, 3700mWh, charging time 2-2.5h, long life ≥1000 cycles, max discharge current 150mA, 1 year warranty, Operating temperature -20° / +60° C, Weight 24g, 48.1*26*16.8mm	720	90	8	34.4	44	0.0293	0.2344 m ³
5		EQ0746	AA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 1460mAh, 2220mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60° C, Weight 16g, D14xH50mm.	1,320	120	11	69.3	82.5	0.0293	0.3222 m ³
6		EQ0747	AA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 1700mAh, 2600mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60° C, Weight 18g, D14xH50mm.	480	120	4	36	40.8	0.0293	0.1172 m ³
7		EQ0751	AAA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/250mA, with 2in1 cable, 1.5V, 580mAh, 880mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60° C, Weight 8.5g, D10xH44mm.	800	160	5	30	36	0.0293	0.1465 m ³
8		EQ1038	Metal Display Stand, 0.7mm Iron Size: W400xBase Depth 250xH500mm with 6pcs of 200mm length pegboard hooks printing part material: 5mm thickness PVC.	50	50	1	2.85	3.45	0.0142	0.0142 m ³
9		EQ0748	AAA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/120mA, with 4in1 cable, 1.5V, 440mAh, 660mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60° C, Weight 8g, D10xH44mm.	1,440	160	9	74.7	85.5	0.0293	0.2637 m ³
10		EQ0743	AA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/500mA, with 4in1 cable, 1.5V, 1460mAh, 2220mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60° C, Weight 16g, D14xH50mm.	1,440	120	12	128.4	142.8	0.0293	0.3515 m ³
11		EQ0744	AA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/500mA, with 4in1 cable, 1.5V, 1700mAh, 2600mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60° C, Weight 18g, D14xH50mm.	480	120	4	64	68.8	0.0293	0.1172 m ³
12		EQ0749	AAA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/250mA, with 4in1 cable, 1.5V, 580mAh, 880mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60° C, Weight 8.5g, D10xH44mm.	480	160	3	27.9	31.5	0.0293	0.0879 m ³
13		EQ0752	D type Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 4900mAh, 7400mWh, charging time~5h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60° C, Weight 80.5g, D32xH61mm.	850	50	17	153	173.4	0.0293	0.498 m ³
14		EQ0818	Metal Display Stand, 0.7mm Iron Size: W500xBase Depth450xH1500mm with 28pcs of 200mm length pegboard hooks Printing Part: Material: 5mm thickness PVC Cable Part: 300mm x 170mm	55	1	55	660	706.75	0.0509	2.7981 m ³

Stamp



60184592

2 of 3

Powered By LUMYTIC

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
15	024231 40HQ	EQ0743	AA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/500mA, with 4in1 cable, 1.5V, 1460mAh, 2220mWh, charging time 1-2h, long life ≥ 1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60° C, Weight 16g, D14xH50mm.	119	-	1	10.6	12	-	0.0293 m ³
16		EQ0746	AA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 1460mAh, 2220mWh, charging time 1-2h, long life ≥ 1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60° C, Weight 16g, D14xH50mm.	119	-	1	6.3	7.8	-	0.0293 m ³
17		EQ0748	AAA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/120mA, with 4in1 cable, 1.5V, 440mAh, 660mWh, charging time 1-2h, long life ≥ 1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60° C, Weight 8g, D10xH44mm.	159	-	1	8.2	9.6	-	0.0293 m ³
18		EQ0750	AAA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/120mA, with 2in1 cable, 1.5V, 440mAh, 660mWh, charging time 1-2h, long life ≥ 1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60° C, Weight 8g, D10xH44mm.	159	-	1	5.4	6.8	-	0.0293 m ³
19		EQ0751	AAA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/250mA, with 2in1 cable, 1.5V, 580mAh, 880mWh, charging time 1-2h, long life ≥ 1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60° C, Weight 8.5g, D10xH44mm.	159	-	1	5.7	7.1	-	0.0293 m ³
20		EQ0752	D type Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 4900mAh, 7400mWh, charging time~5h, long life ≥ 1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60° C, Weight 80.5g, D32xH61mm.	49	-	1	7.8	9.2	-	0.0293 m ³
21		EQ0756	9V Rechargeable battery, lithium-ion, Type-C charging 5VDC/500mA, with charging cable, 9V, 400mAh, 3700mWh, charging time 2-2.5h, long life ≥ 1000 cycles, max discharge current 150mA, 1 year warranty, Operating temperature -20° / +60° C, Weight 24g, 48.1*26*16.8mm	89	-	1	3.8	5.2	-	0.0293 m ³
22		EQ0744	AA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/500mA, with 4in1 cable, 1.5V, 1700mAh, 2600mWh, charging time 1-2h, long life ≥ 1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60° C, Weight 18g, D14xH50mm.	119	-	1	10.6	12	-	0.0293 m ³
23		EQ0747	AA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 1700mAh, 2600mWh, charging time 1-2h, long life ≥ 1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60° C, Weight 18g, D14xH50mm.	119	-	1	3.6	7.8	-	0.0293 m ³
24		EQ0749	AAA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/250mA, with 4in1 cable, 1.5V, 580mAh, 880mWh, charging time 1-2h, long life ≥ 1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60° C, Weight 8.5g, D10xH44mm.	159	-	1	8.8	10.2	-	0.0293 m ³
25		EQ0968	Rafeed, Plastic Security Lock for stand hooks with "Stop lock" mark.	300	-	1	3.2	3.5	-	0.0068 m ³
26		EQ0967	Rafeed, Aluminum alloy reinforced magnet opener for stand hook lock.	25						
27		GF1237	RFE-0410A color box	512	-	1	350	350	-	0.1455 m ³
Total				19,642		850	10,224	11,557		63.7927 m³

Stamp



60184592

3 of 3

Powered By LUMYTIC

Signature