

Packing List

Consignee: AHMED ABID AL-SHEIKH Trading CO.

Attention: Turkey Ahmed Abed Al-Sheikh

Tel: +966 12 620 5171

Address: KILO-08, Jeddah, Jeddah, Saudi Arabia

From: ATC MIDDLE EAST FZCO

Attention: Echo Chan

Tel: 008615018796671

Address: JAFZA One, 11th Floor, Jebel Ali Free Zone , Dubai, UAE

Shipment Number: SH-010412250248

Order Number:

0109,0172,0192,0248,0258,0283,0284,0285

Date: 22/12/2025

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
1	CAAU9439251 40HQ	AR40246-B (RFE-0413B)	E-Series - Amir - Down Light Recessed 11watt 4000K - CRI 80 990Lumen - 0.9PF 220 To 240V IP 20 - Round D120 x H50mm Cut Out 95mm White / Aluminum (Housing) - 3 Year Warranty Certified CB	1,950	50	39	561.21	600.21	0.0729	2.8416 m ³
2		AR20738-A	E-Series - Amir - Down Light Recessed 12watt 2700K - CRI 90 1020Lumen - 0.9PF 220 To 240V IP 20 - Round D52.38 x H58mm Cut Out 70mm Grey / Aluminum (Housing) - 3 Year Warranty Certified CB	1,500	100	15	277.5	292.5	0.0616	0.9237 m ³
3		AR30739-A	E-Series - Amir - Down Light Recessed 12watt 3000K - CRI 90 1020Lumen - 0.9PF 220 To 240V IP 20 - Round D52.38 x H58mm Cut Out 70mm Grey / Aluminum (Housing) - 102g - 3 Year Warranty Certified CB	3,000	100	30	555	585	0.0616	1.8475 m ³
4		AR40740-A	E-Series - Amir - Down Light Recessed 12watt 4000K - CRI 90 1020Lumen - 0.9PF 220 To 240V IP 20 - Round D52.38 x H58mm Cut Out 70mm Grey / Aluminum (Housing) - 3 Year Warranty Certified CB	800	100	8	148	156	0.0616	0.4927 m ³
5		AR60741-A	E-Series - Amir - Down Light Recessed 12watt 6000K - CRI 90 1020Lumen - 0.9PF 220 To 240V IP 20 - Round D52.38 x H58mm Cut Out 70mm Grey / Aluminum (Housing) - 101g - 3 Year Warranty Certified CB	500	100	5	92.5	97.5	0.0616	0.3079 m ³
6		AR40247-B (RFE-0414B)	E-Series - Amir - Down Light Recessed 20watt 4000K - CRI 80 1800Lumen - 0.9PF 220 To 240V IP 20 - Round D170 x H55mm Cut Out 145mm White / Aluminum (Housing) - 500g - 3 Year Warranty Certified CB	1,480	20	74	850.26	924.26	0.0513	3.7962 m ³
7		AR60253-A (RFE-0326A)	E-Series - Amir - Down Light Recessed 30watt 6000K - CRI 80 2700Lumen - 0.9PF 220 To 240V IP 20 - Round D225 x H55mm Cut Out 205mm White / Aluminum (Housing) - 665g - 3 Year Warranty Certified CB	460	20	23	376.51	399.51	0.1036	2.3822 m ³
8		AR60042-B (RFE-0305A)	E-Series - Amir - Down Light Recessed 40watt 6000K - CRI 80 3400Lumen - 0.9PF 220 To 240V IP 20 - Round D225 x H65mm Cut Out 205mm White / Aluminum (Housing) - 764g - 3 Year Warranty Certified CB	1,980	20	99	1758.24	1837.44	0.1036	10.2538 m ³
9		AS30151-C	E-Series - Anis - Floodlight Mounted with bracket with lens 200watt 3000K - CRI 80 15778Lumen - 0.9PF 176 To 265V IP 65 - Rectangular W408 x L280 x H40mm Transparent / PC (Lens) - White / Aluminum (Housing) - 3 Year Warranty Certified CB	208	4	52	582.4	655.2	0.0257	1.3378 m ³
10		MR30303	E-Series - Mar - Spotlight Recessed 7watt 3000K - CRI 80 630Lumen - 0.9PF 100 To 240V IP 20 - Round D93 x H42.5mm Cut Out 75mm White / plastic (Housing) - 85g - 3 Year Warranty Certified CB	14,900	100	149	1460.2	1564.5	0.0707	10.5373 m ³
11		MR40304	E-Series - Mar - Spotlight Recessed 7watt 4000K - CRI 80 650Lumen - 0.9PF 100 To 240V IP 20 - Round D93 x H42.5mm Cut Out 75mm White / plastic (Housing) - 85g - 3 Year Warranty Certified CB	9,900	100	99	970.2	1039.5	0.0707	7.0013 m ³
12		MR60305	E-Series - Mar - Spotlight Recessed 7watt 6000K - CRI 80 700Lumen - 0.9PF 100 To 240V IP 20 - Round D93 x H42.5mm Cut Out 75mm White / plastic (Housing) - 85g - 3 Year Warranty Certified CB	9,900	100	99	970.2	1039.5	0.0707	7.0013 m ³
13		TA20780-A	E-Series - Taj - Strip light Surface 2835SMD 120Pcs/1M single line 10Cm/cut 9watt/m 2700K - CRI 80 670Lumen/m - 0.9PF 220 To 240V IP 65 - Linear W10.5 x L50000 x H4mm Cut Out 100mm Transparent / Copper + PVC (Body) - 1900g - 3 Year Warranty Certified CB	300	1	300	840	1020	0.0088	2.6364 m ³
14		TA30781-A	E-Series - Taj - Strip light Surface 2835SMD 120Pcs/1M single line 10Cm/cut 9watt/m 3000K - CRI 80 670Lumen/m - 0.9PF 220 To 240V IP 65 - Linear W10.5 x L50000 x H4mm Cut Out 100mm Transparent / Copper + PVC (Body) - 1900g - 3 Year Warranty Certified CB	200	1	200	560	680	0.0088	1.7576 m ³

Stamp

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
15	CAAU9439251 40HQ	TA40782-A	E-Series – Taj – Strip light Surface 2835SMD 120Pcs/1M single line 10Cm/cut 9watt/m 4000K – CRI 80 670Lumen/m – 0.9PF 220 To 240V IP 65 – Linear W10.5 x L50000 x H4mm Cut Out 100mm Transparent / Copper + PVC (Body) – 1900g – 3 Year Warranty Certified CB	100	1	100	280	340	0.0088	0.8788 m ³
16		TA40248 (RFE-0410A)	E-Series – Taj – Strip light Surface 2835SMD 180Pcs/1M 7watt/m 4000K – CRI 70 625Lumen/m – 1PF 220 To 240V IP 65 – Linear W17 x L50000 x H7mm White / FPCB (Inside Structure) – Transparent / PVC (Housing) – 7200g – 2 Year Warranty Certified CB	1	1	1	7	7.5	0.0154	0.0154 m ³
17		TA60783-A	E-Series – Taj – Strip light Surface 2835SMD 120Pcs/1M single line 10Cm/cut 9watt/m 6000K – CRI 80 670Lumen/m – 0.9PF 220 To 240V IP 65 – Linear W10.5 x L50000 x H4mm Cut Out 100mm Transparent / Copper + PVC (Body) – 1900g – 3 Year Warranty Certified CB	100	1	100	280	340	0.0088	0.8788 m ³
18		TL20754-A	E-Series – Tala – Strip light Surface 2835SMD 60Pcs/1M/ single line 10Cm/cut 5watt/m 2700K – CRI 80 540Lumen/m – 1PF 24V IP 20 – Linear W8 x L5000 x H1.28mm Transparent / copper (Housing) – 3 Year Warranty Certified CB	300	50	6	31.2	34.8	0.0379	0.2274 m ³
19		TL20755-A	E-Series – Tala – Strip light Surface 2835SMD 60Pcs/1M/ single line 10Cm/cut 5watt/m 2700K – CRI 80 350Lumen/m – 1PF 24V IP 65 – Linear W10 x L5000 x H4mm Cut Out 100mm Transparent / Copper + Silicone (Body) – 3 Year Warranty Certified CB	300	50	6	31.2	34.8	0.0379	0.2274 m ³
20		TL30463-B	E-Series – Tala – Strip light Surface 2835SMD 60Pcs/1M/ single line 10Cm/cut 5watt/m 3000K – CRI 80 540Lumen/m – 1PF 24V IP 20 – Linear W8 x L5000 x H1.28mm Transparent / copper (Body) – 3 Year Warranty Certified CB	300	50	6	31.2	34.8	0.0379	0.2274 m ³
21		TL30475-B	E-Series – Tala – Strip light Surface 2835SMD 60Pcs/1M/ single line 10Cm/cut 5watt/m 3000K – CRI 80 350Lumen/m – 1PF 24V IP 65 – Linear W10 x L5000 x H4mm Transparent / Copper + Silicone (Body) – 3 Year Warranty Certified CB	300	50	6	31.2	34.8	0.0379	0.2274 m ³
22		TL40464-B	E-Series – Tala – Strip light Surface 2835SMD 60Pcs/1M/ single line 10Cm/cut 5watt/m 4000K – CRI 80 540Lumen/m – 1PF 24V IP 20 – Linear W8 x L5000 x H1.28mm Transparent / copper (Body) – 3 Year Warranty Certified CB	300	50	6	31.2	34.8	0.0379	0.2274 m ³
23		TL40476-B	E-Series – Tala – Strip light Surface 2835SMD 60Pcs/1M/ single line 10Cm/cut 5watt/m 4000K – CRI 80 350Lumen/m – 1PF 24V IP 65 – Linear W10 x L5000 x H4mm Transparent / Copper + Silicone (Body) – 3 Year Warranty Certified CB	300	50	6	31.2	34.8	0.0379	0.2274 m ³
24		TL20756-A	E-Series – Tala – Strip light Surface 2835SMD 120Pcs/1M single line 5Cm/cut 11watt/m 2700K – CRI 80 1100Lumen/m – 1PF 24V IP 20 – Linear W8 x L5000 x H1.28mm Transparent / copper (Body) – 3 Year Warranty Certified CB	200	50	4	20.8	23.2	0.0379	0.1516 m ³
25		TL20757-A	E-Series – Tala – Strip light Surface 2835SMD 120Pcs/1M single line 5Cm/cut 11watt/m 2700K – CRI 80 900Lumen/m – 1PF 24V IP 65 – Linear W10 x L5000 x H4mm Transparent / Copper + Silicone (Body) – 3 Year Warranty Certified CB	200	50	4	20.8	23.2	0.0379	0.1516 m ³
26		TL30466-B	E-Series – Tala – Strip light Surface 2835SMD 120Pcs/1M single line 5Cm/cut 11watt/m 3000K – CRI 80 1100Lumen/m – 1PF 24V IP 20 – Linear W8 x L5000 x H1.28mm Transparent / copper (Body) – 3 Year Warranty Certified CB	800	50	16	83.2	92.8	0.0379	0.6065 m ³
27		TL30478-B	E-Series – Tala – Strip light Surface 2835SMD 120Pcs/1M single line 5Cm/cut 11watt/m 3000K – CRI 80 900Lumen/m – 1PF 24V IP 65 – Linear W10 x L5000 x H4mm Transparent / Copper + Silicone (Body) – 3 Year Warranty Certified CB	500	50	10	52	58	0.0379	0.379 m ³
28		TL40467-B	E-Series – Tala – Strip light Surface 2835SMD 120Pcs/1M single line 5Cm/cut 11watt/m 4000K – CRI 80 1100Lumen/m – 1PF 24V IP 20 – Linear W8 x L5000 x H1.28mm Transparent / copper (Body) – 3 Year Warranty Certified CB	500	50	10	52	58	0.0379	0.379 m ³
29		TL40479-B	E-Series – Tala – Strip light Surface 2835SMD 120Pcs/1M single line 5Cm/cut 11watt/m 4000K – CRI 80 900Lumen/m – 1PF 24V IP 65 – Linear W10 x L5000 x H4mm Transparent / Copper + Silicone (Body) – 3 Year Warranty Certified CB	300	50	6	31.2	34.8	0.0379	0.2274 m ³
30		TL20758-A	E-Series – Tala – Strip light Surface 2835SMD 180Pcs/1M single line 3.3Cm/cut 16watt/m 2700K – CRI 80 1600Lumen/m – 1PF 24V IP 20 – Linear W10 x L5000 x H1.28mm Transparent / copper (Body) – 3 Year Warranty Certified CB	300	50	6	72.6	76.2	0.0504	0.3026 m ³
31		TL20759-A	E-Series – Tala – Strip light Surface 2835SMD 180Pcs/1M single line 3.3Cm/cut 16watt/m 2700K – CRI 80 1500Lumen/m – 1PF 24V IP 65 – Linear W12 x L5000 x H4mm Transparent / Copper + Silicone (Body) – 3 Year Warranty Certified CB	200	50	4	48.4	50.8	0.0504	0.2018 m ³

Stamp

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
32	CAAU9439251 40HQ	TL30469-B	E-Series – Tala – Strip light Surface 2835SMD 180Pcs/1M single line 3.3Cm/cut 16watt/m 3000K – CRI 80 1600Lumen/m – 1PF 24V IP 20 – Linear W10 x L5000 x H1.28mm Transparent / copper (Body) – 3 Year Warranty Certified CB	500	50	10	121	127	0.0504	0.5044 m ³
33		TL30481-B	E-Series – Tala – Strip light Surface 2835SMD 180Pcs/1M single line 3.3Cm/cut 16watt/m 3000K – CRI 80 1500Lumen/m – 1PF 24V IP 65 – Linear W12 x L5000 x H4mm Transparent / Copper + Silicone (Body) – 3 Year Warranty Certified CB	300	50	6	72.6	76.2	0.0504	0.3026 m ³
34		TL20760-A	E-Series – Tala – Strip light Surface 2835SMD 240Pcs/1M single line 2.5Cm/cut 18watt/m 2700K – CRI 80 1800Lumen/m – 1PF 24V IP 20 – Linear W10 x L5000 x H1.28mm Transparent / copper (Body) – 3 Year Warranty Certified CB	100	50	2	24.2	25.4	0.0504	0.1009 m ³
35		TL30472-B	E-Series – Tala – Strip light Surface 2835SMD 240Pcs/1M single line 2.5Cm/cut 18watt/m 3000K – CRI 80 1800Lumen/m – 1PF 24V IP 20 – Linear W10 x L5000 x H1.28mm Transparent / copper (Body) – 3 Year Warranty Certified CB	100	50	2	24.2	25.4	0.0504	0.1009 m ³
36		TL40473-B	E-Series – Tala – Strip light Surface 2835SMD 240Pcs/1M single line 2.5Cm/cut 18watt/m 4000K – CRI 80 1800Lumen/m – 1PF 24V IP 20 – Linear W10 x L5000 x H1.28mm Transparent / copper (Body) – 3 Year Warranty Certified CB	200	50	4	48.4	50.8	0.0504	0.2018 m ³
37		TL40470-B	E-Series – Tala – Strip light Surface 2835SMD 180Pcs/1M single line 3.3Cm/cut 16watt/m 4000K – CRI 80 1600Lumen/m – 1PF 24V IP 20 – Linear W10 x L5000 x H1.28mm Transparent / copper (Body) – 3 Year Warranty Certified CB	300	50	6	72.6	76.2	0.0504	0.3026 m ³
38		TL40482-B	E-Series – Tala – Strip light Surface 2835SMD 180Pcs/1M single line 3.3Cm/cut 16watt/m 4000K – CRI 80 1500Lumen/m – 1PF 24V IP 65 – Linear W12 x L5000 x H4mm Transparent / Copper + Silicone (Body) – 3 Year Warranty Certified CB	500	50	10	121	127	0.0504	0.5044 m ³
39		ES-1603	Rafeed, Aluminium Profile W17XH7X3000 IP20, silver colour, Al thickness 0.9mm, PC thickness 0.55mm with 4cap+4clip. Certified CB	200	50	4	76.6	80.6	0.0528	0.2112 m ³
40		ES-1604	Rafeed, Aluminium Profile W15.5XH15.5X3000 IP20, silver colour, Al thickness 1mm, PC thickness 0.55mm, with 4cap+4clip. Certified CB	200	50	4	85.88	89.88	0.0802	0.3208 m ³
41		ES-1591	Smart RGB controller for Strips 220V 50m 5050, compatible with Tuya app, IP20. Certified CB	60	1	60	660	720	0.0602	3.6108 m ³
42		ES-1605	Rafeed, Aluminium Profile W24.5XH7X3000 IP20, silver colour, Al thickness 0.95mm, PC thickness 0.55mm with 4cap+4clip. Certified CB	200	50	4	92	96	0.0617	0.2468 m ³
43		ES-1606	Rafeed, Aluminium Profile W17.3XH14.5X3000 mm IP20, silver colour, Al thickness 1mm, PC thickness 0.84, with 4cap+4clip. Certified CB	200	50	4	101.28	105.28	0.0772	0.3089 m ³
44		PR-1215 (RF-0024)	Moving spotlight LED by CREE 1.5w , 108lm, Efficiency 98m/w, AC90-265v ,50Hz-60Hz 2years warranty, lifespan 30000hours, 3000K, CRI 80, light size(mm)52mm, hole size(mm)45mm, beam angle 24	100	100	1	5.04	7.7	0.0397	0.0397 m ³
45		ES-1607	Rafeed, Aluminium Profile W25.2XH14.42X3000 mm IP20, silver colour, Al thickness 1mm, PC thickness 0.84mm, With 4cap+4clip Certified CB	200	50	4	109.6	113.6	0.098	0.392 m ³
46		AS204-11A	Electric – Asala – Switched Power Socket – 13A 2 gang – White / PC (Base), White / PC (Frame) – W86 x L146	2,520	60	42	470.4	546	0.0418	1.755 m ³
47		GF0025	RFM-0059 N1 Office Lighting catalogue	30	26	2	43.2	44.5	0.0252	0.0504 m ³
48		GF0745	Thuraia catalogue	30	34	1	21	22	0.0286	0.0286 m ³

Stamp

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
49	CAAU9439251 40HQ	GF0030	RFM-0064 N6 Fashion Lighting catalogue	30	30	1	19.5	19.95	0.0232	0.0232 m ³
50		GF0028	RFM-0062 N4 Hotel Lighting catalogue	30	18	2	40.86	41.9	0.0232	0.0464 m ³
51		GF0027	RFM-0061 N3 Street Lighting catalogue	30	70	1	20.2	20.85	0.0252	0.0252 m ³
52		GF0026	RFM-0060 N2 Outdoor Lighting catalogue	30	30	1	20.25	20.7	0.0232	0.0232 m ³
53		GF0029	RFM-0063 N5 Industrial Lighting catalogue	30	18	2	40.26	41.1	0.0218	0.0436 m ³
54		AR40246-B (RFE-0413B)	E-Series – Amir – Down Light Recessed 11watt 4000K – CRI 80 990Lumen – 0.9PF 220 To 240V IP 20 – Round D120 x H50mm Cut Out 95mm White / Aluminum (Housing) – 3 Year Warranty Certified CB	49	–	1	13.814	14.77	–	0.0729 m ³
55		AR40247-B (RFE-0414B)	E-Series – Amir – Down Light Recessed 20watt 4000K – CRI 80 1800Lumen – 0.9PF 220 To 240V IP 20 – Round D170 x H55mm Cut Out 145mm White / Aluminum (Housing) – 500g – 3 Year Warranty Certified CB	18	–	1	10.341	11.241	–	0.0513 m ³
56		AR60042-B (RFE-0305A)	E-Series – Amir – Down Light Recessed 40watt 6000K – CRI 80 3400Lumen – 0.9PF 220 To 240V IP 20 – Round D225 x H65mm Cut Out 205mm White / Aluminum (Housing) – 764g – 3 Year Warranty Certified CB	18	–	1	15.984	16.704	–	0.1036 m ³
57		MR30303	E-Series – Mar – Spotlight Recessed 7watt 3000K – CRI 80 630Lumen – 0.9PF 100 To 240V IP 20 – Round D93 x H42.5mm Cut Out 75mm White / plastic (Housing) – 85g – 3 Year Warranty Certified CB	98	–	1	9.604	10.29	–	0.0707 m ³
58		MR40304	E-Series – Mar – Spotlight Recessed 7watt 4000K – CRI 80 650Lumen – 0.9PF 100 To 240V IP 20 – Round D93 x H42.5mm Cut Out 75mm White / plastic (Housing) – 85g – 3 Year Warranty Certified CB	98	–	1	9.604	10.29	–	0.0707 m ³
59		MR60305	E-Series – Mar – Spotlight Recessed 7watt 6000K – CRI 80 700Lumen – 0.9PF 100 To 240V IP 20 – Round D93 x H42.5mm Cut Out 75mm White / plastic (Housing) – 85g – 3 Year Warranty Certified CB	98	–	1	9.604	10.29	–	0.0707 m ³
60		AS30151-A (RFE-0271A)	E-Series – Anis – Floodlight Mounted with bracket 200watt 3000K – CRI 80 15778Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W408 x L280 x H40mm Transparent / Glass (Front Cover) – White / Aluminum (Housing) – 3 Year Warranty Certified CB	1	–	1	22.7	23.2	–	0.0574 m ³
61		AS30151-C	E-Series – Anis – Floodlight Mounted with bracket with lens 200watt 3000K – CRI 80 15778Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W408 x L280 x H40mm Transparent / PC (Lens) – White / Aluminum (Housing) – 3 Year Warranty Certified CB	1						
62		AS60152-A (RFE-0270A)	E-Series – Anis – Floodlight Mounted with bracket 200watt 6500K – CRI 80 17077Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W408 x L280 x H40mm Transparent / Glass (Front Cover) – White / Aluminum (Housing) – 3 Year Warranty Certified CB	1						
63		AS60152-C	E-Series – Anis – Floodlight Mounted with bracket with lens 200watt 6500K – CRI 80 17077Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W408 x L280 x H40mm Transparent / PC (Lens) – White / Aluminum (Housing) – 3 Year Warranty Certified CB	1						
64		AS30153-C	E-Series – Anis – Floodlight Mounted with bracket with lens 300watt 3000K – CRI 80 23636Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W473 x L335 x H45mm Transparent / PC (Lens) – White / Aluminum (Housing) – 3 Year Warranty Certified CB	1						
65		AS60154-C	E-Series – Anis – Floodlight Mounted with bracket with lens 300watt 6500K – CRI 80 25279Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W473 x L335 x H45mm Transparent / PC (Lens) – White / Aluminum (Housing) – 3 Year Warranty Certified CB	1						

Stamp

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
66	CAAU9439251 40HQ	AR40247-B (RFE-0414B)	E-Series – Amir – Down Light Recessed 20watt 4000K – CRI 80 1800Lumen – 0.9PF 220 To 240V IP 20 – Round D170 x H55mm Cut Out 145mm White / Aluminum (Housing) – 500g – 3 Year Warranty Certified CB	1	-	1	5.6	6.18	-	0.0225 m ³
67		AS30149-A (RFE-0269A)	E-Series – Anis – Floodlight Mounted with bracket 150watt 3000K – CRI 80 12249Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W338 x L232 x H38mm Transparent / Glass (Front Cover) – White / Aluminum (Housing) – 3 Year Warranty Certified CB	1						
68		AS60150-A (RFE-0268A)	E-Series – Anis – Floodlight Mounted with bracket 150watt 6500K – CRI 80 12997Lumen – 0.9PF 176 To 265V IP 65 – Rectangular W338 x L232 x H38mm Transparent / Glass (Front Cover) – White / Aluminum (Housing) – 3 Year Warranty Certified CB	1						
69		PR-1215 (RF-0024)	Moving spotlight LED by CREE 1.5w ,108lm, Efficiency 98m/w, AC90-265v ,50Hz-60Hz 2years warranty, lifespan 30000hours, 3000K, CRI 80, light size(mm)52mm, hole size(mm)45mm, beam angle 24	50	-	1	3.4	3.94	-	0.0314 m ³
70		L0036 – MLS 2835 1w Ra80 150mA, Bridgelux 1835 double chip LED for AR40246-B (RFE-0413B)	E-Series – Amir – Down Light Recessed 11watt 4000K – CRI 80 990Lumen – 0.9PF 220 To 240V IP 20 – Round D120 x H50mm Cut Out 95mm White / Aluminum (Housing) – 3 Year Warranty Certified CB	20	-	1	12.3	12.85	-	0.062 m ³
71		D0029 – B122-08102L-A00-0-250mA Driver for AR40246-B (RFE-0413B)	E-Series – Amir – Down Light Recessed 11watt 4000K – CRI 80 990Lumen – 0.9PF 220 To 240V IP 20 – Round D120 x H50mm Cut Out 95mm White / Aluminum (Housing) – 3 Year Warranty Certified CB	20						
72		D0206 – TST-01 Driver for AR20738-A	E-Series – Amir – Down Light Recessed 12watt 2700K – CRI 90 1020Lumen – 0.9PF 220 To 240V IP 20 – Round D52.38 x H58mm Cut Out 70mm Grey / Aluminum (Housing) – 3 Year Warranty Certified CB	15						
73		L0081 LED for AR20738-A	E-Series – Amir – Down Light Recessed 12watt 2700K – CRI 90 1020Lumen – 0.9PF 220 To 240V IP 20 – Round D52.38 x H58mm Cut Out 70mm Grey / Aluminum (Housing) – 3 Year Warranty Certified CB	15						
74		D0206 – TST-01 Driver for AR30739-A	E-Series – Amir – Down Light Recessed 12watt 3000K – CRI 90 1020Lumen – 0.9PF 220 To 240V IP 20 – Round D52.38 x H58mm Cut Out 70mm Grey / Aluminum (Housing) – 102g – 3 Year Warranty Certified CB	30						
75		L0081 LED for AR30739-A	E-Series – Amir – Down Light Recessed 12watt 3000K – CRI 90 1020Lumen – 0.9PF 220 To 240V IP 20 – Round D52.38 x H58mm Cut Out 70mm Grey / Aluminum (Housing) – 102g – 3 Year Warranty Certified CB	30						
76		L0081 LED for AR40740-A	E-Series – Amir – Down Light Recessed 12watt 4000K – CRI 90 1020Lumen – 0.9PF 220 To 240V IP 20 – Round D52.38 x H58mm Cut Out 70mm Grey / Aluminum (Housing) – 3 Year Warranty Certified CB	8						
77		D0206 – TST-01 Driver for AR40740-A	E-Series – Amir – Down Light Recessed 12watt 4000K – CRI 90 1020Lumen – 0.9PF 220 To 240V IP 20 – Round D52.38 x H58mm Cut Out 70mm Grey / Aluminum (Housing) – 3 Year Warranty Certified CB	8						
78		L0081 LED for AR60741-A	E-Series – Amir – Down Light Recessed 12watt 6000K – CRI 90 1020Lumen – 0.9PF 220 To 240V IP 20 – Round D52.38 x H58mm Cut Out 70mm Grey / Aluminum (Housing) – 101g – 3 Year Warranty Certified CB	5						
79		D0206 – TST-01 Driver for AR60741-A	E-Series – Amir – Down Light Recessed 12watt 6000K – CRI 90 1020Lumen – 0.9PF 220 To 240V IP 20 – Round D52.38 x H58mm Cut Out 70mm Grey / Aluminum (Housing) – 101g – 3 Year Warranty Certified CB	5						
80		D0030 – ANLRKGR2S-01 Driver for AR40247-B (RFE-0414B)	E-Series – Amir – Down Light Recessed 20watt 4000K – CRI 80 1800Lumen – 0.9PF 220 To 240V IP 20 – Round D170 x H55mm Cut Out 145mm White / Aluminum (Housing) – 500g – 3 Year Warranty Certified CB	15						
81		L0036 – MLS 2835 1w Ra80 150mA, Bridgelux 1835 double chip LED for AR40247-B (RFE-0414B)	E-Series – Amir – Down Light Recessed 20watt 4000K – CRI 80 1800Lumen – 0.9PF 220 To 240V IP 20 – Round D170 x H55mm Cut Out 145mm White / Aluminum (Housing) – 500g – 3 Year Warranty Certified CB	15						
82		D0037 – B162-00369F-A01-0-970mA-CB Driver for AR60042-B (RFE-0305A.)	E-Series – Amir – Down Light Recessed 40watt 6000K – CRI 80 3400Lumen – 0.9PF 220 To 240V IP 20 – Round D225 x H65mm Cut Out 205mm White / Aluminum (Housing) – 764g – 3 Year Warranty Certified CB	20						

Stamp

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
83	CAAU9439251 40HQ	L0036 – MLS 2835 1w Ra80 150mA, Bridgelux 1835 double chip LED for AR60042-B (RFE-0305A.)	E-Series – Amir – Down Light Recessed 40watt 6000K – CRI 80 3400Lumen – 0.9PF 220 To 240V IP 20 – Round D225 x H65mm Cut Out 205mm White / Aluminum (Housing) – 764g – 3 Year Warranty Certified CB	20	-	1	7	7.23	-	0.0343 m ³
84		L0081 LED for MR30303	E-Series – Mar – Spotlight Recessed 7watt 3000K – CRI 80 630Lumen – 0.9PF 100 To 240V IP 20 – Round D93 x H42.5mm Cut Out 75mm White / plastic (Housing) – 85g – 3 Year Warranty Certified CB	150						
85		D0206 – TST-01 Driver for MR30303	E-Series – Mar – Spotlight Recessed 7watt 3000K – CRI 80 630Lumen – 0.9PF 100 To 240V IP 20 – Round D93 x H42.5mm Cut Out 75mm White / plastic (Housing) – 85g – 3 Year Warranty Certified CB	150						
86		L0081 LED for MR40304	E-Series – Mar – Spotlight Recessed 7watt 4000K – CRI 80 650Lumen – 0.9PF 100 To 240V IP 20 – Round D93 x H42.5mm Cut Out 75mm White / plastic (Housing) – 85g – 3 Year Warranty Certified CB	100						
87		D0206 – TST-01 Driver for MR40304	E-Series – Mar – Spotlight Recessed 7watt 4000K – CRI 80 650Lumen – 0.9PF 100 To 240V IP 20 – Round D93 x H42.5mm Cut Out 75mm White / plastic (Housing) – 85g – 3 Year Warranty Certified CB	100						
88		L0081 LED for MR60305	E-Series – Mar – Spotlight Recessed 7watt 6000K – CRI 80 700Lumen – 0.9PF 100 To 240V IP 20 – Round D93 x H42.5mm Cut Out 75mm White / plastic (Housing) – 85g – 3 Year Warranty Certified CB	100						
89		D0206 – TST-01 Driver for MR60305	E-Series – Mar – Spotlight Recessed 7watt 6000K – CRI 80 700Lumen – 0.9PF 100 To 240V IP 20 – Round D93 x H42.5mm Cut Out 75mm White / plastic (Housing) – 85g – 3 Year Warranty Certified CB	100						
90		D0037 – B162-00369F-A01-0-970mA-CB Driver for AR30041-B (RFE-0306A.)	E-Series – Amir – Down Light Recessed 40watt 3000K – CRI 80 3400Lumen – 0.9PF 220 To 240V IP 20 – Round D225 x H65mm Cut Out 205mm White / Aluminum (Housing) – 3 Year Warranty Certified CB	20						
91		D0037 – B162-00369F-A01-0-970mA-CB Driver for AR40254-A (RFE-0415A.)	E-Series – Amir – Down Light Recessed 40watt 4000K – CRI 80 3400Lumen – 0.9PF 220 To 240V IP 20 – Round D225 x H65mm Cut Out 205mm White / Aluminum (Housing) – 3 Year Warranty Certified CB	10						
92		D0037 – B162-00369F-A01-0-970mA-CB Driver for AR60042-B (RFE-0305A.)	E-Series – Amir – Down Light Recessed 40watt 6000K – CRI 80 3400Lumen – 0.9PF 220 To 240V IP 20 – Round D225 x H65mm Cut Out 205mm White / Aluminum (Housing) – 764g – 3 Year Warranty Certified CB	30						
93		D0206 – TST-01 Driver for MR30303	E-Series – Mar – Spotlight Recessed 7watt 3000K – CRI 80 630Lumen – 0.9PF 100 To 240V IP 20 – Round D93 x H42.5mm Cut Out 75mm White / plastic (Housing) – 85g – 3 Year Warranty Certified CB	50						
94		D0206 – TST-01 Driver for MR60305	E-Series – Mar – Spotlight Recessed 7watt 6000K – CRI 80 700Lumen – 0.9PF 100 To 240V IP 20 – Round D93 x H42.5mm Cut Out 75mm White / plastic (Housing) – 85g – 3 Year Warranty Certified CB	50						
95		D0031 – B122-05081S-A00-0-180mA Driver for AR30032-C (RFE-0348B)	E-Series – Amir – Down Light Recessed 8watt 3000K – CRI 80 600Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D90 x H50mm Cut Out 75mm White / Aluminum (Housing) – 5 Year Warranty Certified CB	100						
96		CXA1304 LED for AR30032-C (RFE-0348B)	E-Series – Amir – Down Light Recessed 8watt 3000K – CRI 80 600Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D90 x H50mm Cut Out 75mm White / Aluminum (Housing) – 5 Year Warranty Certified CB	50						
97		CXA1304 LED for AR60034-C (RFE-0347B)	E-Series – Amir – Down Light Recessed 8watt 6000K – CRI 80 650Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D90 x H50mm Cut Out 75mm White / Aluminum (Housing) – 120g – 5 Year Warranty Certified CB	50						
98		L0036 – MLS 2835 1w Ra80 150mA, Bridgelux 1835 double chip LED for AR30037-C (RFE-0302B)	E-Series – Amir – Down Light Recessed 11watt 3000K – CRI 80 870Lumen – 0.9PF 220 To 240V IP 20 – Round D120 x H50mm Cut Out 95mm White / Aluminum (Housing) – 3 Year Warranty Certified CB	20						
99		D0029 – B122-08102L-A00-0-250mA Driver for AR30037-C (RFE-0302B)	E-Series – Amir – Down Light Recessed 11watt 3000K – CRI 80 870Lumen – 0.9PF 220 To 240V IP 20 – Round D120 x H50mm Cut Out 95mm White / Aluminum (Housing) – 3 Year Warranty Certified CB	20						

Stamp

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
100	CAAU9439251 40HQ	L0036 – MLS 2835 1w Ra80 150mA, Bridgelux 1835 double chip LED for AR40246-B (RFE-0413B)	E-Series – Amir – Down Light Recessed 11watt 4000K – CRI 80 990Lumen – 0.9PF 220 To 240V IP 20 – Round D120 x H50mm Cut Out 95mm White / Aluminum (Housing) – 3 Year Warranty Certified CB	20						
101		D0029 – B122-08102L-A00-0-250mA Driver for AR40246-B (RFE-0413B)	E-Series – Amir – Down Light Recessed 11watt 4000K – CRI 80 990Lumen – 0.9PF 220 To 240V IP 20 – Round D120 x H50mm Cut Out 95mm White / Aluminum (Housing) – 3 Year Warranty Certified CB	20						
102		D0033 – B162-00306F-A00-0-625mA Driver for AR30251-A (RFE-0327A.)	E-Series – Amir – Down Light Recessed 30watt 3000K – CRI 80 2700Lumen – 0.9PF 220 To 240V IP 20 – Round D225 x H55mm Cut Out 205mm White / Aluminum (Housing) – 665g – 3 Year Warranty Certified CB	30						
103		L0037 – F2823DXX5B14CH15-10 LED for AR30251-A (RFE-0327A.)	E-Series – Amir – Down Light Recessed 30watt 3000K – CRI 80 2700Lumen – 0.9PF 220 To 240V IP 20 – Round D225 x H55mm Cut Out 205mm White / Aluminum (Housing) – 665g – 3 Year Warranty Certified CB	30						
104		L0037 – F2823DXX5B14CH15-10 LED for AR60253-A (RFE-0326A.)	E-Series – Amir – Down Light Recessed 30watt 6000K – CRI 80 2700Lumen – 0.9PF 220 To 240V IP 20 – Round D225 x H55mm Cut Out 205mm White / Aluminum (Housing) – 665g – 3 Year Warranty Certified CB	20						
105		D0033 – B162-00306F-A00-0-625mA Driver for AR60253-A (RFE-0326A.)	E-Series – Amir – Down Light Recessed 30watt 6000K – CRI 80 2700Lumen – 0.9PF 220 To 240V IP 20 – Round D225 x H55mm Cut Out 205mm White / Aluminum (Housing) – 665g – 3 Year Warranty Certified CB	20						
106		L0036 – MLS 2835 1w Ra80 150mA, Bridgelux 1835 double chip LED for AR30041-B (RFE-0306A.)	E-Series – Amir – Down Light Recessed 40watt 3000K – CRI 80 3400Lumen – 0.9PF 220 To 240V IP 20 – Round D225 x H65mm Cut Out 205mm White / Aluminum (Housing) – 3 Year Warranty Certified CB	20						
107		L0036 – MLS 2835 1w Ra80 150mA, Bridgelux 1835 double chip LED for AR40254-A (RFE-0415A.)	E-Series – Amir – Down Light Recessed 40watt 4000K – CRI 80 3400Lumen – 0.9PF 220 To 240V IP 20 – Round D225 x H65mm Cut Out 205mm White / Aluminum (Housing) – 3 Year Warranty Certified CB	10						
108		L0036 – MLS 2835 1w Ra80 150mA, Bridgelux 1835 double chip LED for AR60042-B (RFE-0305A.)	E-Series – Amir – Down Light Recessed 40watt 6000K – CRI 80 3400Lumen – 0.9PF 220 To 240V IP 20 – Round D225 x H65mm Cut Out 205mm White / Aluminum (Housing) – 764g – 3 Year Warranty Certified CB	30						
109		D0039 – DOW-60W-c Driver for AR30035-B	E-Series – Amir – Down Light Recessed 60watt 3000K – CRI 80 5200Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D230 x H115mm Cut Out 205mm White / Aluminum (Housing) – 1388g – 5 Year Warranty Certified CB	5						
110		CXA2530 LED for AR30035-B	E-Series – Amir – Down Light Recessed 60watt 3000K – CRI 80 5200Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D230 x H115mm Cut Out 205mm White / Aluminum (Housing) – 1388g – 5 Year Warranty Certified CB	5						
111		D0039 – DOW-60W-c Driver for AR60036-B	E-Series – Amir – Down Light Recessed 60watt 6000K – CRI 80 5500Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D230 x H115mm Cut Out 205mm White / Aluminum (Housing) – 1381g – 5 Year Warranty Certified CB	20						
112		CXA2530 LED for AR60036-B	E-Series – Amir – Down Light Recessed 60watt 6000K – CRI 80 5500Lumen – 0.9PF 220 To 240V IP 20 – CREE LED Round D230 x H115mm Cut Out 205mm White / Aluminum (Housing) – 1381g – 5 Year Warranty Certified CB	20						
113		L0081 LED for MR30303	E-Series – Mar – Spotlight Recessed 7watt 3000K – CRI 80 630Lumen – 0.9PF 100 To 240V IP 20 – Round D93 x H42.5mm Cut Out 75mm White / plastic (Housing) – 85g – 3 Year Warranty Certified CB	50						
114		L0081 LED for MR60305	E-Series – Mar – Spotlight Recessed 7watt 6000K – CRI 80 700Lumen – 0.9PF 100 To 240V IP 20 – Round D93 x H42.5mm Cut Out 75mm White / plastic (Housing) – 85g – 3 Year Warranty Certified CB	50						
115		AN30017-C	E-Series – Anar – Bulb A60 E27 Socket 9watt 3000K – CRI 80 900Lumen – 0.5PF 180 To 264V IP 20 – BULB W60 x H108mm White / plastic (Housing) – 2 Year Warranty Certified CB	94	-	1	4.5	5	-	0.0533 m ³
116		AN60024-A (RFE-0258A)	E-Series – Anar – Bulb A80 E27 Socket 18watt 6000K – CRI 80 1440Lumen – 0.5PF 220 To 240V IP 20 – BULB W80 x H154mm White / plastic (Housing) – 2 Year Warranty Certified CB	47	-	1	19.5	20.32	-	0.1338 m ³

Stamp

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
117	CAAU9439251 40HQ	AR30032-C (RFE-0348B)	E-Series - Amir - Down Light Recessed 8watt 3000K - CRI 80 600Lumen - 0.9PF 220 To 240V IP 20 - CREE LED Round D90 x H50mm Cut Out 75mm White / Aluminum (Housing) - 5 Year Warranty Certified CB	1						
118		AR60033-C (RFE-0345B)	E-Series - Amir - Down Light Recessed 8watt 6000K - CRI 80 650Lumen - 0.9PF 220 To 240V IP 20 - CREE LED Round D90 x H50mm Cut Out 75mm White / Aluminum (Housing) - 5 Year Warranty Certified CB	1						
119		AR60034-C (RFE-0347B)	E-Series - Amir - Down Light Recessed 8watt 6000K - CRI 80 650Lumen - 0.9PF 220 To 240V IP 20 - CREE LED Round D90 x H50mm Cut Out 75mm White / Aluminum (Housing) - 120g - 5 Year Warranty Certified CB	1						
120		AR40252-A (RFE-0416A)	E-Series - Amir - Down Light Recessed 30watt 4000K - CRI 80 2700Lumen - 0.9PF 220 To 240V IP 20 - Round D225 x H55mm Cut Out 205mm White / Aluminum (Housing) - 665g - 3 Year Warranty Certified CB	1						
121		AR40254-A (RFE-0415A)	E-Series - Amir - Down Light Recessed 40watt 4000K - CRI 80 3400Lumen - 0.9PF 220 To 240V IP 20 - Round D225 x H65mm Cut Out 205mm White / Aluminum (Housing) - 3 Year Warranty Certified CB	1						
122		AR60042-B (RFE-0305A)	E-Series - Amir - Down Light Recessed 40watt 6000K - CRI 80 3400Lumen - 0.9PF 220 To 240V IP 20 - Round D225 x H65mm Cut Out 205mm White / Aluminum (Housing) - 764g - 3 Year Warranty Certified CB	1						
123		AR60036-B	E-Series - Amir - Down Light Recessed 60watt 6000K - CRI 80 5500Lumen - 0.9PF 220 To 240V IP 20 - CREE LED Round D230 x H115mm Cut Out 205mm White / Aluminum (Housing) - 1381g - 5 Year Warranty Certified CB	1						
124		SA30829-A	E-Series - Sari - High Bay Suspended 150watt 3000K - CRI 80 15000Lumen - 0.9PF 100 To 265V IP 65 - Round D300 x H30mm Black / Aluminum (Housing) - 2 Year Warranty Certified CB	1						
125		NV30206	E-Series - Nova - Recessed Panel Downlight Recessed 4.5watt 3000K - CRI 80 297Lumen - 0.9PF 220 To 240V IP 44-20 - Round D85 x H21mm Cut Out 70mm White / plastic (Housing) - 2 Year Warranty Certified CB	67						
126		NV40207	E-Series - Nova - Recessed Panel Downlight Recessed 4.5watt 4000K - CRI 80 297Lumen - 0.9PF 220 To 240V IP 44-20 - Round D85 x H21mm Cut Out 70mm White / plastic (Housing) - 3 Year Warranty Certified CB	37						
127		NV60208	E-Series - Nova - Recessed Panel Downlight Recessed 4.5watt 6000K - CRI 80 297Lumen - 0.9PF 220 To 240V IP 44-20 - Round D85 x H21mm Cut Out 70mm White / plastic (Housing) - 2 Year Warranty Certified CB	7						
128		MR30303	E-Series - Mar - Spotlight Recessed 7watt 3000K - CRI 80 630Lumen - 0.9PF 100 To 240V IP 20 - Round D93 x H42.5mm Cut Out 75mm White / plastic (Housing) - 85g - 3 Year Warranty Certified CB	3						
129		MR40304	E-Series - Mar - Spotlight Recessed 7watt 4000K - CRI 80 650Lumen - 0.9PF 100 To 240V IP 20 - Round D93 x H42.5mm Cut Out 75mm White / plastic (Housing) - 85g - 3 Year Warranty Certified CB	5						
130		MR60305	E-Series - Mar - Spotlight Recessed 7watt 6000K - CRI 80 700Lumen - 0.9PF 100 To 240V IP 20 - Round D93 x H42.5mm Cut Out 75mm White / plastic (Housing) - 85g - 3 Year Warranty Certified CB	3						
131		AN30017-F	E-Series - Anar - Bulb A60 E27 Socket 9watt 3000K - CRI 82 810Lumen - 0.5PF 150 To 300V IP 20 - BULB W60 x H107mm White / plastic (Housing) - 2 Year Warranty Certified CB	2	-	1	1.4	1.9	-	0.029 m ³
132		AN60018-F	E-Series - Anar - Bulb A60 E27 Socket 9watt 6500K - CRI 82 900Lumen - 0.5PF 150 To 300V IP 20 - BULB W60 x H107mm White / plastic (Housing) - 2 Year Warranty Certified CB	2						
133		AN30021-F	E-Series - Anar - Bulb A60 E27 Socket 15watt 3000K - CRI 82 1350Lumen - 0.5PF 150 To 300V IP 20 - BULB W60 x H122mm White / plastic (Housing) - 2 Year Warranty Certified CB	3						

Stamp

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
134	CAAU9439251 40HQ	AN30328-C	E-Series – Anar – Bulb A80 E27 Socket 20watt 3000K – CRI 82 1800Lumen – 0.5PF 150 To 300V IP 20 – BULB W80 x H145mm White / plastic (Housing) – 2 Year Warranty Certified CB	3						
135		AN60329-C	E-Series – Anar – Bulb A80 E27 Socket 20watt 6500K – CRI 82 2000Lumen – 0.5PF 150 To 300V IP 20 – BULB W80 x H145mm White / plastic (Housing) – 2 Year Warranty Certified CB	3						
136		AZ30009-C (RFE-0290A.)	E-Series – Azhar – Candle light C35 E14 Socket 4watt 3000K – CRI 80 480Lumen – 0.5PF 220 To 240V IP 20 – Candle Bulb W35 x H96mm Transparent / Glass (Housing) – 19g – 2 Year Warranty Certified CB	3						
137		AZ60012-C (RFE-0291A.)	E-Series – Azhar – Candle light CA35 E14 Socket 4watt 6000K – CRI 80 480Lumen – 0.5PF 220 To 240V IP 20 – Candle Bulb W35 x H115mm Transparent / Glass (Housing) – 13g – 2 Year Warranty Certified CB	3						
138		AZ60010-C (RFE-0289A.)	E-Series – Azhar – Candle light C35 E14 Socket 4watt 6000K – CRI 80 480Lumen – 0.5PF 220 To 240V IP 20 – Candle Bulb W35 x H96mm Transparent / Glass (Housing) – 19g – 2 Year Warranty Certified CB	3						
139		MR30303	E-Series – Mar – Spotlight Recessed 7watt 3000K – CRI 80 630Lumen – 0.9PF 100 To 240V IP 20 – Round D93 x H42.5mm Cut Out 75mm White / plastic (Housing) – 85g – 3 Year Warranty Certified CB	3						
140		ES-1170 (RFE-0133)	Plug For Strips 220V 50m 2835 12mm strips 3pin for S.A.	120	-	1	17	17.6	-	0.072 m ³
141		NV40255	E-Series – Nova – Surface Panel Downlight Surface 15watt 4000K – CRI 80 1275Lumen – 0.9PF 220 To 240V IP 44-20 – Round D172 x H36mm White / plastic (Housing) – 3 Year Warranty Certified CB	2	-	1	31.7	32.3	-	0.0688 m ³
142		GF1259	Adapter with Three Socket (Power Cord 2 Meters)	5	-	1	31.7	32.3	-	0.0688 m ³
143		GF0056	Rafeed marketing bag 202201	4						
144		GF1268	LED sample	10						
145		GF1262	Plug for UK sockets 13A	18						
146		GF1267	AREEQ and ASALA Demo box	1						
147		GF1266	magneitc track light , 45*H100mm ,10W ,DC48V , for normal series 20 track , osram chip, 5 year warranty	1						
148		GF1265	magneitc pendant light , ϕ 40*L300mm,10W ,DC48V , for normal series 20 track , osram chip, 5 year warranty	1						
149		GF1258	Plug sample	17						
150		GF1264	Adapter with Three Socket (Power Cord 5 Meters)	6						

Stamp

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
151	CAAU9439251 40HQ	GF1263	Adapter with Five Socket (Power Cord 2 Meters)	6			13,667	14,933		68.9185 m³
152		GF1261	Tube Holder Accessories	107						
153		GF1260	Adapter with Five Socket (Power Cord 5 Meters)	6						
154		GF0067	Screw driver	7						
155		GF0057	Rafeed marketing bag 202202	2						
156		GF0039	RFM-0049-Rafeed marketing bag	1						
Total				60,693		1,680	13,667	14,933		68.9185 m³

DRAFT

Stamp

Signature