

Packing List

Consignee: Tatawar Maana Est

Attention: Abdulaziz aljouai

Tel: +966504881194

Address: KILO-08, Buraydah, Buraydah, Saudi Arabia

From: ATC MIDDLE EAST FZCO

Attention: Echo Chan

Tel: 008615018796671

Address: JAFZA One, 11th Floor, Jebel Ali Free Zone , Dubai, UAE

Shipment Number: SH-010701260252

Order Number: 0191

Date: 21/01/2026

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
1	025231 40HQ	AR20738-A	E-Series - Amir - Down Light Recessed 12watt 2700K - CRI 90 1020Lumen - 0.9PF 220 To 240V IP 20 - Round D52.38 x H58mm Cut Out 70mm Grey / Aluminum (Housing) - 3 Year Warranty Certified CB	1,400	100	14	259	273	0.0616	0.8622 m ³
2		AR30739-A	E-Series - Amir - Down Light Recessed 12watt 3000K - CRI 90 1020Lumen - 0.9PF 220 To 240V IP 20 - Round D52.38 x H58mm Cut Out 70mm Grey / Aluminum (Housing) - 102g - 3 Year Warranty Certified CB	2,900	100	29	536.5	565.5	0.0616	1.7859 m ³
3		AR40740-A	E-Series - Amir - Down Light Recessed 12watt 4000K - CRI 90 1020Lumen - 0.9PF 220 To 240V IP 20 - Round D52.38 x H58mm Cut Out 70mm Grey / Aluminum (Housing) - 3 Year Warranty Certified CB	700	100	7	129.5	136.5	0.0616	0.4311 m ³
4		AR60741-A	E-Series - Amir - Down Light Recessed 12watt 6000K - CRI 90 1020Lumen - 0.9PF 220 To 240V IP 20 - Round D52.38 x H58mm Cut Out 70mm Grey / Aluminum (Housing) - 101g - 3 Year Warranty Certified CB	400	100	4	74	78	0.0616	0.2463 m ³
5		AP30710-C	E-Series - Alpha - Plastic Linear Light Surface 36watt 3000K - CRI 80 3600Lumen - 0.9PF 200 To 240V IP 20 - Linear W53 x L600 x H50mm Black / PC (Housing) - 2 Year Warranty Certified CB	250	25	10	63.5	89	0.0615	0.6149 m ³
6		AP30709-C	E-Series - Alpha - Plastic Linear Light Surface 36watt 3000K - CRI 80 3600Lumen - 0.9PF 200 To 240V IP 20 - Linear W53 x L600 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	250	25	10	63.5	89	0.0615	0.6149 m ³
7		AP40712-C	E-Series - Alpha - Plastic Linear Light Surface 36watt 4000K - CRI 80 3600Lumen - 0.9PF 200 To 240V IP 20 - Linear W53 x L600 x H50mm Black / PC (Housing) - 2 Year Warranty Certified CB	500	25	20	127	178	0.0615	1.2298 m ³
8		AP40711-C	E-Series - Alpha - Plastic Linear Light Surface 36watt 4000K - CRI 80 3600Lumen - 0.9PF 200 To 240V IP 20 - Linear W53 x L600 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	500	25	20	127	178	0.0615	1.2298 m ³
9		AP60714-C	E-Series - Alpha - Plastic Linear Light Surface 36watt 6000K - CRI 80 3600Lumen - 0.9PF 200 To 240V IP 20 - Linear W53 x L600 x H50mm Black / PC (Housing) - 2 Year Warranty Certified CB	500	25	20	127	178	0.0615	1.2298 m ³
10		AP60713-C	E-Series - Alpha - Plastic Linear Light Surface 36watt 6000K - CRI 80 3600Lumen - 0.9PF 200 To 240V IP 20 - Linear W53 x L600 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	500	25	20	127	178	0.0615	1.2298 m ³
11		AP30960-A	E-Series - Alpha - Plastic Linear Light Surface 54watt 3000K - CRI 80 5400Lumen - 0.9PF 200 To 240V IP 20 - Linear W53 x L900 x H50mm Black / PC (Housing) - 2 Year Warranty Certified CB	250	25	10	84.5	120	0.0908	0.9077 m ³
12		AP30715-C	E-Series - Alpha - Plastic Linear Light Surface 54watt 3000K - CRI 80 5400Lumen - 0.9PF 200 To 240V IP 20 - Linear W53 x L900 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	250	25	10	84.5	120	0.0908	0.9077 m ³
13		AP40716-C	E-Series - Alpha - Plastic Linear Light Surface 54watt 4000K - CRI 80 5400Lumen - 0.9PF 200 To 240V IP 20 - Linear W53 x L900 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	500	25	20	169	240	0.0908	1.8154 m ³
14		AP40962-A	E-Series - Alpha - Plastic Linear Light Surface 54watt 4000K - CRI 80 5400Lumen - 0.9PF 200 To 240V IP 20 - Linear W53 x L900 x H50mm Black / PC (Housing) - 2 Year Warranty Certified CB	500	25	20	169	240	0.0908	1.8154 m ³

Stamp



31092465

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
15	025231 40HQ	AP60717-C	E-Series – Alpha – Plastic Linear Light Surface 54watt 6000K – CRI 80 5400Lumen – 0.9PF 200 To 240V IP 20 – Linear W53 x L900 x H50mm White / PC (Housing) – 2 Year Warranty Certified CB	500	25	20	169	240	0.0908	1.8154 m ³
16		AP60964-A	E-Series – Alpha – Plastic Linear Light Surface 54watt 6000K – CRI 80 5400Lumen – 0.9PF 200 To 240V IP 20 – Linear W53 x L900 x H50mm Black / PC (Housing) – 2 Year Warranty Certified CB	500	25	20	169	240	0.0908	1.8154 m ³
17		AP30718-C	E-Series – Alpha – Plastic Linear Light Surface 72watt 3000K – CRI 80 7200Lumen – 0.9PF 200 To 240V IP 20 – Linear W53 x L1200 x H50mm White / PC (Housing) – 2 Year Warranty Certified CB	256	16	16	112.64	160	0.08	1.2792 m ³
18		AP30719-C	E-Series – Alpha – Plastic Linear Light Surface 72watt 3000K – CRI 80 7200Lumen – 0.9PF 200 To 240V IP 20 – Linear W53 x L1200 x H50mm Black / PC (Housing) – 2 Year Warranty Certified CB	256	16	16	112.64	160	0.08	1.2792 m ³
19		AP40721-C	E-Series – Alpha – Plastic Linear Light Surface 72watt 4000K – CRI 80 7200Lumen – 0.9PF 200 To 240V IP 20 – Linear W53 x L1200 x H50mm Black / PC (Housing) – 2 Year Warranty Certified CB	496	16	31	218.24	310	0.08	2.4785 m ³
20		AP40720-C	E-Series – Alpha – Plastic Linear Light Surface 72watt 4000K – CRI 80 7200Lumen – 0.9PF 200 To 240V IP 20 – Linear W53 x L1200 x H50mm White / PC (Housing) – 2 Year Warranty Certified CB	512	16	32	225.28	320	0.08	2.5584 m ³
21		AP60722-C	E-Series – Alpha – Plastic Linear Light Surface 72watt 6000K – CRI 80 7200Lumen – 0.9PF 200 To 240V IP 20 – Linear W53 x L1200 x H50mm Black / PC (Housing) – 2 Year Warranty Certified CB	496	16	31	218.24	310	0.08	2.4785 m ³
22		AP60723-C	E-Series – Alpha – Plastic Linear Light Surface 72watt 6000K – CRI 80 7200Lumen – 0.9PF 200 To 240V IP 20 – Linear W53 x L1200 x H50mm White / PC (Housing) – 2 Year Warranty Certified CB	512	16	32	225.28	320	0.08	2.5584 m ³
23		AP30966-A	E-Series – Alpha – Plastic Linear Light Surface 90watt 3000K – CRI 80 9000Lumen – 0.9PF 200 To 240V IP 20 – Linear W53 x L1500 x H50mm Black / PC (Housing) – 2 Year Warranty Certified CB	256	16	16	137.44	195.2	0.0995	1.5912 m ³
24		AP30724-C	E-Series – Alpha – Plastic Linear Light Surface 90watt 3000K – CRI 80 9000Lumen – 0.9PF 200 To 240V IP 20 – Linear W53 x L1500 x H50mm White / PC (Housing) – 2 Year Warranty Certified CB	256	16	16	137.44	195.2	0.0995	1.5912 m ³
25		AP40968-A	E-Series – Alpha – Plastic Linear Light Surface 90watt 4000K – CRI 80 9000Lumen – 0.9PF 200 To 240V IP 20 – Linear W53 x L1500 x H50mm Black / PC (Housing) – 2 Year Warranty Certified CB	496	16	31	266.29	378.2	0.0995	3.083 m ³
26		AP40725-C	E-Series – Alpha – Plastic Linear Light Surface 90watt 4000K – CRI 80 9000Lumen – 0.9PF 200 To 240V IP 20 – Linear W53 x L1500 x H50mm White / PC (Housing) – 2 Year Warranty Certified CB	512	16	32	274.88	390.4	0.0995	3.1824 m ³
27		AP60970-A	E-Series – Alpha – Plastic Linear Light Surface 90watt 6000K – CRI 80 9000Lumen – 0.9PF 200 To 240V IP 20 – Linear W53 x L1500 x H50mm Black / PC (Housing) – 2 Year Warranty Certified CB	496	16	31	266.29	378.2	0.0995	3.083 m ³
28		AP60726-C	E-Series – Alpha – Plastic Linear Light Surface 90watt 6000K – CRI 80 9000Lumen – 0.9PF 200 To 240V IP 20 – Linear W53 x L1500 x H50mm White / PC (Housing) – 2 Year Warranty Certified CB	512	16	32	274.88	390.4	0.0995	3.1824 m ³
29		RI60696-A	E-Series – Rami – Street Light Mounted on pole Dimmable 1-10V 200watt 6000K – CRI 70 28000Lumen – 0.95PF 100 To 277V IP 66 – LUMILEDS LED Rectangular W255 x L628 x H89mm Black / Die-cast aluminum (Housing) – 5 Year Warranty Certified CB	83	1	83	344.45	431.6	0.0191	1.5883 m ³
30		TA30781-A	E-Series – Taj – Strip light Surface 2835SMD 120Pcs/1M single line 10Cm/cut 9watt/m 3000K – CRI 80 670Lumen/m – 0.9PF 220 To 240V IP 65 – Linear W10.5 x L50000 x H4mm Cut Out 100mm Transparent / Copper + PVC (Body) – 1900g – 3 Year Warranty Certified CB	900	1	900	2520	3060	0.0088	7.9092 m ³
31		RA20761-C	E-Series – Rashed – Tube Light T5 Recessed 6watt 2700K – CRI 80 600Lumen – 0.5PF 220 To 240V IP 20 – Linear W24 x L300 x H39mm White / PC (Housing) – 2 Year Warranty Certified CB	120	20	6	7.2	16.38	0.014	0.0841 m ³

Stamp



31092465

2 of 5

Powered By LUMYTIC

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
32	025231 40HQ	RA30487-C	E-Series – Rashed – Tube Light T5 Recessed 6watt 3000K – CRI 80 600Lumen – 0.5PF 220 To 240V IP 20 – Linear W24 x L300 x H39mm White / PC (Housing) – 2 Year Warranty Certified CB	120	20	6	7.2	16.38	0.014	0.0841 m ³
33		RA60495-C	E-Series – Rashed – Tube Light T5 Recessed 6watt 6000K – CRI 80 600Lumen – 0.5PF 220 To 240V IP 20 – Linear W24 x L300 x H39mm White / PC (Housing) – 2 Year Warranty Certified CB	60	20	3	3.6	8.19	0.014	0.042 m ³
34		RA20762-C	E-Series – Rashed – Tube Light T5 Recessed 8watt 2700K – CRI 80 800Lumen – 0.5PF 220 To 240V IP 20 – Linear W24 x L450 x H39mm White / PC (Housing) – 2 Year Warranty Certified CB	120	20	6	9.78	17.4	0.0193	0.116 m ³
35		RA30488-C	E-Series – Rashed – Tube Light T5 Recessed 8watt 3000K – CRI 80 800Lumen – 0.5PF 220 To 240V IP 20 – Linear W24 x L450 x H39mm White / PC (Housing) – 2 Year Warranty Certified CB	120	20	6	9.78	17.4	0.0193	0.116 m ³
36		RA60497-C	E-Series – Rashed – Tube Light T5 Recessed 8watt 6000K – CRI 80 800Lumen – 0.5PF 220 To 240V IP 20 – Linear W24 x L450 x H39mm White / PC (Housing) – 2 Year Warranty Certified CB	60	20	3	4.89	8.7	0.0193	0.058 m ³
37		RA20763-C	E-Series – Rashed – Tube Light T5 Recessed 12watt 2700K – CRI 80 1200Lumen – 0.5PF 220 To 240V IP 20 – Linear W24 x L600 x H39mm White / PC (Housing) – 2 Year Warranty Certified CB	160	20	8	16.64	26.24	0.0247	0.1972 m ³
38		RA30489-C	E-Series – Rashed – Tube Light T5 Recessed 12watt 3000K – CRI 80 1200Lumen – 0.5PF 220 To 240V IP 20 – Linear W24 x L600 x H39mm White / PC (Housing) – 2 Year Warranty Certified CB	160	20	8	16.64	26.24	0.0247	0.1972 m ³
39		RA60499-C	E-Series – Rashed – Tube Light T5 Recessed 12watt 6000K – CRI 80 1200Lumen – 0.5PF 220 To 240V IP 20 – Linear W24 x L600 x H39mm White / PC (Housing) – 2 Year Warranty Certified CB	120	20	6	12.48	19.68	0.0247	0.1479 m ³
40		RA20764-C	E-Series – Rashed – Tube Light T5 Recessed 13watt 2700K – CRI 80 1300Lumen – 0.5PF 220 To 240V IP 20 – Linear W24 x L750 x H39mm White / PC (Housing) – 2 Year Warranty Certified CB	160	20	8	20	32	0.03	0.2398 m ³
41		RA30490-C	E-Series – Rashed – Tube Light T5 Recessed 13watt 3000K – CRI 80 1300Lumen – 0.5PF 220 To 240V IP 20 – Linear W24 x L750 x H39mm White / PC (Housing) – 2 Year Warranty Certified CB	160	20	8	20	32	0.03	0.2398 m ³
42		RA60501-C	E-Series – Rashed – Tube Light T5 Recessed 13watt 6000K – CRI 80 1300Lumen – 0.5PF 220 To 240V IP 20 – Linear W24 x L750 x H39mm White / PC (Housing) – 2 Year Warranty Certified CB	120	20	6	15	24	0.03	0.1799 m ³
43		RA20765-C	E-Series – Rashed – Tube Light T5 Recessed 14watt 2700K – CRI 80 1400Lumen – 0.5PF 220 To 240V IP 20 – Linear W24 x L900 x H39mm White / PC (Housing) – 2 Year Warranty Certified CB	280	20	14	40.88	60.48	0.0353	0.4942 m ³
44		RA30491-C	E-Series – Rashed – Tube Light T5 Recessed 14watt 3000K – CRI 80 1400Lumen – 0.5PF 220 To 240V IP 20 – Linear W24 x L900 x H39mm White / PC (Housing) – 2 Year Warranty Certified CB	280	20	14	40.88	60.48	0.0353	0.4942 m ³
45		RA60503-C	E-Series – Rashed – Tube Light T5 Recessed 14watt 6000K – CRI 80 1400Lumen – 0.5PF 220 To 240V IP 20 – Linear W24 x L900 x H39mm White / PC (Housing) – 2 Year Warranty Certified CB	120	20	6	17.52	25.92	0.0353	0.2118 m ³
46		RA20766-C	E-Series – Rashed – Tube Light T5 Recessed 18watt 2700K – CRI 80 1800Lumen – 0.5PF 220 To 240V IP 20 – Linear W24 x L1000 x H39mm White / PC (Housing) – 2 Year Warranty Certified CB	160	20	8	26.24	38.24	0.0388	0.3108 m ³
47		RA30492-C	E-Series – Rashed – Tube Light T5 Recessed 18watt 3000K – CRI 80 1800Lumen – 0.5PF 220 To 240V IP 20 – Linear W24 x L1000 x H39mm White / PC (Housing) – 2 Year Warranty Certified CB	220	20	11	36.08	52.58	0.0388	0.4273 m ³
48		RA60505-C	E-Series – Rashed – Tube Light T5 Recessed 18watt 6000K – CRI 80 1800Lumen – 0.5PF 220 To 240V IP 20 – Linear W24 x L1000 x H39mm White / PC (Housing) – 2 Year Warranty Certified CB	120	20	6	19.68	28.68	0.0388	0.2331 m ³

Stamp



31092465

3 of 5

Powered By LUMYTIC

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
49	025231 40HQ	RA20767-C	E-Series - Rashed - Tube Light T5 Recessed 24watt 2700K - CRI 80 2400Lumen - 0.5PF 220 To 240V IP 20 - Linear W24 x L1200 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	160	20	8	30.4	43.2	0.0459	0.3675 m ³
50		RA30493-C	E-Series - Rashed - Tube Light T5 Recessed 24watt 3000K - CRI 80 2400Lumen - 0.5PF 220 To 240V IP 20 - Linear W24 x L1200 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	220	20	11	41.8	59.4	0.0459	0.5053 m ³
51		RA60507-C	E-Series - Rashed - Tube Light T5 Recessed 24watt 6000K - CRI 80 2400Lumen - 0.5PF 220 To 240V IP 20 - Linear W24 x L1200 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	120	20	6	22.8	32.4	0.0459	0.2756 m ³
52		ES-1603	Rafeed, Aluminium Profile W17XH7X3000 IP20, silver colour, Al thickness 0.9mm, PC thickness 0.55mm with 4cap+ 4clip. Certified CB	200	50	4	76.6	80.6	0.0528	0.2112 m ³
53		ES-1604	Rafeed, Aluminium Profile W15.5XH15.5X3000 IP20, silver colour, Al thickness 1mm, PC thickness 0.55mm, with 4cap+4clip. Certified CB	200	50	4	85.88	89.88	0.0802	0.3208 m ³
54		ES-1591	Smart RGB controller for Strips 220V 50m 5050, compatible with Tuya app, IP20. Certified CB	120	1	120	1320	1440	0.0602	7.2216 m ³
55		ES-1605	Rafeed, Aluminium Profile W24.5XH7X3000 IP20, silver colour, Al thickness 0.95mm, PC thickness 0.55mm with 4cap+4clip. Certified CB	200	50	4	92	96	0.0617	0.2468 m ³
56		ES-1606	Rafeed, Aluminium Profile W17.3XH14.5X3000 mm IP20, silver colour, Al thickness 1mm, PC thickness 0.84, with 4cap+4clip. Certified CB	200	50	4	101.28	105.28	0.0772	0.3089 m ³
57		ES-1607	Rafeed, Aluminium Profile W25.2XH14.42X3000 mm IP20, silver colour, Al thickness 1mm, PC thickness 0.84mm, With 4cap+4clip Certified CB	200	50	4	109.6	113.6	0.098	0.392 m ³
58		AR20738-A	E-Series - Amir - Down Light Recessed 12watt 2700K - CRI 90 1020Lumen - 0.9PF 220 To 240V IP 20 - Round D52.38 x H58mm Cut Out 70mm Grey / Aluminum (Housing) - 3 Year Warranty Certified CB	97	-	1	17	18	-	0.0624 m ³
59		AR30739-A	E-Series - Amir - Down Light Recessed 12watt 3000K - CRI 90 1020Lumen - 0.9PF 220 To 240V IP 20 - Round D52.38 x H58mm Cut Out 70mm Grey / Aluminum (Housing) - 102g - 3 Year Warranty Certified CB	97	-	1	17	18	-	0.0624 m ³
60		AR40740-A	E-Series - Amir - Down Light Recessed 12watt 4000K - CRI 90 1020Lumen - 0.9PF 220 To 240V IP 20 - Round D52.38 x H58mm Cut Out 70mm Grey / Aluminum (Housing) - 3 Year Warranty Certified CB	97	-	1	17	18	-	0.0624 m ³
61		AR60741-A	E-Series - Amir - Down Light Recessed 12watt 6000K - CRI 90 1020Lumen - 0.9PF 220 To 240V IP 20 - Round D52.38 x H58mm Cut Out 70mm Grey / Aluminum (Housing) - 101g - 3 Year Warranty Certified CB	97	-	1	17	18	-	0.0624 m ³
62		ES-0896A	Rafeed, Tri-proof Housing IP65, 2*9W for T8 DOUBLE-END wiring ABS base, PC cover, with stainless steel clips, T8 lamp holder (UL), without LED tube, Dimensions: 670x104x73 mm, warranty 5years Certified CB	13	-	1	11.1	12.7	-	0.0707 m ³
63		ES-0897A	Rafeed, Tri-proof Housing IP65, 9W for T8 DOUBLE-END wiring ABS base, PC cover, with stainless steel clips, T8 lamp holder (UL), without LED tube, Dimensions: 670x68x73 mm, warranty 5years Certified CB	18	-	1	10.3	12	-	0.0631 m ³
64		ES-0898A	Rafeed, Tri-proof Housing IP65, 18W for T8 DOUBLE-END wiring ABS base, PC cover, with stainless steel clips, T8 lamp holder (UL), without LED tube, Dimensions: 1270x68x73mm, warranty 5years Certified CB	10	-	1	11.6	13.3	-	0.0724 m ³
65		ES-0899A	Rafeed, Tri-proof Housing IP65, 2*18W for T8 DOUBLE-END wiring ABS base, PC cover, with stainless steel clips, T8 lamp holder (UL), without LED tube, Dimensions: 1270x104x73mm, warranty 5years Certified CB	8	-	1	12.5	14.2	-	0.088 m ³

Stamp



31092465

4 of 5

Powered By LUMYTIC

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
66	025231 40HQ	GF0878	Driver spare part	245	—	1	13.8	14.36	—	0.0585 m³
67		GF0878	Driver spare part	140	—	1	7.6	8.18	—	0.0329 m³
68		GF0878	Driver spare part	158	—	1	8.4	8.98	—	0.0419 m³
69		GF0878	Driver spare part	30	—	1	1.9	2.2	—	0.0174 m³
70		GF0878	Driver spare part	180						
71		GF0941	LED spare part	261	—	1	5.3	5.86	—	0.0563 m³
72		GF0878	Driver spare part	81						
73		GF0878	Driver spare part	154						
74		GF0941	LED spare part	81						
Total				22,486		1,866	10,178	12,888		70.9193 m³

Stamp



Signature