

Packing List

Consignee: Tatawar Maana Est

Attention: Abdulaziz aljouai

Tel: +966504881194

Address: KILO-08, Buraydah, Buraydah, Saudi Arabia

From: ATC MIDDLE EAST FZCO

Attention: Echo Chan

Tel: 008615018796671

Address: JAFZA One, 11th Floor, Jebel Ali Free
Zone , Dubai, UAE

Shipment Number: SH-010706260260

Order Number: 0191,0282,0298

Date: 06/06/2026

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
1	026031 40HQ	PL20727-A	E-Series - Polkadot - Linear Light Suspendant 40watt 2700K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 1375g - 5 Year Warranty Certified CB	300	10	30	405	465	0.0681	2.0441 m ³
2		PL30728-A	E-Series - Polkadot - Linear Light Suspendant 40watt 3000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W70.5 x L1180 x H68.5mm White / Aluminum (Housing) - 1190g - 5 Year Warranty Certified CB	500	20	25	845	875	0.166	4.1505 m ³
3		PL30729-A	E-Series - Polkadot - Linear Light Suspendant 40watt 3000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W70.5 x L1180 x H68.5mm Black / Aluminum (Housing) - 1190g - 5 Year Warranty Certified CB	500	20	25	845	875	0.166	4.1505 m ³
4		PL30454-A	E-Series - Polkadot - Linear Light Suspendant 40watt 3000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 1375g - 5 Year Warranty Certified CB	300	10	30	405	465	0.0681	2.0441 m ³
5		PL30455-A	E-Series - Polkadot - Linear Light Suspendant 40watt 3000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 1375g - 5 Year Warranty Certified CB	250	10	25	337.5	387.5	0.0681	1.7034 m ³
6		PL40731-A	E-Series - Polkadot - Linear Light Suspendant 40watt 4000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W70.5 x L1180 x H68.5mm Black / Aluminum (Housing) - 1190g - 5 Year Warranty Certified CB	700	20	35	1183	1225	0.166	5.8107 m ³
7		PL40730-A	E-Series - Polkadot - Linear Light Suspendant 40watt 4000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W70.5 x L1180 x H68.5mm White / Aluminum (Housing) - 1190g - 5 Year Warranty Certified CB	260	20	13	439.4	455	0.166	2.1583 m ³
8		PL40456-A	E-Series - Polkadot - Linear Light Suspendant 40watt 4000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 1375g - 5 Year Warranty Certified CB	500	10	50	675	775	0.0681	3.4068 m ³
9		PL40457-A	E-Series - Polkadot - Linear Light Suspendant 40watt 4000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 1375g - 5 Year Warranty Certified CB	250	10	25	337.5	387.5	0.0681	1.7034 m ³
10		PL60732-A	E-Series - Polkadot - Linear Light Suspendant 40watt 6000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W70.5 x L1180 x H68.5mm White / Aluminum (Housing) - 1190g - 5 Year Warranty Certified CB	500	20	25	845	875	0.166	4.1505 m ³
11		PL60733-A	E-Series - Polkadot - Linear Light Suspendant 40watt 6000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W70.5 x L1180 x H68.5mm Black / Aluminum (Housing) - 1190g - 5 Year Warranty Certified CB	1,000	20	50	1690	1750	0.166	8.301 m ³
12		PL60458-A	E-Series - Polkadot - Linear Light Suspendant 40watt 6500K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 1375g - 5 Year Warranty Certified CB	700	10	70	945	1085	0.0681	4.7695 m ³
13		PL60459-A	E-Series - Polkadot - Linear Light Suspendant 40watt 6500K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 1375g - 5 Year Warranty Certified CB	500	10	50	675	775	0.0681	3.4068 m ³
14		PR30566-A	E-Series - Petra - Magnetic Light On rail 6watt 3000K - CRI 90 480Lumen - 48V IP 20 - Linear W22 x L113 x H43.5mm Black / Aluminum (Housing) - 5 Year Warranty Certified CB	2,010	30	67	147.4	167.5	0.0051	0.3449 m ³

Stamp



35214890

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
15	026031 40HQ	PR40569-A	E-Series – Petra – Magnetic Light On rail 6watt 4000K – CRI 90 390Lumen – IP 20 – Rectangular W22 x L116 x H102mm Black / Aluminum (Housing) – 5 Year Warranty Certified CB	360	30	12	57.6	70.8	0.0155	0.1857 m ³
16		PR40590-A	E-Series – Petra – Magnetic Light On rail 12watt 4000K – CRI 90 960Lumen – 48V IP 20 – Linear W22 x L220 x H43.5mm Black / Aluminum (Housing) – 141g – 5 Year Warranty Certified CB	2,010	30	67	281.4	314.9	0.0095	0.6368 m ³
17		PR30882-A	E-Series – Petra – Magnetic Light On rail 24watt 3000K – CRI 90 1680Lumen – 48V IP 20 – Linear W22 x L603 x H43.5mm Black / Aluminum (Housing) – 5 Year Warranty Certified CB	2,010	30	67	656.6	696.8	0.0246	1.645 m ³
18		PR30613-A	E-Series – Petra – Magnetic Light On rail 24watt 3000K – CRI 90 1920Lumen – 48V IP 20 – Linear W22 x L436 x H43.5mm Black / Aluminum (Housing) – 256g – 5 Year Warranty Certified CB	1,020	30	34	272	292.4	0.018	0.6126 m ³
19		PR30615-A	E-Series – Petra – Magnetic Light On rail 24watt 3000K – CRI 90 1680Lumen – 48V IP 20 – Rectangular W22 x L440 x H102mm Black / Aluminum (Housing) – 5 Year Warranty Certified CB	510	30	17	311.1	340	0.0527	0.8966 m ³
20		PR40883-A	E-Series – Petra – Magnetic Light On rail 24watt 4000K – CRI 90 1680Lumen – 48V IP 20 – Linear W22 x L603 x H43.5mm Black / Aluminum (Housing) – 5 Year Warranty Certified CB	2,010	30	67	656.6	696.8	0.0246	1.645 m ³
21		PR40618-A	E-Series – Petra – Magnetic Light On rail 24watt 4000K – CRI 90 1680Lumen – 48V IP 20 – Rectangular W22 x L440 x H102mm Black / Aluminum (Housing) – 5 Year Warranty Certified CB	510	30	17	311.1	340	0.0527	0.8966 m ³
22		PR40619-A	E-Series – Petra – Magnetic Light On rail 24watt 4000K – CRI 90 1800Lumen – 48V IP 20 – Rectangular W22 x L440 x H102mm Black / Aluminum (Housing) – 5 Year Warranty Certified CB	510	30	17	311.1	340	0.0527	0.8966 m ³
23		PR30626-A	E-Series – Petra – Magnetic Light On rail 36watt 3000K – CRI 90 2520Lumen – 48V IP 20 – Linear W22 x L900 x H43.5mm Black / Aluminum (Housing) – 419g – 5 Year Warranty Certified CB	2,010	30	67	783.9	837.5	0.0368	2.4675 m ³
24		PR30625-A	E-Series – Petra – Magnetic Light On rail 36watt 3000K – CRI 90 2880Lumen – 48V IP 20 – Linear W22 x L652 x H43.5mm Black / Aluminum (Housing) – 376g – 5 Year Warranty Certified CB	510	30	17	198.9	212.5	0.0267	0.4544 m ³
25		PR40627-A	E-Series – Petra – Magnetic Light On rail 36watt 4000K – CRI 90 2520Lumen – 48V IP 20 – Linear W22 x L900 x H43.5mm Black / Aluminum (Housing) – 419g – 5 Year Warranty Certified CB	2,010	30	67	783.9	837.5	0.0368	2.4675 m ³
26		PR30631-A	E-Series – Petra – Magnetic Light On rail 48watt 3000K – CRI 90 3360Lumen – 48V IP 20 – Linear W22 x L1200 x H43.5mm Black / Aluminum (Housing) – 5 Year Warranty Certified CB	1,020	30	34	510	544	0.0483	1.6426 m ³
27		PR40632-A	E-Series – Petra – Magnetic Light On rail 48watt 4000K – CRI 90 3360Lumen – 48V IP 20 – Linear W22 x L1200 x H43.5mm Black / Aluminum (Housing) – 5 Year Warranty Certified CB	1,020	30	34	510	544	0.0483	1.6426 m ³
28		D0169 (PS20-D1-300-24)	Power supply 300W, Input Voltage AC 220 To 240V, Output Voltage DC 24 V, Output Current 0 To 12500 mA, IP20, W62 x L228 x H31, 3 Year Warranty	432	24	18	246.24	250.2	0.0185	0.3324 m ³
29		D0165 (PS20-D1-60-24)	Power supply 60W, Input Voltage AC 220 To 240V, Output Voltage DC 24 V, Output Current 0 To 2500 mA, IP20, W49 x L146 x H29, 3 Year Warranty	396	44	9	71.28	72.9	0.0185	0.1662 m ³
30		D0166 (PS20-D1-100-24)	Power supply 100W, Input Voltage AC 220 To 240V, Output Voltage DC 24 V, Output Current 0 To 4200 mA, IP20, W49 x L175 x H31, 3 Year Warranty	560	40	14	131.6	138.6	0.0185	0.2586 m ³
31		D0168 (PS20-D1-200-24)	Power supply 200W, Input Voltage AC 220 To 240V, Output Voltage DC 24 V, Output Current 0 To 8300 mA, IP20, W59 x L185 x H31, 3 Year Warranty	320	32	10	104	107	0.0185	0.1847 m ³

Stamp



35214890

2 of 4

Powered By LUMYTIC

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
32		ES-1897	Rafeed, NEMA socket 7 Pins Photocell sensor to turn on/ off automatically according to the sun light, Rated power 1800W, Voltage AC 105-305 V, Frequency 50/60 HZ, Rated current 10A, Turn on/ off level 10-45 Lux, Cover material ABS, Base material PA.	5,000	100	50	425	585	0.0569	2.8456 m ³
33		L0081 LED for PL20727-A	E-Series - Polkadot - Linear Light Suspendant 40watt 2700K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 1375g - 5 Year Warranty Certified CB	1						
34		D0206 - TST-01 Driver for PL20727-A	E-Series - Polkadot - Linear Light Suspendant 40watt 2700K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 1375g - 5 Year Warranty Certified CB	3						
35		D0206 - TST-01 Driver for PL30728-A	E-Series - Polkadot - Linear Light Suspendant 40watt 3000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W70.5 x L1180 x H68.5mm White / Aluminum (Housing) - 1190g - 5 Year Warranty Certified CB	5						
36		D0206 - TST-01 Driver for PL30455-A	E-Series - Polkadot - Linear Light Suspendant 40watt 3000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 1375g - 5 Year Warranty Certified CB	3						
37		D0206 - TST-01 Driver for PL30729-A	E-Series - Polkadot - Linear Light Suspendant 40watt 3000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W70.5 x L1180 x H68.5mm Black / Aluminum (Housing) - 1190g - 5 Year Warranty Certified CB	5						
38		L0081 LED for PL30454-A	E-Series - Polkadot - Linear Light Suspendant 40watt 3000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 1375g - 5 Year Warranty Certified CB	3						
39		D0206 - TST-01 Driver for PL30454-A	E-Series - Polkadot - Linear Light Suspendant 40watt 3000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 1375g - 5 Year Warranty Certified CB	3						
40	026031 40HQ	L0081 LED for PL30455-A	E-Series - Polkadot - Linear Light Suspendant 40watt 3000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 1375g - 5 Year Warranty Certified CB	3	-	1	6.1	7.1	-	0.0264 m ³
41		D0206 - TST-01 Driver for PL40457-A	E-Series - Polkadot - Linear Light Suspendant 40watt 4000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 1375g - 5 Year Warranty Certified CB	3						
42		D0206 - TST-01 Driver for PL40731-A	E-Series - Polkadot - Linear Light Suspendant 40watt 4000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W70.5 x L1180 x H68.5mm Black / Aluminum (Housing) - 1190g - 5 Year Warranty Certified CB	7						
43		D0206 - TST-01 Driver for PL40730-A	E-Series - Polkadot - Linear Light Suspendant 40watt 4000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W70.5 x L1180 x H68.5mm White / Aluminum (Housing) - 1190g - 5 Year Warranty Certified CB	2						
44		L0081 LED for PL40457-A	E-Series - Polkadot - Linear Light Suspendant 40watt 4000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 1375g - 5 Year Warranty Certified CB	3						
45		D0206 - TST-01 Driver for PL40456-A	E-Series - Polkadot - Linear Light Suspendant 40watt 4000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 1375g - 5 Year Warranty Certified CB	5						
46		L0081 LED for PL40456-A	E-Series - Polkadot - Linear Light Suspendant 40watt 4000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 1375g - 5 Year Warranty Certified CB	5						
47		D0206 - TST-01 Driver for PL60732-A	E-Series - Polkadot - Linear Light Suspendant 40watt 6000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W70.5 x L1180 x H68.5mm White / Aluminum (Housing) - 1190g - 5 Year Warranty Certified CB	5						
48		D0206 - TST-01 Driver for PL60733-A	E-Series - Polkadot - Linear Light Suspendant 40watt 6000K - CRI 80 4000Lumen - 0.9PF 200 To 240V IP 20 - Linear W70.5 x L1180 x H68.5mm Black / Aluminum (Housing) - 1190g - 5 Year Warranty Certified CB	10						

Stamp



35214890

3 of 4

Powered By LUMYTIC

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
49	026031 40HQ	D0206 – TST-01 Driver for PL60459-A	E-Series – Polkadot – Linear Light Suspendant 40watt 6500K – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – Linear W50 x L1200 x H75mm White / Aluminum (Housing) – 1375g – 5 Year Warranty Certified CB	5						
50		D0206 – TST-01 Driver for PL60458-A	E-Series – Polkadot – Linear Light Suspendant 40watt 6500K – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – Linear W50 x L1200 x H75mm Black / Aluminum (Housing) – 1375g – 5 Year Warranty Certified CB	7						
51		L0081 LED for PL60458-A	E-Series – Polkadot – Linear Light Suspendant 40watt 6500K – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – Linear W50 x L1200 x H75mm Black / Aluminum (Housing) – 1375g – 5 Year Warranty Certified CB	2						
52		L0081 LED for PL60459-A	E-Series – Polkadot – Linear Light Suspendant 40watt 6500K – CRI 80 4000Lumen – 0.9PF 200 To 240V IP 20 – Linear W50 x L1200 x H75mm White / Aluminum (Housing) – 1375g – 5 Year Warranty Certified CB	2						
53		GF1293	PC for Linear Light spare part		28	-	1	6.1	7.1	-
Total				30,598		1,140	16,409	17,798		68.0744 m³

Stamp



35214890

4 of 4

Powered By LUMYTIC

Signature