

Packing List

Consignee: MYGA TRADING LLC
Attention: Ahmed Manan Abdul Manan Khan
Tel: +97142989015
Address: New al Nakheel ss lootha, Dubai, Dubai, UAE

From: ATC MIDDLE EAST FZCO
Attention: Echo Chan
Tel: 008615018796671
Address: JAFZA One, 11th Floor, Jebel Ali Free Zone , Dubai, UAE

Shipment Number: 020310240203
Order Number: 0155,0209
Date: 15/10/2024

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
1	TCNU7975185 40HQ	AN30015-H	E-Series - Anar - Bulb A55 E27 Socket 7watt 3000K - CRI 80 700Lumen - 0.5PF 180 To 264V IP 20 - BULB D55 x H104mm White / plastic (Housing) - 3 Year Warranty Non CB	3,000	50	60	99	204	0.0233	1.3954m³
2		AN30330 (RFE-0389)	E-Series - Anar - Bulb C38 E14 Socket 7watt 3000K - CRI 80 500Lumen - 0.5PF 220 To 240V IP 20 - Candle Bulb W38 x H113mm White / plastic (Housing) - 23g - 2 Year Warranty Non CB	500	50	10	13	24	0.014	0.1403m³
3		AY40382-A	E-Series - Ayham - Bulb T118 E27 Socket 40watt 4000K - CRI 80 4000Lumen - 0.9PF 220 To 240V IP 20 - BULB W118 x H191mm White / plastic (Housing) - Silver / Aluminum (Inside) - 2 Year Warranty Non CB	300	10	30	46.8	93	0.039	1.1702m³
4		SM60442-A	E-Series - Summer - Camping light Surface Dimmable Built-in dimmer 5watt 5000K - CRI 80 500Lumen - 1PF -IP 65 - Rectangular W40 x L220 x H42mm White / PC (Housing) - Black / PC (End cap) - 212g - 2 Year Warranty Certified CB	100	50	2	21.2	24.8	0.0384	0.0767m³
5		AR60034-A (RFE-0347A)	E-Series - Amir - Down Light Recessed 8watt 6000K - CRI 80 646Lumen - 0.5PF 200 To 240V IP 20 - CREE LED Round D90 x H50mm Cut Out 75mm White / Aluminum (Housing) - 150g - 5 Year Warranty Non CB	500	100	5	93.25	98.25	0.0873	0.4365m³
6		AR30037-A (RFE-0302A)	E-Series - Amir - Down Light Recessed 10watt 3000K - CRI 80 845Lumen - 0.5PF 100 To 240V IP 20 - Round D120 x H50mm Cut Out 95mm White / Aluminum (Housing) - 3 Year Warranty Non CB	450	50	9	129.51	138.51	0.0729	0.6558m³
7		AR30039-A (RFE-0304A)	E-Series - Amir - Down Light Recessed 20watt 3000K - CRI 80 1809Lumen - 0.5PF 100 To 240V IP 20 - Round D170 x H55mm Cut Out 145mm White / Aluminum (Housing) - 500g - 3 Year Warranty Non CB	680	20	34	390.66	424.66	0.0513	1.7442m³
8		AR30251 (RFE-0327A)	E-Series - Amir - Down Light Recessed 30watt 3000K - CRI 80 2600Lumen - 0.5PF 200 To 240V IP 20 - Round D225 x H55mm Cut Out 205mm White / Aluminum (Housing) - 665g - 3 Year Warranty Non CB	280	20	14	229.18	243.18	0.1036	1.45m³
9		AR40252 (RFE-0416A)	E-Series - Amir - Down Light Recessed 30watt 4000K - CRI 80 2860Lumen - 0.5PF 200 To 240V IP 20 - Round D225 x H55mm Cut Out 205mm White / Aluminum (Housing) - 665g - 3 Year Warranty Non CB	280	20	14	229.18	243.18	0.1036	1.45m³
10		AR30035-C	E-Series - Amir - Down Light Recessed 60watt 3000K - CRI 80 5200Lumen - 0.9PF 220 To 240V IP 20 - CREE LED Round D230 x H115mm Cut Out 205mm White / Aluminum (Housing) - 1120g - 5 Year Warranty Non CB	396	12	33	465.3	498.3	0.1067	3.5218m³
11		AR40283-C	E-Series - Amir - Down Light Recessed 60watt 4000K - CRI 80 5200Lumen - 0.9PF 220 To 240V IP 20 - CREE LED Round D230 x H115mm Cut Out 205mm White / Aluminum (Housing) - 1120g - 5 Year Warranty Non CB	396	12	33	465.3	498.3	0.1067	3.5218m³
12		AS60146-B (RFE-0264A,)	E-Series - Anis - Floodlight Mounted with bracket 50watt 6000K - CRI 70 4250Lumen - 0.9PF 176 To 265V IP 65 - Rectangular W230 x L195 x H30mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 2 Year Warranty Non CB	300	10	30	249	279	0.0205	0.6163m³
13		AS30147-B (RFE-0267A,)	E-Series - Anis - Floodlight Mounted with bracket 100watt 3000K - CRI 70 8000Lumen - 0.9PF 176 To 265V IP 65 - Rectangular W297 x L242 x H32mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 2 Year Warranty Non CB	300	5	60	462	510	0.0172	1.03m³
14		AS60148-B (RFE-0266A,)	E-Series - Anis - Floodlight Mounted with bracket 100watt 6000K - CRI 70 8500Lumen - 0.9PF 176 To 265V IP 65 - Rectangular W297 x L242 x H32mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 2 Year Warranty Non CB	300	5	60	462	510	0.0172	1.03m³

Stamp



05431768

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
15	TCNU7975185 40HQ	AS30149-B (RFE-0269A,)	E-Series - Anis - Floodlight Mounted with bracket 150watt 3000K - CRI 80 12249Lumen - 0.9PF 176 To 265V IP 65 - Rectangular W338 x L232 x H38mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 2 Year Warranty Non CB	6	6	1	14.6	16.4	0.0309	0.0309m³
16		SA60508-A	E-Series - Sari - High Bay Suspndant Dimmable 1-10V, PWM, Resistor 100watt 6500K - CRI 80 15000Lumen - 0.95PF 100 To 277V IP 65 - Round D258 x H139mm Black / Aluminum (Housing) - 3 Year Warranty Non CB	248	1	248	515.84	667.12	0.0179	4.4277m³
17		SA60831-B	E-Series - Sari - High Bay Suspndant 150watt 6000K - CRI 80 15000Lumen - 0.9PF 100 To 265V IP 65 - Round D300 x H30mm Black / Aluminum (Housing) - 2 Year Warranty Non CB	280	10	28	238	266	0.0444	1.2422m³
18		SA60834-B	E-Series - Sari - High Bay Suspndant 200watt 6000K - CRI 80 20000Lumen - 0.9PF 100 To 265V IP 65 - Round D360 x H30mm Black / Aluminum (Housing) - 2 Year Warranty Non CB	940	10	94	1109.2	1203.2	0.0623	5.8519m³
19		MR30292-C	E-Series - Mar - Spotlight GU10 Base: GU10 2835SMD 7Pcs 1W 7watt 3000K - CRI 80 560Lumen - 0.5PF 110 To 240V IP 20 - Round D50 x H53mm White / plastic (Housing) - Silver / Aluminum (Inside Structure) - 2 Year Warranty Non CB	1,500	100	15	58.5	91.5	0.0293	0.44m³
20		MR40294-C	E-Series - Mar - Spotlight GU10 Base: GU10 2835SMD 7Pcs 1W 7watt 4000K - CRI 80 560Lumen - 0.5PF 110 To 240V IP 20 - Round D50 x H53mm White / plastic (Housing) - Silver / Aluminum (Inside Structure) - 2 Year Warranty Non CB	1,500	100	15	58.5	91.5	0.0293	0.44m³
21		MR40295-C	E-Series - Mar - Spotlight MR16 Base: MR16 2835SMD 8Pcs 1W 7watt 4000K - CRI 80 560Lumen - 0.5PF 110 To 240V IP 20 - Round D50 x H48mm White / plastic (Housing) - Silver / Aluminum (Inside Structure) - 2 Year Warranty Non CB	1,500	100	15	58.5	91.5	0.0293	0.44m³
22		MR60296-C	E-Series - Mar - Spotlight GU10 Base: GU10 2835SMD 7Pcs 1W 7watt 6500K - CRI 80 560Lumen - 0.5PF 110 To 240V IP 20 - Round D50 x H53mm White / plastic (Housing) - Silver / Aluminum (Inside Structure) - 2 Year Warranty Non CB	1,500	100	15	58.5	91.5	0.0293	0.44m³
23		TF30191-C	E-Series - Taif - Strip light Surface 2835SMD 75Pcs/1M single line 20cm/cut 8watt/m 3000K - CRI 80 929Lumen/m - 1PF 220 To 240V IP 65 - Linear W13.8 x L50000 x H6.4mm Transparent / PVC (Housing) - 3 Year Warranty Non CB	299	1	299	2093	2242.5	0.0154	4.5926m³
24		TF40192-C	E-Series - Taif - Strip light Surface 2835SMD 75Pcs/1M single line 20cm/cut 8watt/m 4000K - CRI 80 929Lumen/m - 1PF 220 To 240V IP 65 - Linear W13.8 x L50000 x H6.4mm Transparent / PVC (Housing) - 3 Year Warranty Non CB	299	1	299	2093	2242.5	0.0154	4.5926m³
25		TA30121-B (RFE-0098A,)	E-Series - Taj - Strip light Surface 2835SMD 180Pcs/1M 3lines 1m/cut 7watt/m 3000K - CRI 70 625Lumen/m - 1PF 220 To 240V IP 65 - Linear W17 x L50000 x H7mm White / FPCB (Inside Structure) - Transparent / PVC (Housing) - 7200g - 3 Year Warranty Non CB	49	1	49	343	367.5	0.0154	0.7526m³
26		ES-0522	Mini spot black frame	1,200	400	3	2.4	2.67	0.0036	0.0108m³
27		ES-0809A	Tri-proof Housing IP65, 18W for T8 DOUBLE-END wiring ABS base, PC cover, with stainless steel clips, T8 lamp holder (UL), without LED tube, Dimensions: 1270x68x84mm Non CB	1,500	12	125	1450	1662.5	0.071	8.8688m³
28		ES-0807A	Tri-proof Housing IP65, 2*18W for T8 DOUBLE-END wiring ABS base, PC cover, with stainless steel clips, T8 lamp holder (UL), without LED tube, Dimensions: 1270x104x84mm Non CB	1,488	12	124	1860	2083.2	0.105	13.0207m³
29		SA60831-B	E-Series - Sari - High Bay Suspndant 150watt 6000K - CRI 80 15000Lumen - 0.9PF 100 To 265V IP 65 - Round D300 x H30mm Black / Aluminum (Housing) - 2 Year Warranty Non CB	8	-	1	8.5	9.5	-	0.0444m³
30	SA60834-B	E-Series - Sari - High Bay Suspndant 200watt 6000K - CRI 80 20000Lumen - 0.9PF 100 To 265V IP 65 - Round D360 x H30mm Black / Aluminum (Housing) - 2 Year Warranty Non CB	1	-	1	8.5	9.5	-	0.0444m³	
31	SA60508-A	E-Series - Sari - High Bay Suspndant Dimmable 1-10V, PWM, Resistor 100watt 6500K - CRI 80 15000Lumen - 0.95PF 100 To 277V IP 65 - Round D258 x H139mm Black / Aluminum (Housing) - 3 Year Warranty Non CB	1	-	1	2	2.4	-	0.014m³	

Stamp



05431768

Signature

#	Container Number	Item Number	Item	Quantity	QTY/CTN	CTN	Total NW	Total GW	Unit Volume	Total Volume
32	TCNU7975185 40HQ	ES-0807A	Tri-proof Housing IP65, 2*18W for T8 DOUBLE-END wiring ABS base, PC cover, with stainless steel clips, T8 lamp holder (UL), without LED tube, Dimensions: 1270x104x84mm Non CB	11	-	1	15	16.8	-	0.105m ³
33		AR30037-A (RFE-0302A)	E-Series - Amir - Down Light Recessed 10watt 3000K - CRI 80 845Lumen - 0.5PF 100 To 240V IP 20 - Round D120 x H50mm Cut Out 95mm White / Aluminum (Housing) - 3 Year Warranty Non CB	48	-	1	14.39	15.39	-	0.0729m ³
34		AR30039-A (RFE-0304A)	E-Series - Amir - Down Light Recessed 20watt 3000K - CRI 80 1809Lumen - 0.5PF 100 To 240V IP 20 - Round D170 x H55mm Cut Out 145mm White / Aluminum (Housing) - 500g - 3 Year Warranty Non CB	19	-	1	11.49	12.49	-	0.0513m ³
35		AR30251 (RFE-0327A)	E-Series - Amir - Down Light Recessed 30watt 3000K - CRI 80 2600Lumen - 0.5PF 200 To 240V IP 20 - Round D225 x H55mm Cut Out 205mm White / Aluminum (Housing) - 665g - 3 Year Warranty Non CB	19	-	1	16.37	17.37	-	0.1036m ³
36		AR40252 (RFE-0416A)	E-Series - Amir - Down Light Recessed 30watt 4000K - CRI 80 2860Lumen - 0.5PF 200 To 240V IP 20 - Round D225 x H55mm Cut Out 205mm White / Aluminum (Housing) - 665g - 3 Year Warranty Non CB	19	-	1	16.37	17.37	-	0.1036m ³
37		AR30035-C	E-Series - Amir - Down Light Recessed 60watt 3000K - CRI 80 5200Lumen - 0.9PF 220 To 240V IP 20 - CREE LED Round D230 x H115mm Cut Out 205mm White / Aluminum (Housing) - 1120g - 5 Year Warranty Non CB	11	-	1	19.85	20.85	-	0.1067m ³
38		AR40283-C	E-Series - Amir - Down Light Recessed 60watt 4000K - CRI 80 5200Lumen - 0.9PF 220 To 240V IP 20 - CREE LED Round D230 x H115mm Cut Out 205mm White / Aluminum (Housing) - 1120g - 5 Year Warranty Non CB	11	-	1	19.85	20.85	-	0.1067m ³
39		AS30149-B (RFE-0269A,)	E-Series - Anis - Floodlight Mounted with bracket 150watt 3000K - CRI 80 12249Lumen - 0.9PF 176 To 265V IP 65 - Rectangular W338 x L232 x H38mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 2 Year Warranty Non CB	3	-	1	14.6	16.4	-	0.0309m ³
Total				20,242		1,735	13,455	15,068		64.1734m³

Stamp



05431768

3 of 3

Powered By **LUMYTIC**

Signature