

# Supply Contract

Number: SC-11240273

Date: 20/11/2024

This contract executed and entered into this 20th day of November ,2024 **Between:**

## Seller

## Buyer



DONGGUAN BESTON BATTERY TECHNOLOGY CO., LTD  
**Reference Name:** BESTON  
**Address:** NO.1 Changda Rd, Dongguan, Guangdong.  
**Legal Person:** QIMING HONG  
**Website:** <http://www.beston-energy.com>  
**Contact Person:** CLARE CHEN  
**Email:** [clare@beston-energy.com](mailto:clare@beston-energy.com)  
**Tel:** 13652518372

ATC MIDDLE EAST FZCO  
**Reference Name:** ATC  
**Address:** JAFZA One, 11th Floor, Jebel Ali Free Zone , Dubai, UAE  
**Contact Person:** Echo Chan  
**Email:** [echo.c@atclighting.co](mailto:echo.c@atclighting.co)  
**Tel:** 008615018796671

## Bank Account

The following is our account :

**Beneficiary:** KINGSMILE RECYCLING INTERNATIONAL CO., LIMITED  
**Bank Name:** DBS BANK(HONG KONG) LIMITED. (DBS BANK CODE 016)  
**Bank Address:** DBS BANK(HONG KONG) LIMITED. (DBS BANK CODE 016)  
**Account Number:** 817184989838  
**Swift Code:** DHBKHKHH

## Supply Contract Summary

Total Amount

Total Volume

|                     |
|---------------------|
| ¥ 221,874.20        |
| 2.17 m <sup>3</sup> |



21890735

Seller Signature & Stamp

Buyer Signature & Stamp



| # | Buyer Item Number | Image | Description   | QTY   | Unit Price | QTY/CTN | CTN Size (cm)       | CTN Volume         | CTN | Total Volume       | Amount  |
|---|-------------------|-------|---|-------|------------|---------|---------------------|--------------------|-----|--------------------|---------|
| 1 | EQ0754            |       | 18650 Rechargeable battery, lithium-ion, Type-C charging 5VDC/700mA, with charging cable, 3.7V, 2000mAh, 7400mWh, charging time 3-3.5h, long life $\geq 1000$ cycles, max discharge current 5A, 1 year warranty, Operating temperature $-20^{\circ}$ / $+60^{\circ}$ C, Weight 40g, D18xH65mm.  | 540   | ¥10.67     | 90      | L46.5 x W20 x H31.5 | 0.03m <sup>3</sup> | 6   | 0.18m <sup>3</sup> | ¥5761.8 |
| 2 | EQ0750            |       | AAA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/120mA, with 2in1 cable, 1.5V, 440mAh, 660mWh, charging time 1-2h, long life $\geq 1000$ cycles, max discharge current 1.5A, 1 year warranty, Operating temperature $-20^{\circ}$ / $+60^{\circ}$ C, Weight 8g, D10xH44mm.   | 640   | ¥14.56     | 160     | L46.5 x W20 x H31.5 | 0.03m <sup>3</sup> | 4   | 0.12m <sup>3</sup> | ¥9318.4 |
| 3 | EQ0746            |       | AA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 1460mAh, 2220mWh, charging time 1-2h, long life $\geq 1000$ cycles, max discharge current 2A, 1 year warranty, Operating temperature $-20^{\circ}$ / $+60^{\circ}$ C, Weight 16g, D14xH50mm.   | 720   | ¥15        | 120     | L46.5 x W20 x H31.5 | 0.03m <sup>3</sup> | 6   | 0.18m <sup>3</sup> | ¥10800  |
| 4 | EQ0756            |       | 9V Rechargeable battery, lithium-ion, Type-C charging 5VDC/500mA, with charging cable, 9V, 400mAh, 3700mWh, charging time 2-2.5h, long life $\geq 1000$ cycles, max discharge current 150mA, 1 year warranty, Operating temperature $-20^{\circ}$ / $+60^{\circ}$ C, Weight 24g, 48.1*26*16.8mm | 630   | ¥15        | 90      | L46.5 x W20 x H31.5 | 0.03m <sup>3</sup> | 7   | 0.21m <sup>3</sup> | ¥9450   |
| 5 | EQ0747            |       | AA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 1700mAh, 2600mWh, charging time 1-2h, long life $\geq 1000$ cycles, max discharge current 2A, 1 year warranty, Operating temperature $-20^{\circ}$ / $+60^{\circ}$ C, Weight 18g, D14xH50mm.   | 1,200 | ¥17        | 120     | L46.5 x W20 x H31.5 | 0.03m <sup>3</sup> | 10  | 0.29m <sup>3</sup> | ¥20400  |
| 6 | EQ0751            |       | AAA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/250mA, with 2in1 cable, 1.5V, 580mAh, 880mWh, charging time 1-2h, long life $\geq 1000$ cycles, max discharge current 1.5A, 1 year warranty, Operating temperature $-20^{\circ}$ / $+60^{\circ}$ C, Weight 8.5g, D10xH44mm. | 1,280 | ¥17.2      | 160     | L46.5 x W20 x H31.5 | 0.03m <sup>3</sup> | 8   | 0.23m <sup>3</sup> | ¥22016  |

Seller Signature & Stamp

Buyer Signature & Stamp



21890735

2 of 6

| #            | Buyer Item Number | Image | Description  | QTY  | Unit Price | QTY/CTN | CTN Size (cm)       | CTN Volume | CTN | Total Volume | Amount             |
|--------------|-------------------|-------|--|--|------------|---------|---------------------|------------|-----|--------------|--------------------|
| 7            | EQ0748            |       | AAA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/120mA, with 4in1 cable, 1.5V, 440mAh, 660mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60°C, Weight 8g, D10xH44mm.   | 800  | ¥29.12     | 160     | L46.5 x W20 x H31.5 | 0.03m³     | 5   | 0.15m³       | ¥23296             |
| 8            | EQ0743            |       | AA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/500mA, with 4in1 cable, 1.5V, 1460mAh, 2220mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 16g, D14xH50mm.   | 1,200  | ¥30        | 120     | L46.5 x W20 x H31.5 | 0.03m³     | 10  | 0.29m³       | ¥36000             |
| 9            | EQ0744            |       | AA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/500mA, with 4in1 cable, 1.5V, 1700mAh, 2600mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 18g, D14xH50mm.   | 1,200  | ¥34        | 120     | L46.5 x W20 x H31.5 | 0.03m³     | 10  | 0.29m³       | ¥40800             |
| 10           | EQ0749            |       | AAA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/250mA, with 4in1 cable, 1.5V, 580mAh, 880mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60°C, Weight 8.5g, D10xH44mm. | 1,280  | ¥34.4      | 160     | L46.5 x W20 x H31.5 | 0.03m³     | 8   | 0.23m³       | ¥44032             |
|              |                   |       |  | 9,490  |            |         |                     |            | 74  | 2 m³         |                    |
| <b>Total</b> |                   |       |  | <b>Only Two Hundred Twenty One Thousand Eight Hundred Seventy Four Point Twenty Zero CNY</b> |            |         |                     |            |     |              | <b>¥221,874.20</b> |

## Terms and Conditions

### General

1. Transfer and confidentiality: The seller shall have no right to transfer this Contract. Both the seller and the buyer shall abide by the contract and shall not disclose the contents of this contract to the outside world. In case of any violation, one party shall hold the other party responsible.
2. The goods of this contract: products are seller produce according to the buyer's brand; the seller shall not be entitled to the finished product sales to a third party without authorization.

**Seller Signature & Stamp**

**Buyer Signature & Stamp**



21890735

3 of 6

3. The seller is committed to providing all specifications that were submitted to the buyer and has approved.
4. The seller must bear responsibility for all necessary costs in the event of a violation of any technical condition or change in the specifications mentioned in this contract.
5. In case that there are problems with poor manufacturing and defects in the amount of 10% of the total quantity, the buyer returns all the goods to the seller and the full amount is refunded.
6. If the seller violates any of the terms of the contract, whether general, logistical, technical, design, packaging, or delivery, the seller will be responsible for all costs resulting from this violation.

**Logistic**

1. The seller is responsible for delivering the goods to the receiving address specified by the buyer. Free to delivery to Foshan/Zhongshan/Jiangmen. If seller need make tax refund, seller will pay custom declaration cost, buyer will bear other local cost
2. All the finished products in this contract should produce in The Seller's factory, if produce in third parties, The Buyer can cancel the order and the Seller must return all the amount which paid by The Buyer.

**Technical**

1. Seller must make sure the goods matched with Buyer standard, the quality will base on contract and sealed sample.
2. For repeat order, Seller can not change any material without Buyer's confirmation. If change, buyer will not pick up the goods and seller must return the full amount deposit.
3. The battery cells must be of the lithium-ion type and the cathode chemistry is NMC and from Beston manufacture and its cycles life more than 1000 cycles before it reaches 70% of its initial capacity.
4. All lithium cell must be new date 2024 and grade A.
5. The lithium cells voltage should be 3.7V and the batteries voltage should be 1.5V except 65C-20 comes 3.7V and 9VC-10CV comes 9V.
6. The maximum allowed capacity tolerance is  $\pm 5\%$ .
7. 2AC-60 & 2AC-75, AA batteries must be able to charge using USB Type-C with 5V, 500mA and the charging time must be 100 minutes maximum with maximum discharging current 2A.
8. 3AC-18 AAA batteries must be able to charge using USB Type-C with 5V, 120mA and the charging time must be 100 minutes maximum.
9. 3AC-24 AAA batteries must be able to charge using USB Type-C with 5V, 250mA and the charging time must be 70 minutes maximum with maximum discharging current 1.5A.
10. 9VC-10CV batteries must be able to charge using USB Type-C with 5V, 500mA and the charging time must be 300 minutes maximum with maximum discharging current 150mA.
11. 65C-20 batteries must be able to charge using USB Type-C with 5V, 700mA and the charging time must be 200 minutes maximum with maximum discharging current 5A.
12. All batteries must have a charging LED indicator that blink when charging, Stay on when fully charged.
13. All batteries should pass all safety test including Vibration test, Short circuit test, Heavy impact test, Overcharge test, Squeeze test, High

**Seller Signature & Stamp****Buyer Signature & Stamp**

21890735

4 of 6

and low temperature test, Heat impact test, Fall/drop off test, Plugging test and Insulation withstand voltage test; with no rupture, no fire, no liquid leakage, no break down and no explosion.

14. All batteries should have a protection circuit, protect the battery from Short-circuit, Over-flowed, Over-charge and Over-discharge.

15. Working temperature should be: -20° / +60°C and storage temperature should be -10° / +25°C.

16. All items should pass CB and IECEE, and have UN38.3, RoHs, UL and CE if cannot pass these certifications, Seller should take all the responsibility and afford costs which cause by this. Buyer will responsible for all costs which should pay for making CB.

**Delivery & Payment**

1. Payment terms:20% deposit, 80% ship against document.

2. Delivery time: 30 days after receipt of deposit.

**Production & Packaging**

1. Customize package based on design file; Product can not have any supplier information or inspect mark or Chinese; Package and all part of product need keep clean, if not must rework.

2. Each package consists of four, two, or one battery, comes in a blister packaging with a colorful smooth flat charging cable 4in1, 2in1, or 1in1 cable.

3. Blister cards must be placed in an inner carton and inner cartons must be placed in an outer carton as stated in the terms of sale by the seller.

4. All raw material should be marked as Rafeed name and logo.

5. The blister card should be matt, and the batteries shell should be shiny.

6. The battery logo should be facing up in the blister card.

7. The background of the batteries in the card should be colorful not white.

8. Apply the new logo (Solid) design for cards and inner box

9. The supplier will use the inventory leftover quantities based on the quantities provided table, then produce new cables, blister cards, and inner box as the buyer requirements.

10. All USB cables should be at the buyer customization requirements including the color (Pink+Black) and (Blue+Grey), length, material and the engraving logo on all USB-C side.

**Warranty & Inspection**

1. Product inspection: when Buyer inspects the goods by count/weight/try to assemble/visual appearance/Test by machine and so on. If find any part not meet the contract requirement or have quality problem, seller have to return full amount deposit.

2. Warranty time 1year, After sale service policy: start from the date of finishing production of cargos, if any defective happen, buyer should provide the photos and qty, seller will provide free of charge finished products as replacement.

3. Product acceptance: If the buyer checks by count, weighing, trial assembly, visual inspection and other inspection methods, the seller shall return whole payments if it is found that the product does not conform to the contract provisions or has quality problems.

**Seller Signature & Stamp****Buyer Signature & Stamp**

21890735

5 of 6

--- The End ---

**Seller Signature & Stamp**

**Buyer Signature & Stamp**



21890735

6 of 6