

Supply Contract

Number: SC-202706250281

Date: 24/06/2025

This contract executed and entered into this 24th day of June ,2025 **Between:**

Seller



GUANG DONG LIANHAO SCIENCE & TECHNOLOGY
LIGHTING CO.,LTD 广东联浩照明科技有限公司
Reference Name: LHO
Address: 10th,Fuqing 5th Road,yongxin Industrial Zone
,henglan Town ,zhongshan City ,guangdong Province ,china
中山市横栏镇永兴工业区 (横东) 富庆五路10号A幢1楼、
2楼、3楼、4楼、5楼之二、6楼
Website:
Contact Person: Mr.Hong 张宏
Email: 2857805549@qq.com
Tel: +86-18022010368

Buyer



ATC MIDDLE EAST FZCO
Reference Name: ATC
Address: JAFZA One, 11th Floor, Jebel Ali Free Zone , Dubai, UAE
Contact Person: Echo Chan
Email: echo.c@atclighting.co
Tel: 008615018796671

Bank Account

The following is our account :

Beneficiary: HONGKONG LIANHAO TECHNOLOGY
LIGHTING CO LIMITED
Bank Name: Citibank(Hong kong)Limited
Bank Address: 3/F,Citi Tower,One Bay East,83 Hoi Bun
Road,Kwun Tong,Hong kong
Account Number: 92695574
Swift Code: CITIHKAX

Supply Contract Summary

Total Amount
Total Volume

¥ 1,076,130.00
65.46 m³



71405892

Seller Signature & Stamp

Buyer Signature & Stamp





#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
1	TA20780-A		E-Series - Taj - Strip light Surface 2835SMD 120Pcs/1M single line 10Cm/cut 9watt/m 2700K - CRI 80 670Lumen/m - Beam Angle 180° 0.9PF 220 To 240V 50/60 Hz IP 65 - Linear W10.5 x L50000 x H4mm Cut Out 100mm Transparent / Copper + PVC (Body) - 1900g - 3 Year Warranty Certified CB	1,300	¥162.5	1	L26 x W26 x H13	0.01m³	1,300	11.42m³	¥211250
2	TA30781-A		E-Series - Taj - Strip light Surface 2835SMD 120Pcs/1M single line 10Cm/cut 9watt/m 3000K - CRI 80 670Lumen/m - Beam Angle 180° 0.9PF 220 To 240V 50/60 Hz IP 65 - Linear W10.5 x L50000 x H4mm Cut Out 100mm Transparent / Copper + PVC (Body) - 1900g - 3 Year Warranty Certified CB	2,200	¥162.5	1	L26 x W26 x H13	0.01m³	2,200	19.33m³	¥357500
3	TA40782-A		E-Series - Taj - Strip light Surface 2835SMD 120Pcs/1M single line 10Cm/cut 9watt/m 4000K - CRI 80 670Lumen/m - Beam Angle 180° 0.9PF 220 To 240V 50/60 Hz IP 65 - Linear W10.5 x L50000 x H4mm Cut Out 100mm Transparent / Copper + PVC (Body) - 1900g - 3 Year Warranty Certified CB	1,100	¥162.5	1	L26 x W26 x H13	0.01m³	1,100	9.67m³	¥178750
4	TA60783-A		E-Series - Taj - Strip light Surface 2835SMD 120Pcs/1M single line 10Cm/cut 9watt/m 6000K - CRI 80 670Lumen/m - Beam Angle 180° 0.9PF 220 To 240V 50/60 Hz IP 65 - Linear W10.5 x L50000 x H4mm Cut Out 100mm Transparent / Copper + PVC (Body) - 1900g - 3 Year Warranty Certified CB	300	¥162.5	1	L26 x W26 x H13	0.01m³	300	2.64m³	¥48750
5	TL20754-A		E-Series - Tala - Strip light Surface 2835SMD 60Pcs/1M/ single line 10Cm/cut 5watt/m 2700K - CRI 80 540Lumen/m - Beam Angle 180° 1PF -IP 20 - Linear W8 x L5000 x H2mm Silver / Stainless Steel (Housing) - 3 Year Warranty Certified CB	600	¥11.55	50	L43 x W43 x H20.5	0.04m³	12	0.45m³	¥6930
6	TL20755-A		E-Series - Tala - Strip light Surface 2835SMD 60Pcs/1M/ single line 10Cm/cut 5watt/m 2700K - CRI 80 350Lumen/m - Beam Angle 180° 1PF -IP 65 - Linear W10 x L5000 x H4mm Cut Out 100mm Transparent / Copper + Silicone (Body) - 3 Year Warranty Certified CB	600	¥18	50	L43 x W43 x H20.5	0.04m³	12	0.45m³	¥10800
7	TL30463-B		E-Series - Tala - Strip light Surface 2835SMD 60Pcs/1M/ single line 10Cm/cut 5watt/m 3000K - CRI 80 540Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W8 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	600	¥11.55	50	L43 x W43 x H20.5	0.04m³	12	0.45m³	¥6930

Seller Signature & Stamp

Buyer Signature & Stamp



71405892

2 of 9

Powered By LUMYTIC

#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
8	TL30475-B		E-Series - Tala - Strip light Surface 2835SMD 60Pcs/1M/ single line 10Cm/cut 5watt/m 3000K - CRI 80 350Lumen/m - Beam Angle 180° 1PF 24V IP 65 - Linear W10 x L5000 x H4mm Transparent / Copper + Silicone (Body) - 3 Year Warranty Certified CB	600	¥18	50	L43 x W43 x H20.5	0.04m³	12	0.45m³	¥10800
9	TL40464-B		E-Series - Tala - Strip light Surface 2835SMD 60Pcs/1M/ single line 10Cm/cut 5watt/m 4000K - CRI 80 540Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W8 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	600	¥11.55	50	L43 x W43 x H20.5	0.04m³	12	0.45m³	¥6930
10	TL40476-B		E-Series - Tala - Strip light Surface 2835SMD 60Pcs/1M/ single line 10Cm/cut 5watt/m 4000K - CRI 80 350Lumen/m - Beam Angle 180° 1PF 24V IP 65 - Linear W10 x L5000 x H4mm Transparent / Copper + Silicone (Body) - 3 Year Warranty Certified CB	600	¥18	50	L43 x W43 x H20.5	0.04m³	12	0.45m³	¥10800
11	TL20756-A		E-Series - Tala - Strip light Surface 2835SMD 120Pcs/1M single line 5Cm/cut 11watt/m 2700K - CRI 80 1100Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W8 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	400	¥14.4	50	L43 x W43 x H20.5	0.04m³	8	0.30m³	¥5760
12	TL20757-A		E-Series - Tala - Strip light Surface 2835SMD 120Pcs/1M single line 5Cm/cut 11watt/m 2700K - CRI 80 900Lumen/m - Beam Angle 180° 1PF 24V IP 65 - Linear W10 x L5000 x H4mm Transparent / Copper + Silicone (Body) - 3 Year Warranty Certified CB	400	¥21	50	L43 x W43 x H20.5	0.04m³	8	0.30m³	¥8400
13	TL30466-B		E-Series - Tala - Strip light Surface 2835SMD 120Pcs/1M single line 5Cm/cut 11watt/m 3000K - CRI 80 1100Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W8 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	1,600	¥14.4	50	L43 x W43 x H20.5	0.04m³	32	1.21m³	¥23040
14	TL30478-B		E-Series - Tala - Strip light Surface 2835SMD 120Pcs/1M single line 5Cm/cut 11watt/m 3000K - CRI 80 900Lumen/m - Beam Angle 180° 1PF 24V IP 65 - Linear W10 x L5000 x H4mm Transparent / Copper + Silicone (Body) - 3 Year Warranty Certified CB	1,000	¥21	50	L43 x W43 x H20.5	0.04m³	20	0.76m³	¥21000
15	TL40467-B		E-Series - Tala - Strip light Surface 2835SMD 120Pcs/1M single line 5Cm/cut 11watt/m 4000K - CRI 80 1100Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W8 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	1,000	¥14.4	50	L43 x W43 x H20.5	0.04m³	20	0.76m³	¥14400

Seller Signature & Stamp

Buyer Signature & Stamp



71405892

3 of 9

Powered By LUMYTIC

#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
16	TL40479-B		E-Series - Tala - Strip light Surface 2835SMD 120Pcs/1M single line 5Cm/cut 11watt/m 4000K - CRI 80 900Lumen/m - Beam Angle 180° 1PF 24V IP 65 - Linear W10 x L5000 x H4mm Transparent / Copper + Silicone (Body) - 3 Year Warranty Certified CB	600	¥21	50	L43 x W43 x H20.5	0.04m³	12	0.45m³	¥12600
17	TL20758-A		E-Series - Tala - Strip light Surface 2835SMD 180Pcs/1M single line 3.3Cm/cut 16watt/m 2700K - CRI 80 1700Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W10 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	600	¥21.8	50	L46 x W43 x H25.5	0.05m³	12	0.61m³	¥13080
18	TL20759-A		E-Series - Tala - Strip light Surface 2835SMD 180Pcs/1M single line 3.3Cm/cut 16watt/m 2700K - CRI 80 1500Lumen/m - Beam Angle 180° 1PF 24V IP 65 - Linear W12 x L5000 x H4mm Transparent / Copper + Silicone (Body) - 3 Year Warranty Certified CB	400	¥29	50	L46 x W43 x H25.5	0.05m³	8	0.40m³	¥11600
19	TL30469-B		E-Series - Tala - Strip light Surface 2835SMD 180Pcs/1M single line 3.3Cm/cut 16watt/m 3000K - CRI 80 1700Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W10 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	1,000	¥21.8	50	L46 x W43 x H25.5	0.05m³	20	1.01m³	¥21800
20	TL30481-B		E-Series - Tala - Strip light Surface 2835SMD 180Pcs/1M single line 3.3Cm/cut 16watt/m 3000K - CRI 80 1500Lumen/m - Beam Angle 180° 1PF 24V IP 65 - Linear W12 x L5000 x H4mm Transparent / Copper + Silicone (Body) - 3 Year Warranty Certified CB	600	¥29	50	L46 x W43 x H25.5	0.05m³	12	0.61m³	¥17400
21	TL40470-B		E-Series - Tala - Strip light Surface 2835SMD 180Pcs/1M single line 3.3Cm/cut 16watt/m 4000K - CRI 80 1700Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W10 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	600	¥21.8	50	L46 x W43 x H25.5	0.05m³	12	0.61m³	¥13080
22	TL40482-B		E-Series - Tala - Strip light Surface 2835SMD 180Pcs/1M single line 3.3Cm/cut 16watt/m 4000K - CRI 80 1500Lumen/m - Beam Angle 180° 1PF 24V IP 65 - Linear W12 x L5000 x H4mm Transparent / Copper + Silicone (Body) - 3 Year Warranty Certified CB	1,000	¥29	50	L46 x W43 x H25.5	0.05m³	20	1.01m³	¥29000

Seller Signature & Stamp
Buyer Signature & Stamp


71405892

4 of 9

Powered By LUMYTIC

#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
23	TL20760-A		E-Series - Tala - Strip light Surface 2835SMD 240Pcs/1M single line 2.5Cm/cut 18watt/m 2700K - CRI 80 1800Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W10 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	200	¥29	50	L46 x W43 x H25.5	0.05m³	4	0.20m³	¥5800
24	TL30472-B		E-Series - Tala - Strip light Surface 2835SMD 240Pcs/1M single line 2.5Cm/cut 18watt/m 3000K - CRI 80 1800Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W10 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	200	¥29	50	L46 x W43 x H25.5	0.05m³	4	0.20m³	¥5800
25	TL40473-B		E-Series - Tala - Strip light Surface 2835SMD 240Pcs/1M single line 2.5Cm/cut 18watt/m 4000K - CRI 80 1800Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W10 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	400	¥29	50	L46 x W43 x H25.5	0.05m³	8	0.40m³	¥11600
26	ES-1591		Smart RGB controller for Strips 220V 50m 5050, compatible with Tuya app, IP20. Certified CB	180	¥68.5	1	L40 x W51 x H29.5	0.06m³	180	10.83m³	¥12330
				18,680					5,352	65 m³	
Total			Only One Million Seventy Six Thousand One Hundred Thirty CNY								¥1,076,130.00

Terms and Conditions

General

1. Transfer and confidentiality: the seller has no right to transfer this contract, the seller and buyer both sides must abide by the contract, shall not be foreign to expose the contract content, such as has occurred, a responsibility shall be investigated for the other party.
2. The goods of this contract products is seller produce according to the buyer's brand, the seller shall not be entitled to the finished product sales to a third party without authorization.
3. Strips should use the roll by buyer's design, and sticker the colorful label on two side of reel according different brand
4. All the finished products in this contract should produce in The Seller's factory, if produce in third parties, The Buyer can cancel the order and the Seller must return all the amount which paid by The Buyer. The Buyer will make inspection during production or after production.
5. For repeat order, The Seller can not change any material without The Buyer's confirmation. If change, The Buyer will not pick up the goods and The Seller must return the full amount which paid by The Buyer.

Seller Signature & Stamp

Buyer Signature & Stamp



71405892

5 of 9

Powered By LUMYTIC



6. Pls make the items turns base on LED QTY and base on IP and base on CCT to easy check
7. Seller should make a sample base on product requirement from the contract for Buyer confirmation before production.
8. The Seller must make sure the goods matched with The Buyer's standard the quality will base on contract and sealed sample.

Logistic

1. Unit price included freight to Zhongshan, Jiangmen, Foshan and all package cost. Base on EXW terms, if The Seller need tax refund The Seller should bear the custom declaration cost

Technical

1. Certification cost: All items should pass CB and IECEE, if can not pass CB and IECEE, Seller should take all the responsibility which cause by this. Buyer will responsible for all the cost which should pay for make CB and IECEE.
2. Stable power and Stable LM less than 5% tolerance
3. Accessory Standard for high voltage strips--Each box have triangle European plug/two angle plug 1pcs (Saudi Arabia is triangle European plug, other country is two angle plug), middle connector 2pcs, end cup 2pcs, clip 5pcs. Plug and bridge rectifiers should base on buyer's mold and with Buyer's logo
4. White color for PCB of strip print buyer's logo, Batch code, Made in China on PCB.
5. Back for strip need print buyer's product label base on buyer's design standard
6. Different IP should be different size
7. 220V 120LED/M only 670LM/M, 24V 5W IP20 60LED/M should be 540LM/M
 24V 5W IP65 60LED/M should be 350LM/M
 24V 11W IP20 120LED/M should be 1100LM/M
 24V 11W IP65 120LED/M should be 900LM/M
 24V 16W IP20 180LED/M should be 1700LM/M
 24V 16W IP65 180LED/M should be 1500LM/M
 24V 18W IP20 240LED/M should be 1800LM/M
8. Color temperature: Difference of color temperature for Each batch can not more than 200k with last batch and same batch; Difference of color temperature for Each batch can not be recognize by eyes
9. Low Voltage strip connect the male female end or RED&Black cable, strips back side with 3M tape.
10. Chip Size 6*14mil for 24VDC strip light.
 Chip Size 810mil for 220VAC strip light.
11. Base material should be Copper and LED Wire material should be Alloy wire
12. Resistance qty: 20R pc/m for 5W strips.
 40R pc/m for 11W strips.
 60R pc/m for 16W strips.
 40R pc/m for 18W strips.
 30R pc/m for 8.5W AC strips.

Seller Signature & Stamp

Buyer Signature & Stamp



71405892

6 of 9

Powered By LUMYTIC



13. PCB width: 8mm for 5W DC, 11W DC, and 8.5W AC.
10mm for 16W DC, and 18W DC.

Delivery & Payment

1. Delivery time: 30days after confirm the order.
2. Payment term: 20% deposit before shipment,80% balance will pay after 120days, credit limit 3,000,000 RMB.

Production & Packaging

1. Customize Package requirement pls check from another file, Product can not have any supplier information or inspect mark or Chinese; Package and all part of product need keep clean, if not must rework.
2. 1% FOC spare part
3. RGB controller needs to use the buyer's mold with buyer's LOGO
4. Plug should connect with strip and other accessory will package by PE bag put in Color box .But for Jordan order, plug do not connect with strip, put it in the another strip color box alone.
5. High voltage strips should use the roll by buyer's mold, and sticker the colorful label on two side of reel according different brand
6. 24V strips need use the roll by buyer's mold and put light label on roll
7. 24V strips electrostatic bag need print base on buyer's design and put buyer's product label
8. Electrostatic bag and Color box should mark, on relevant Item No. and parameter
9. 24V 5m/roll/bag(Electrostatic bag)/Color box, 25bag+color box/carton, 220V 50m/roll/carton
10. 24V strips electrostatic bag and 220V color box all need put 1 pcs warranty card in it, and sticker 1pcs hologram label and 1pcs agent label on it.
11. Sealing by black or pink tape which design by buyer
12. Need pallets and film to package, Pallets need around by hardboard
13. LED Package factory: Anke广东安珂光电科技有限公司

Warranty & Inspection

1. Product inspection: when Buyer inspect the goods by count/weight/try to assemble/visual appearance/Test by machine and so on. If find any part not meet the contract requirement or have quality problem, seller have to return full amount which the Buyer paid.
2. warranty 3 years for All strip lights with Sanan chip except the AC strip lights 2 years warranty.
3. After sale service policy: Start from the date of delivery, if the defective items reach 3% the seller will replace the defective items free of charge (1m not light up from 1roll is defective), if 1m have problem seller will replace 1rool strips free of charge; if the defective rate more than 10% (1m not light up from 1roll is defective) , The Buyer will stop sell this item in the market and the Seller will replace whole batch order qty to the Buyer free of charge or return the whole amount which The Buyer paid for this order, if seller want to send back the strips to China, the seller will bear all the shipping cost and other cost and arrange the shipment.

Seller Signature & Stamp

Buyer Signature & Stamp



71405892

7 of 9

Powered By LUMYTIC



Spare Parts

#	Spare Part Type	Item Number	Description	QTY
1	Item	ES-1591	Smart RGB controller for Strips 220V 50m 5050, compatible with Tuya app, IP20. Certified CB	2
2	Item	TL30475-B	E-Series - Tala - Strip light Surface 2835SMD 60Pcs/1M/ single line 10Cm/cut 5watt/m 3000K - CRI 80 350Lumen/m - Beam Angle 180° 1PF 24V IP 65 - Linear W10 x L5000 x H4mm Transparent / Copper + Silicone (Body) - 3 Year Warranty Certified CB	6
3	Item	TL40476-B	E-Series - Tala - Strip light Surface 2835SMD 60Pcs/1M/ single line 10Cm/cut 5watt/m 4000K - CRI 80 350Lumen/m - Beam Angle 180° 1PF 24V IP 65 - Linear W10 x L5000 x H4mm Transparent / Copper + Silicone (Body) - 3 Year Warranty Certified CB	6
4	Item	TL30478-B	E-Series - Tala - Strip light Surface 2835SMD 120Pcs/1M single line 5Cm/cut 11watt/m 3000K - CRI 80 900Lumen/m - Beam Angle 180° 1PF 24V IP 65 - Linear W10 x L5000 x H4mm Transparent / Copper + Silicone (Body) - 3 Year Warranty Certified CB	10
5	Item	TL40479-B	E-Series - Tala - Strip light Surface 2835SMD 120Pcs/1M single line 5Cm/cut 11watt/m 4000K - CRI 80 900Lumen/m - Beam Angle 180° 1PF 24V IP 65 - Linear W10 x L5000 x H4mm Transparent / Copper + Silicone (Body) - 3 Year Warranty Certified CB	6
6	Item	TL40482-B	E-Series - Tala - Strip light Surface 2835SMD 180Pcs/1M single line 3.3Cm/cut 16watt/m 4000K - CRI 80 1500Lumen/m - Beam Angle 180° 1PF 24V IP 65 - Linear W12 x L5000 x H4mm Transparent / Copper + Silicone (Body) - 3 Year Warranty Certified CB	10
7	Item	TL30481-B	E-Series - Tala - Strip light Surface 2835SMD 180Pcs/1M single line 3.3Cm/cut 16watt/m 3000K - CRI 80 1500Lumen/m - Beam Angle 180° 1PF 24V IP 65 - Linear W12 x L5000 x H4mm Transparent / Copper + Silicone (Body) - 3 Year Warranty Certified CB	6
8	Item	TL40473-B	E-Series - Tala - Strip light Surface 2835SMD 240Pcs/1M single line 2.5Cm/cut 18watt/m 4000K - CRI 80 1800Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W10 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	4
9	Item	TL30472-B	E-Series - Tala - Strip light Surface 2835SMD 240Pcs/1M single line 2.5Cm/cut 18watt/m 3000K - CRI 80 1800Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W10 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	2
10	Item	TL40470-B	E-Series - Tala - Strip light Surface 2835SMD 180Pcs/1M single line 3.3Cm/cut 16watt/m 4000K - CRI 80 1700Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W10 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	6
11	Item	TL30469-B	E-Series - Tala - Strip light Surface 2835SMD 180Pcs/1M single line 3.3Cm/cut 16watt/m 3000K - CRI 80 1700Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W10 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	10
12	Item	TL40467-B	E-Series - Tala - Strip light Surface 2835SMD 120Pcs/1M single line 5Cm/cut 11watt/m 4000K - CRI 80 1100Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W8 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	10
13	Item	TL30466-B	E-Series - Tala - Strip light Surface 2835SMD 120Pcs/1M single line 5Cm/cut 11watt/m 3000K - CRI 80 1100Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W8 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	16
14	Item	TL40464-B	E-Series - Tala - Strip light Surface 2835SMD 60Pcs/1M/ single line 10Cm/cut 5watt/m 4000K - CRI 80 540Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W8 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	6
15	Item	TL30463-B	E-Series - Tala - Strip light Surface 2835SMD 60Pcs/1M/ single line 10Cm/cut 5watt/m 3000K - CRI 80 540Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W8 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	6
16	Item	TL20754-A	E-Series - Tala - Strip light Surface 2835SMD 60Pcs/1M/ single line 10Cm/cut 5watt/m 2700K - CRI 80 540Lumen/m - Beam Angle 180° 1PF -IP 20 - Linear W8 x L5000 x H2mm Silver / Stainless Steel (Housing) - 3 Year Warranty Certified CB	6
17	Item	TL20756-A	E-Series - Tala - Strip light Surface 2835SMD 120Pcs/1M single line 5Cm/cut 11watt/m 2700K - CRI 80 1100Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W8 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	4
18	Item	TL20758-A	E-Series - Tala - Strip light Surface 2835SMD 180Pcs/1M single line 3.3Cm/cut 16watt/m 2700K - CRI 80 1700Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W10 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	6
19	Item	TL20760-A	E-Series - Tala - Strip light Surface 2835SMD 240Pcs/1M single line 2.5Cm/cut 18watt/m 2700K - CRI 80 1800Lumen/m - Beam Angle 180° 1PF 24V IP 20 - Linear W10 x L5000 x H2mm Transparent / copper (Body) - 3 Year Warranty Certified CB	2

Seller Signature & Stamp

Buyer Signature & Stamp



71405892

8 of 9

Powered By **LUMYTIC**



20	Item	TL20755-A	E-Series - Tala - Strip light Surface 2835SMD 60Pcs/1M/ single line 10Cm/cut 5watt/m 2700K - CRI 80 350Lumen/m - Beam Angle 180° 1PF -IP 65 - Linear W10 x L5000 x H4mm Cut Out 100mm Transparent / Copper + Silicone (Body) - 3 Year Warranty Certified CB	6
21	Item	TL20757-A	E-Series - Tala - Strip light Surface 2835SMD 120Pcs/1M single line 5Cm/cut 11watt/m 2700K - CRI 80 900Lumen/m - Beam Angle 180° 1PF 24V IP 65 - Linear W10 x L5000 x H4mm Transparent / Copper + Silicone (Body) - 3 Year Warranty Certified CB	4
22	Item	TL20759-A	E-Series - Tala - Strip light Surface 2835SMD 180Pcs/1M single line 3.3Cm/cut 16watt/m 2700K - CRI 80 1500Lumen/m - Beam Angle 180° 1PF 24V IP 65 - Linear W12 x L5000 x H4mm Transparent / Copper + Silicone (Body) - 3 Year Warranty Certified CB	4
23	Item	TA20780-A	E-Series - Taj - Strip light Surface 2835SMD 120Pcs/1M single line 10Cm/cut 9watt/m 2700K - CRI 80 670Lumen/m - Beam Angle 180° 0.9PF 220 To 240V 50/60 Hz IP 65 - Linear W10.5 x L50000 x H4mm Cut Out 100mm Transparent / Copper + PVC (Body) - 1900g - 3 Year Warranty Certified CB	33
24	Item	TA30781-A	E-Series - Taj - Strip light Surface 2835SMD 120Pcs/1M single line 10Cm/cut 9watt/m 3000K - CRI 80 670Lumen/m - Beam Angle 180° 0.9PF 220 To 240V 50/60 Hz IP 65 - Linear W10.5 x L50000 x H4mm Cut Out 100mm Transparent / Copper + PVC (Body) - 1900g - 3 Year Warranty Certified CB	22
25	Item	TA40782-A	E-Series - Taj - Strip light Surface 2835SMD 120Pcs/1M single line 10Cm/cut 9watt/m 4000K - CRI 80 670Lumen/m - Beam Angle 180° 0.9PF 220 To 240V 50/60 Hz IP 65 - Linear W10.5 x L50000 x H4mm Cut Out 100mm Transparent / Copper + PVC (Body) - 1900g - 3 Year Warranty Certified CB	11
26	Item	TA60783-A	E-Series - Taj - Strip light Surface 2835SMD 120Pcs/1M single line 10Cm/cut 9watt/m 6000K - CRI 80 670Lumen/m - Beam Angle 180° 0.9PF 220 To 240V 50/60 Hz IP 65 - Linear W10.5 x L50000 x H4mm Cut Out 100mm Transparent / Copper + PVC (Body) - 1900g - 3 Year Warranty Certified CB	6
Total Quantity				210

--- The End ---

Seller Signature & Stamp

Buyer Signature & Stamp



71405892

9 of 9

Powered By **LUMYTIC**