

LED Test Report

Product Mark

Product Type :0284

Temperature :admin'C


Operator :admin

Remark:

Manufacturer :admin

Humidity :65%

Test Date :2024-05-31 14:05:03

**Chroma Parameters**

Chro.Coord.:x=0.3100 y=0.3222 u=0.1985 v=0.3095 duv=0.0011

CCT: 6715K Dominant Wave.:485.4nm Purity:8.7%

Flux RGB Ratio:R=12.1%,G=85.0%,B=2.9% Peak Wave:446.7nm Half Width:24.1nm

Rendering Index:Ra= 71.9

R1 =70	R2 =72	R3 =73	R4 =76	R5 =76	R6 =68	R7 =79	R8 =62
R9 =-24	R10=35	R11=76	R12=46	R13=68	R14=84	R15=65	

Photo Parameters

Flux:2045.24lm

Effi.:92.2lm/W

Radiant:6545.9mW

Iv:0.0mcd

Efficiency:0.148

Effi Level:A+ (EU 874-2012)

Ele. Parameters

Voltage:U=219.500V

Current:I=0.1840A

Power:P=22.19W

Power Factor:PF=0.549

Instrument state

Instrument:Hopoo HP8000S

Integral Time: 7.325ms

VPeak: 14531

VDark: 1224

Scan Range: 380-780nm

Product ID: 2009865