



EVERFINE GONIOPHOTOMETERS SYSTEM TEST REPORT

LUMINAIRE PHOTOMETRIC TEST REPORT

Test:U:230.0V I:0.0486A P:6.134W PF:0.5490 Lamp Flux:532.47lx1 lm		
NAME: 金星LED GU10	TYPE: 出口部	WEIGHT:
SPEC.:100-240V 6W 6500K	DIM.:	SERIAL No.:18040903
MFR.: FSL	SUR.:	Shielding Angle:

DATA OF LAMP		PHOTOMETRIC DATA Eff: 86.81 lm/W			
MODEL		I _{max} (cd)	800.0	S/MH (C0/180)	0.57
NOMINAL POWER (W)	6	LOR (%)	100.0	S/MH (C90/270)	0.65
RATED VOLTAGE (V)	230	TOTAL FLUX (lm)	532.47	η UP, DN (C0-180)	0.0, 48.7
NOMINAL FLUX (lm)	532.471	CIE CLASS	DIRECT	η UP, DN (C180-360)	0.0, 51.3
LAMPS INSIDE	1	η up (%)	0.0	CIBSE SHR NOM	0.50
TEST VOLTAGE (V)	230	η down (%)	100.0	CIBSE SHR MAX	0.70



C Range: 0 - 360DEG
 C Interval: 15.0DEG
 Test Speed: HIGH
 Temperature: 25.1DEG
 Operators: 庞伟兰
 Test Date: 2018-04-11

γ Range: 0 - 180DEG
 γ Interval: 1.0DEG
 Test System: EVERFINE GO-R5000_V2 SYSTEM V2.0.351
 Humidity: 50.3%
 Test Distance: 1.900m [K=0.8105]
 Remarks: