

Proforma Invoice

To: AHMED ABID AL-SHEIKH Trading CO.
Attention: Turkey Ahmed Abed Al-Sheikh
Email: aaalsheikhest@gmail.com
Tel: +966126205171

From: ATC MIDDLE EAST FZCO
Sales: Echo Chan
Email: echo.c@atclighting.co
Tel: 008615018796671

PI Number: PI-010402240184
Date: 06/02/2024

Dear Sir,
Kindly confirm below information.

Operation Dep Information

AHMED ABID AL-SHEIKH Trading CO.
Turkey Ahmed Abed Al-Sheikh
KILO-08
old makkah road
Jeddah - Saudi Arabia
Tel : +966 12 620 5171
Email : aaalsheikhest@gmail.com

Consignee Information

AHMED ABID AL-SHEIKH Trading CO.
Turkey Ahmed Abed Al-Sheikh
KILO-08
old makkah road
Jeddah - Saudi Arabia
Tel : +966 12 620 5171
Email : aaalsheikhest@gmail.com
CR. No. : 4030028786
VAT No. : 300183671700003

Terms & Conditions

Prices EXW | Ex Works
Payment 20% In Advance ,80% Before Delivery
Validity 15 Days
Delivery 60 Days

Follow up your order



71285963

Proforma Invoice Summary

| | |
|---------------------|----------------------|
| Total Amount | \$ 42,796 |
| Total Volume | 12.19 m ³ |

Prepared by
(Sales)
Echo Chan

Approved By
(Wholesale Sales Manager)
--

Stamp

Signature

| # | Item Number | Image | Description | QTY | Unit Price | QTY/CTN | CTN Size (cm) | CTN Volume | CTN | Total Volume | Amount |
|---|-------------|---|--|--------------|------------|---------|---------------------|---------------------|-----|---------------------|-------------|
| 1 | SF30001-A |  | Comfortlife - Safari - Floodlight Surface 5watt 3000K - CRI 80 500Lumen - Battery Voltage 3.7- Battery Capacity 3000- Battery Type Li-ion- Panel Output Voltage 5- Solar Panel Type mono-crystalline - Solar Panel Power 2.3- -IP 65 - Rectangular W149.62 x L231.9 x H33.68mm Black / ABS (Housing) - Transparent / plastic (Housing) - Warranty 2 Years Certified CB | 1,008 | \$ 7.82 | 18 | L39 x W25.5 x H34.5 | 0.03 m ³ | 56 | 1.92 m ³ | \$ 7,882.56 |
| 2 | SF30001-B |  | Comfortlife - Safari - Floodlight Surface 5watt 6000K - CRI 80 550Lumen - Battery Voltage 3.7- Battery Capacity 3000- Battery Type Li-ion- Panel Output Voltage 5- Solar Panel Type mono-crystalline - Solar Panel Power 2.3- -IP 65 - Rectangular W149.62 x L231.9 x H33.68mm Black / ABS (Housing) - Transparent / plastic (Housing) - Warranty 2 Years Certified CB | 1,008 | \$ 7.82 | 18 | L39 x W25.5 x H34.5 | 0.03 m ³ | 56 | 1.92 m ³ | \$ 7,882.56 |
| 3 | EQ0702 |  | Collapsed mosquito trap, with rechargeable 2000 mAh polymer li battery UV wave length: 0.06W, 0.1W 2835 390-400nm, Grid voltage ≥2000V Size: 290*200*80mm Material: ABS+PC Working time after full charge :12 hours | 500 | \$ 10.84 | 10 | L47.5 x W43.5 x H32 | 0.07 m ³ | 50 | 3.31 m ³ | \$ 5,420.00 |
| 4 | EQ0676 |  | Portable double light source searchlight, front light source power 5w and side light source power 10w, 300lm +500lm, operation: Main lamp: high mode, middle mode, low mode, Side lamp: white light red-light, red- light flash, IP45, 1M impact resistant lamp size :100*88*180mm Battery :2*2000mAh Charge time :5 hrs. working time: 6-10hrs Material: ABS+PC With Battery indicator light, input port: Type C With solar charging method 5.5v 0.5w Max 120ma | 1,000 | \$ 5.87 | 40 | L37 x W53 x H49.5 | 0.10 m ³ | 25 | 2.43 m ³ | \$ 5,870.00 |
| 5 | EQ0675 |  | Portable double light source searchlight, front light source power 10w and under light source power 10w, 500lm +300lm, operation: Main lamp: high mode, middle mode, flash mode, Side lamp: high mode, low mode, red flash, IPX5, 1M impact resistant lamp size :85*85*200mm Battery :2*2000mAh Charge time :5 hrs. working time: 5-10hrs Material: ABS+PC With Battery indicator light, input port :Type C | 1,000 | \$ 7.13 | 50 | L41 x W45.5 x H50.5 | 0.09 m ³ | 20 | 1.88 m ³ | \$ 7,130.00 |
| 6 | EQ0700 |  | Multifunctional Zoom Glaring Flashlight, front light source power 10w and side light source power 3w, brightness 500lm, operation: High Mode - Middle Mode - Low Mode - Fast - Side light: Yellow light - red light - red flash, IP45, 1M impact resistant lamp size: 33*28*180mm Battery: 18650(1*2000mAh) Charge time :3 hrs. working time: 4-12hrs Material: Aluminum alloy+ ABS Telescopic Zoom, double light source. Tail hook. Digital display | 480 | \$ 7.59 | 120 | L46 x W37.5 x H63 | 0.11 m ³ | 4 | 0.43 m ³ | \$ 3,643.20 |


Stamp

Signature



71285963

2 of 3

| # | Item Number | Image | Description | QTY | Unit Price | QTY/CTN | CTN Size (cm) | CTN Volume | CTN | Total Volume | Amount |
|-------|--|---|---|------------|------------|---------|---------------------|---------------------|-----|---------------------|-----------------|
| 7 | EQ0701 |  | Multifunctional Zoom Glaring Flashlight, front light source power 10w and side light source power 3w, brightness 500lm, operation: High Mode - Middle Mode - Low Mode - Fast - Side light: Yellow light - red light - red flash, IP45, 1M impact resistant lamp size: 34*28*170mm Battery: (1*4000mAh) Charge time :5 hrs. working time: 5-16hrs Material: Aluminum alloy+ ABS COB Side light. Bottom magnet, Carry clip. | 540 | \$ 9.2 | 60 | L37.5 x W30 x H29.5 | 0.03 m ³ | 9 | 0.30 m ³ | \$ 4,968.00 |
| | | | | 5,536 | | | | | 220 | 12 m ³ | |
| Total | Only Forty Two Thousand Seven Hundred Ninety Six Point Thirty Two USD | | | | | | | | | | \$ 42,796.32 |

Stamp

Signature



71285963

3 of 3