

# Proforma Invoice

**To:** AHMED ABID AL-SHEIKH Trading CO.  
**Attention:** Turkey Ahmed Abed Al-Sheikh  
**Email:** aaalsheikhest@gmail.com  
**Tel:** +966126205171

**From:** ATC MIDDLE EAST FZCO  
**Sales:** Echo Chan  
**Email:** echo.c@atclighting.co  
**Tel:** 008615018796671

**PI Number:** PI-010406240203  
**Date:** 01/07/2024

Dear Sir,  
Kindly confirm below information.

## Operation Dep Information

AHMED ABID AL-SHEIKH Trading CO.  
Turkey Ahmed Abed Al-Sheikh  
KILO-08  
old makkah road  
Jeddah - Saudi Arabia  
Tel : +966 12 620 5171  
Email : aaalsheikhest@gmail.com

## Consignee Information

AHMED ABID AL-SHEIKH Trading CO.  
Turkey Ahmed Abed Al-Sheikh  
KILO-08  
old makkah road  
Jeddah - Saudi Arabia  
Tel : +966 12 620 5171  
Email : aaalsheikhest@gmail.com  
Commercial Registration. Number. : 4030028786  
VAT No. : 300183671700003

## Terms & Conditions

**Prices** EXW | Ex Works  
**Payment** 20% In Advance ,80% Before Delivery  
**Validity** 30 Days  
**Delivery** 90 Days

Follow up your order



16370428

## Proforma Invoice Summary









<b>Total Amount</b>	\$ 36,768
<b>Total Volume</b>	1.85 m <sup>3</sup>

Prepared by  
(Sales)  
**Echo Chan**

Approved By  
(Wholesale Sales Manager)  
--

Stamp

Signature

#	Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
1	EQ0754		18650 Rechargeable battery, lithium-ion, Type-C charging 5VDC/700mA, with charging cable, 3.7V, 2000mAh, 7400mWh, charging time 3-3.5h, long life ≥1000 cycles, max discharge current 5A, 1 year warranty, Operating temperature -20° / +60°C, Weight 40g, D18xH65mm.	180	\$ 1.75	90	L46.5 x W20 x H31.5	0.03 m³	2	0.06 m³	\$ 315.00
2	EQ0750		AAA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/120mA, with 2in1 cable, 1.5V, 440mAh, 660mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60°C, Weight 8g, D10xH44mm.	480	\$ 2.39	160	L46.5 x W20 x H31.5	0.03 m³	3	0.09 m³	\$ 1,147.20
3	EQ0746		AA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 1460mAh, 2220mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 16g, D14xH50mm.	480	\$ 2.55	120	L46.5 x W20 x H31.5	0.03 m³	4	0.12 m³	\$ 1,224.00
4	EQ0756		9V Rechargeable battery, lithium-ion, Type-C charging 5VDC/500mA, with charging cable, 9V, 400mAh, 3700mWh, charging time 2-2.5h, long life ≥1000 cycles, max discharge current 150mA, 1 year warranty, Operating temperature -20° / +60°C, Weight 24g, 48.1*26*16.8mm	180	\$ 2.63	90	L46.5 x W20 x H31.5	0.03 m³	2	0.06 m³	\$ 473.40
5	EQ0751		AAA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/250mA, with 2in1 cable, 1.5V, 580mAh, 880mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60°C, Weight 8.5g, D10xH44mm.	480	\$ 2.92	160	L46.5 x W20 x H31.5	0.03 m³	3	0.09 m³	\$ 1,401.60
6	EQ0747		AA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 1700mAh, 2600mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 18g, D14xH50mm.	480	\$ 3.03	120	L46.5 x W20 x H31.5	0.03 m³	4	0.12 m³	\$ 1,454.40
7	EQ0755		16340 Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/320mA, with 2in1 cable, 3.7V, 700mAh, 2500mWh, charging time 2-2.5h, long life ≥1000 cycles, max discharge current 3A, 1 year warranty, Operating temperature -20° / +60°C, Weight 19g, D16xH35mm.	100	\$ 4.14	100	L46.5 x W20 x H31.5	0.03 m³	1	0.03 m³	\$ 414.00
8	EQ0748		AAA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/120mA, with 4in1 cable, 1.5V, 440mAh, 660mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60°C, Weight 8g, D10xH44mm.	960	\$ 4.78	160	L46.5 x W20 x H31.5	0.03 m³	6	0.18 m³	\$ 4,588.80

Stamp








16370428

2 of 3

Powered By LUMYTIC

Signature

#	Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
9	EQ0743		AA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/500mA, with 4in1 cable, 1.5V, 1460mAh, 2220mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 16g, D14xH50mm.	<b>1,080</b>	\$ 5.1	120	L46.5 x W20 x H31.5	0.03 m <sup>3</sup>	9	0.26 m <sup>3</sup>	\$ 5,508.00
10	EQ0749		AAA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/250mA, with 4in1 cable, 1.5V, 580mAh, 880mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60°C, Weight 8.5g, D10xH44mm.	<b>1,440</b>	\$ 5.85	160	L46.5 x W20 x H31.5	0.03 m <sup>3</sup>	9	0.26 m <sup>3</sup>	\$ 8,424.00
11	EQ0744		AA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/500mA, with 4in1 cable, 1.5V, 1700mAh, 2600mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 18g, D14xH50mm.	<b>1,560</b>	\$ 6.06	120	L46.5 x W20 x H31.5	0.03 m <sup>3</sup>	13	0.38 m <sup>3</sup>	\$ 9,453.60
12	EQ0752		D type Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 4900mAh, 7400mWh, charging time~5h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 80.5g, D32xH61mm.	<b>200</b>	\$ 6.22	50	L46.5 x W20 x H31.5	0.03 m <sup>3</sup>	4	0.12 m <sup>3</sup>	\$ 1,244.00
13	EQ0753		C type Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 4900mAh, 7400mWh, charging time~5h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 55.5g, D25.2xH50.5mm.	<b>180</b>	\$ 6.22	60	L46.5 x W20 x H31.5	0.03 m <sup>3</sup>	3	0.09 m <sup>3</sup>	\$ 1,119.60
<b>Total</b>				7,800					63	1.85 m <sup>3</sup>	
	<b>Only Thirty Six Thousand Seven Hundred Sixty Seven Point Sixty Zero USD</b>										<b>\$ 36,767.60</b>

Stamp



16370428

3 of 3

Powered By **LUMYTIC**

Signature