

Order Progress Memo

To: Talal Al Khiamy Trading Establishment
Attention: Mohammed Taleb
Email: talal.k@atclighting.co
Tel: +966 55 151 7711

From: ATC
Sales: Echo Chan
Email: echo.c@atclighting.co
Tel: 008615018796671

PI Number: PI-070307250261
Memo Number: OM-0261-1
Order Number: 0261
Date: 26/07/2025

Dear Mohammed Taleb,

The purpose of this memorandum is to provide you updated information about the Performa Invoice No. **PI-070307250261** where you can find some changes occure new items is **3**, updated items is **8**, deleted items is **2**.

#	Item Number		Description	QTY	Price	Amount
	Item Number	Version				
1	EQ0743 updated		AA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/500mA, with 4in1 cable, 1.5V, 1460mAh, 2220mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 16g, D14xH50mm.	420 360	\$4.93	\$691.6 \$1774.8
2	EQ0744 updated		AA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/500mA, with 4in1 cable, 1.5V, 1700mAh, 2600mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 18g, D14xH50mm.	420 360	\$5.6	\$672 \$2016
3	EQ0746 updated		AA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 1460mAh, 2220mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 16g, D14xH50mm.	420 360	\$2.46	\$295.2 \$885.6
4	EQ0747 updated		AA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 1700mAh, 2600mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 18g, D14xH50mm.	420 360	\$2.8	\$336 \$1008
5	EQ0748 updated		AAA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/120mA, with 4in1 cable, 1.5V, 440mAh, 660mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60°C, Weight 8g, D10xH44mm.	460 320	\$4.78	\$764.8 \$1529.6
6	EQ0749 updated		AAA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/250mA, with 4in1 cable, 1.5V, 580mAh, 880mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60°C, Weight 8.5g, D10xH44mm.	460 320	\$5.65	\$904 \$1808
7	EQ0751 updated		AAA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/250mA, with 2in1 cable, 1.5V, 580mAh, 880mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60°C, Weight 8.5g, D10xH44mm.	460 320	\$2.92	\$467.2 \$934.4
8	EQ0756 updated		9V Rechargeable battery, lithium-ion, Type-C charging 5VDC/500mA, with charging cable, 9V, 400mAh, 3700mWh, charging time 2-2.5h, long life ≥1000 cycles, max discharge current 150mA, 1 year warranty, Operating temperature -20° / +60°C, Weight 24g, 48.1*26*16.8mm	90 180	\$2.46	\$221.4 \$442.8
9	+ EQ0750 added		AAA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/120mA, with 2in1 cable, 1.5V, 440mAh, 660mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60°C, Weight 8g, D10xH44mm.	160	\$2.39	\$382.4

Stamp



29051783

1 of 5
Powered By LUMYTIC

Signature

#	Item Number		Description	QTY	Price	Amount
	Item Number	Version				
10	+ EQ0752 added		D type Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 4900mAh, 7400mWh, charging time~ 5h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 80.5g, D32xH61mm.	50	\$5.91	\$295.5
11	+ EQ0753 added		C type Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 4900mAh, 7400mWh, charging time~ 5h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 55.5g, D25.2xH50.5mm.	60	\$5.91	\$354.6
12	- EQ0924 deleted		Comfortlife, Power bank 20,000mAh, PD22.5W, Input: 5V/3A 9V/2A 12V/1.5A, Output: USB-A : 5V/3A 9V/2A 12V/1.67A Type-C : 5V/3A 9V/2.22A 12V/1.67A 10V/2.25A Type-C Cable : 5V/3A 9V/2.22A 12V/1.67A 10V/2.25A Lightning Cable: 5V/2.1A, L105xW70xH27.2mm, ABS+PC+Fireproof, White color.	60	\$9.61	\$576.6
13	- EQ0925 deleted		Comfortlife, Power bank 10,000mAh, PD22.5W+Wireless 15W, Input: Type-C: 5V/3A 9V/2A 12V/1.5A, Type-C Cable : 5V/3A 9V/2A 12V/1.5A, Output: USB-A : 5V/3A 9V/2A 12V/1.5A 10V/2.25A Type-C : 5V/3A 9V/2.22A 12V/1.67A 10V/2.25A Type-C Cable: 5V/3A 9V/2.22A 12V/1.67A 10V/2.25A Wireless: 3W 5W 7.5W 10W 15W, L110xW70.8xH15.9mm, ABS+PC+Fireproof+Aviation Aluminum, White color.	60	\$10.67	\$640.2

Stamp



29051783

2 of 5

Powered By LUMYTIC

Signature

Proforma Invoice

To: Talal Al Khiamy Trading Establishment
Attention: Mohammed Taleb
Email: talal.k@atclighting.co
Tel: +966 55 151 7711

From: ATC
Sales: Echo Chan
Email: echo.c@atclighting.co
Tel: 008615018796671

PI Number: PI-070307250261
Date: 26/07/2025

Dear Sir,
Kindly confirm below information.

Billing Details

Talal Al Khiamy Trading Establishment
Talal Al Kiamy

Syrian Arab Republic
Tel :
Email : talal.k@atclighting.co

Shipping Details

Talal Al Khiamy Trading Establishment
Talal Al Kiamy

Syrian Arab Republic
Tel :
Email : talal.k@atclighting.co
Commercial Registration Number. : 0000
VAT Number. :

Terms and Conditions

Payment

Incoterms EXW | Ex Works

Validity 30 Days

Delivery Time 90 Days

Follow up your order



29051783

Proforma Invoice Summary

Total Amount

\$ 12,720

Total Volume

1.44 m³

Prepared by
(Sales)
Echo Chan

Approved By
-

Stamp



Signature

#	Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
1	EQ0750		AAA Rechargeable batteries set/2, Lithium-Ion, Type-C charging 5VDC/120mA, with 2in1 cable, 1.5V, 440mAh, 660mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60°C, Weight 8g, D10xH44mm.	160	\$ 2.39	160	L46.5 x W20 x H31.5	0.03 m³	1	0.03 m³	\$ 382.40
2	EQ0746		AA Rechargeable batteries set/2, Lithium-Ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 1460mAh, 2220mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 16g, D14xH50mm.	360	\$ 2.46	120	L46.5 x W20 x H31.5	0.03 m³	3	0.09 m³	\$ 885.60
3	EQ0756		9V Rechargeable battery, Lithium-Ion, Type-C charging 5VDC/500mA, with charging cable, 9V, 400mAh, 3700mWh, charging time 2-2.5h, long life ≥1000 cycles, max discharge current 150mA, 1 year warranty, Operating temperature -20° / +60°C, Weight 24g, 48.1*26*16.8mm	180	\$ 2.46	90	L46.5 x W20 x H31.5	0.03 m³	2	0.06 m³	\$ 442.80
4	EQ0747		AA Rechargeable batteries set/2, Lithium-Ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 1700mAh, 2600mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 18g, D14xH50mm.	360	\$ 2.8	120	L46.5 x W20 x H31.5	0.03 m³	3	0.09 m³	\$ 1,008.00
5	EQ0751		AAA Rechargeable batteries set/2, Lithium-Ion, Type-C charging 5VDC/250mA, with 2in1 cable, 1.5V, 580mAh, 880mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60°C, Weight 8.5g, D10xH44mm.	320	\$ 2.92	160	L46.5 x W20 x H31.5	0.03 m³	2	0.06 m³	\$ 934.40
6	EQ0748		AAA Rechargeable batteries set/4, Lithium-Ion, Type-C charging 5VDC/120mA, with 4in1 cable, 1.5V, 440mAh, 660mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60°C, Weight 8g, D10xH44mm.	320	\$ 4.78	160	L46.5 x W20 x H31.5	0.03 m³	2	0.06 m³	\$ 1,529.60
7	EQ0743		AA Rechargeable batteries set/4, Lithium-Ion, Type-C charging 5VDC/500mA, with 4in1 cable, 1.5V, 1460mAh, 2220mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 16g, D14xH50mm.	360	\$ 4.93	120	L46.5 x W20 x H31.5	0.03 m³	3	0.09 m³	\$ 1,774.80

Stamp



29051783

4 of 5

Powered By LUMYTIC

Signature



#	Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
8	EQ0744		AA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/500mA, with 4in1 cable, 1.5V, 1700mAh, 2600mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 18g, D14xH50mm.	360	\$ 5.6	120	L46.5 x W20 x H31.5	0.03 m³	3	0.09 m³	\$ 2,016.00
9	EQ0749		AAA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/250mA, with 4in1 cable, 1.5V, 580mAh, 880mWh, charging time 1-2h, long life ≥1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60°C, Weight 8.5g, D10xH44mm.	320	\$ 5.65	160	L46.5 x W20 x H31.5	0.03 m³	2	0.06 m³	\$ 1,808.00
10	EQ0752		D type Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 4900mAh, 7400mWh, charging time~5h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 80.5g, D32xH61mm.	50	\$ 5.91	50	L46.5 x W20 x H31.5	0.03 m³	1	0.03 m³	\$ 295.50
11	EQ0753		C type Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 4900mAh, 7400mWh, charging time~5h, long life ≥1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60°C, Weight 55.5g, D25.2xH50.5mm.	60	\$ 5.91	60	L46.5 x W20 x H31.5	0.03 m³	1	0.03 m³	\$ 354.60
12	EQ0818		Metal Display Stand, 0.7mm Iron Size:W500xBase Depth450xH1500mm with 28pcs of 200mm length pegboard hooks Printing Part: Material: 5mm thickness PVC Cable Part: 300mm x 170mm	15	\$ 85.9	1	L74 x W55 x H12.5	0.05 m³	15	0.76 m³	\$ 1,288.50
Total				2,865					38	1.44 m³	
Only Twelve Thousand Seven Hundred Twenty Point Twenty Zero USD											\$ 12,720.20

Stamp



29051783

5 of 5

Powered By LUMYTIC

Signature

[Signature]