

Proforma Invoice

To: ATC Dubai Trading
Attention: Mohannad Al Dawood
Email: mohannad.d@atclighting.co
Tel: +971 55 310 1976

From: ATC MIDDLE EAST FZCO
Sales: Echo Chan
Email: echo.c@atclighting.co
Tel: 008615018796671

PI Number: PI-000010250270
Date: 28/10/2025

Dear Sir/Madam,
Kindly confirm below information.

Billing Details

ATC MIDDLE EAST FZCO
Mohannad Dawood

UAE
Tel:
Email: mohannad.d@atclighting.co

Shipping Details

ATC MIDDLE EAST FZCO
Mohannad Dawood

UAE
Tel:
Email: mohannad.d@atclighting.co
Commercial Registration Number: 136746
VAT Number: .

Terms and Conditions

Payment 30 % In Advance , 70 % Before Delivery

Incoterms EXW | Ex Works

Validity 30 Days

Delivery Time 90 Days

Follow up your order



45882079

Proforma Invoice Summary

Total Amount

\$ 20,263

Total Volume

1.64 m³

Prepared by
(Sales)

Echo Chan

Approved By



Signature

#	Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
1	EQ0925		Comfortlife, Power bank 10,000mAh, PD22.5W+Wireless 15W, Input: Type-C: 5V/3A 9V/2A 12V/1.5A, Type-C Cable: 5V/3A 9V/2A 12V/1.5A, Output: USB-A: 5V/3A 9V/2A 12V/1.5A 10V/2.25A Type-C: 5V/3A 9V/2.22A 12V/1.67A 10V/2.25A Type-C Cable: 5V/3A 9V/2.22A 12V/1.67A 10V/2.25A Wireless: 3W 5W 7.5W 10W 15W, L110xW70.8xH15.9mm, ABS+PC+Fireproof+Aviation Aluminum, White color.	30	\$ 10.67	30	L42.5 x W34.5 x H18.5	0.03 m ³	1	0.03 m ³	\$ 320.10
2	REB8AA		Comfortlife, Batteries charger for 1.5V AA batteries, 8 Slots, Type-C input 5V/3A, Output 5V/350mA, Single cell charge with LED indicators, L72xW52xH71.5mm, 116g, working temperature 0 ~35C, With 8 lithium-ion batteries AA 1.5V, 2500mAh, 3600mWh >1000 cycles, Max discharging current 2A, input 5V/350mA, charging time 4hrs, D14xH50, working temperature -20 ~55C, 19.6g, 1 year warranty.	50	\$ 13.09	50	L38.5 x W27.5 x H30	0.03 m ³	1	0.03 m ³	\$ 654.50
3	REB4AAA		Comfortlife, Batteries charger for 1.5V AA& AAA batteries, 8 Slots 4xAA/4xAAA, Type-C input 5V/3A, Output AA 5V/350mA, AAA 5V/200mA Single cell charge with LED indicators, L72xW52xH71.5mm, 112g, working temperature 0 ~35C, With 4 lithium-ion batteries AA 1.5V, 2500mAh, 3600mWh >1000 cycles, Max discharging current 2A, input 5V/350mA, charging time 4hrs, D14xH50, working temperature -20 ~55C, 19.6g, And 4 lithium-ion batteries AAA 1.5V, 860mAh, 1300mWh, long life >1000 cycles, Max discharging current 500mA, input 5V/120mA, charging time 2hrs, D10xH44, working temperature -20 ~55C, 8.6g, 1 year warranty.	50	\$ 13.46	50	L38.5 x W27.5 x H40	0.04 m ³	1	0.04 m ³	\$ 673.00
4	EQ0750		AAA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/120mA, with 2in1 cable, 1.5V, 440mAh, 660mWh, charging time 1~2h, long life ≥ 1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60° C, Weight 8g, D10xH44mm.	320	\$ 2.39	160	L46.5 x W20 x H31.5	0.03 m ³	2	0.06 m ³	\$ 764.80
5	EQ0746		AA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 1460mAh, 2220mWh, charging time 1~2h, long life ≥ 1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60° C, Weight 16g, D14xH50mm.	240	\$ 2.46	120	L46.5 x W20 x H31.5	0.03 m ³	2	0.06 m ³	\$ 590.40



Signature

#	Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
6	EQ0756		9V Rechargeable battery, lithium-ion, Type-C charging 5VDC/500mA, with charging cable, 9V, 400mAh, 3700mWh, charging time 2-2.5h, long life ≥ 1000 cycles, max discharge current 150mA, 1 year warranty, Operating temperature -20° / +60° C, Weight 24g, 48.1*26*16.8mm	360	\$ 2.46	90	L46.5 x W20 x H31.5	0.03 m ³	4	0.12 m ³	\$ 885.60
7	EQ0747		AA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 1700mAh, 2600mWh, charging time 1-2h, long life ≥ 1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60° C, Weight 18g, D14xH50mm	240	\$ 2.8	120	L46.5 x W20 x H31.5	0.03 m ³	2	0.06 m ³	\$ 672.00
8	EQ0751		AAA Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/250mA, with 2in1 cable, 1.5V, 580mAh, 880mWh, charging time 1-2h, long life ≥ 1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60° C, Weight 8.5g, D10xH44mm	320	\$ 2.82	160	L46.5 x W20 x H31.5	0.03 m ³	2	0.06 m ³	\$ 902.40
9	EQ1038		Metal Display Stand, 0.7mm Iron Size: W400xBase Depth 250xH500mm with 6pcs of 200mm length pegboard hooks printing part material: 5mm thickness PVC	20	\$ 29.5	50	L54.5 x W41.5 x H6.3	0.01 m ³	0	0.01 m ³	\$ 590.00
10	EQ0748		AAA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/120mA, with 4in1 cable, 1.5V, 440mAh, 660mWh, charging time 1-2h, long life ≥ 1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60° C, Weight 8g, D10xH44mm	480	\$ 4.78	160	L46.5 x W20 x H31.5	0.03 m ³	3	0.09 m ³	\$ 2,294.40
11	EQ0743		AA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/500mA, with 4in1 cable, 1.5V, 1460mAh, 2220mWh, charging time 1-2h, long life ≥ 1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60° C, Weight 16g, D14xH50mm	360	\$ 4.92	120	L46.5 x W20 x H31.5	0.03 m ³	3	0.09 m ³	\$ 1,771.20
12	EQ0744		AA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/500mA, with 4in1 cable, 1.5V, 1700mAh, 2600mWh, charging time 1-2h, long life ≥ 1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60° C, Weight 18g, D14xH50mm	480	\$ 5.58	120	L46.5 x W20 x H31.5	0.03 m ³	4	0.12 m ³	\$ 2,678.40



45863079

3 of 4

Powered By LUMYTIC

Signature

#	Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
13	EQ0749		AAA Rechargeable batteries set/4, lithium-ion, Type-C charging 5VDC/250mA, with 4in1 cable, 1.5V, 580mAh, 880mWh, charging time 1-2h, long life ≥ 1000 cycles, max discharge current 1.5A, 1 year warranty, Operating temperature -20° / +60° C, Weight 8.5g, D10xH44mm.	640	\$ 5.65	160	L46.5 x W20 x H31.5	0.03 m ³	4	0.12 m ³	\$ 3,616.00
14	EQ0753		C type Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 4900mAh, 7400mWh, charging time-5h, long life ≥ 1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60° C, Weight 55.5g, D25.2xH50.5mm.	240	\$ 6.2	60	L46.5 x W20 x H31.5	0.03 m ³	4	0.12 m ³	\$ 1,488.00
15	EQ0752		D type Rechargeable batteries set/2, lithium-ion, Type-C charging 5VDC/500mA, with 2in1 cable, 1.5V, 4900mAh, 7400mWh, charging time-5h, long life ≥ 1000 cycles, max discharge current 2A, 1 year warranty, Operating temperature -20° / +60° C, Weight 80.5g, D32xH61mm.	200	\$ 6.2	50	L46.5 x W20 x H31.5	0.03 m ³	4	0.12 m ³	\$ 1,240.00
16	EQ0818		Metal Display Stand, 0.7mm Iron Size:W500xBase Depth450xH1500mm with 28pcs of 200mm length pegboard hooks Printing Part: Material: 5mm thickness PVC Cable Part: 300mm x 170mm	10	\$ 83.37	1	L74 x W55 x H12.5	0.05 m ³	10	0.51 m ³	\$ 833.70
17	EQ0924		Comfortlife, Power bank 20,000mAh, PD22.5W, input: 5V/3A 9V/2A 12V/1.5A, Output: USB-A: 5V/3A 9V/2A 12V/1.67A Type-C: 5V/3A 9V/2.22A 12V/1.67A 10V/2.25A Type-C Cable: 5V/3A 9V/2.22A 12V/1.67A 10V/2.25A Lightning Cable: 5V/2.1A, L105xW70xH27.2mm, ABS+PC+Fireproof, White color.	30	\$ 9.61	30	L42.5 x W34.5 x H18.5	0.03 m ³	1	0.03 m ³	\$ 288.30
Total				4,070					48	1.64 m ³	
	Only Twenty Thousand Two Hundred Sixty Two Point Eighty Zero USD										\$ 20,262.80



45663079

4 of 4

Powered By LUMYTIC

Signature