

02593848

中国国际贸易促进委员会 中国国际商会



China Council for the Promotion of International Trade
China Chamber of International Commerce

证明书

CERTIFICATE



244400B0/038596

号码 No.

兹证明：在所附第INV20241028号商业发票上的广州优先通贸易有限公司的印章属实。

THIS IS TO CERTIFY THAT: the seal of GUANGZHOU
YOUXIANTONG TRADE CO., LTD. on the annexed COMMERCIAL
INVOICE NO. INV20241028 is genuine.



China Council for the Promotion
of International Trade



授权签字:

Authorized
Signature:

Chen Boyin

日期: 2024年12月20日
(Date: Dec. 20, 2024)

证明 询网址 Website for verifying the certificate: <http://www.rzccpit.com/validate.html>

ANGZHOU YOUXIAN TONG TRADE CO., LTD. O/B NINGBO OUTLUX ELECTRICAL CO.,LTD

ADD.: JINXI VILLAGE,HENGXI TOWN, YINZHOU DISTRICT,
NINGBO, 315131,CHINA
TEL:88366978

Commercial Invoice

Date:OCT.28,2024

Invoice No:INV20241028

AHMED ABID AL-SHEIKH Trading CO.
KILO-08, OLD MAKKAH ROAD JEDDAH- SAUDI ARABIA
TURKY AHMAD ABED ALSHEIKH
TEL: 00966 1262 04787 MOB. 00966505600512
MOB. 00966126205171 FAX: 00966126200258
TO: EMAIL:AAALSHEIKHEST@GMAIL.COM
IMPORTER NO.3140436
VAT NO.311271998100003
Zip code 22349
district code 00966
CR.NO. 4030028786 / 7013479022

No.	Product Code	Description	QTY	Unite price (USD/pcs)	Total price (USD)
1	ES-0897A	Tri-proof Housing IP65, 9W for T8 DOUBLE-END wiring ABS base, PC cover, with stainless steel clips, T8 lamp holder (UL), without LED tube, Dimensions: 670x68x84 mmCertified CB	980	2.43	2381.4
2	ES-0896A	Tri-proof Housing IP65, 2*9W for T8 DOUBLE-END wiring ABS base, PC cover, with stainless steel clips, T8 lamp holder (UL), without LED tube, Dimensions: 670x104x84 mmCertified CB	435	3.11	1352.85
3	ES-0898A	Tri-proof Housing IP65, 18W for T8 DOUBLE-END wiring ABS base, PC cover, with stainless steel clips, T8 lamp holder (UL), without LED tube, Dimensions: 1270x68x84mmCertified CB	1476	3.64	5372.64
4	ES-0899A	Tri-proof Housing IP65, 2*18W for T8 DOUBLE-END wiring ABS base, PC cover, with stainless steel clips, T8 lamp holder (UL), without LED tube, Dimensions: 1270x104x84mmCertified CB	1480	4.79	7089.2
5	AS30139-1	E-Series - Anis - Floodlight Mounted with bracket 30watt 3000K - CRI 70 2400Lumen - 0.9PF 176 To 265V IP 65 - Rectangular W185 x L158 x H25mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 485g - Warranty 3 YearsCertified CB	940	3.39	3186.6
6	AS60140-1	E-Series - Anis - Floodlight Mounted with bracket 30watt 6000K - CRI 70 2550Lumen - 0.9PF 176 To 265V IP 65 - Rectangular W185 x L158 x H25mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 485g - Warranty 3 YearsCertified CB	1960	3.39	6644.4
7	AS30145-1	E-Series - Anis - Floodlight Mounted with bracket 50watt 3000K - CRI 70 4000Lumen - 0.9PF 176 To 265V IP 65 - Rectangular W230 x L195 x H30mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 820g - Warranty 3 YearsCertified CB	1470	4.8	7056



	AS60146-1	E-Series - Anis - Floodlight Mounted with bracket 50watt 6000K - CRI 70 4250Lumen - 0.9PF 176 To 265V IP 65 - Rectangular W230 x L195 x H30mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 820g - Warranty 3 YearsCertified CB	2980	4.8	14304
9	AS30147-1	E-Series - Anis - Floodlight Mounted with bracket 100watt 3000K - CRI 70 8000Lumen - 0.9PF 176 To 265V IP 65 - Rectangular W297 x L242 x H32mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 1540g - Warranty 3 YearsCertified CB	2230	8.98	20025.4
10	AS60148-1	E-Series - Anis - Floodlight Mounted with bracket 100watt 6000K - CRI 70 8500Lumen - 0.9PF 176 To 265V IP 65 - Rectangular W297 x L242 x H32mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 1540g - Warranty 3 YearsCertified CB	4230	8.98	37985.4
11	AS30133-1	E-Series - Anis - Floodlight Mounted with bracket 10watt 3000K - CRI 70 800Lumen - 0.8PF 176 To 265V IP 65 - Rectangular W127 x L120 x H23mm Transparent / Glass (Front Cover) - White / Aluminum (Housing) - 250g - Warranty 3 YearsCertified CB	540	2.22	1198.8
Total			18721	NG TRADE 通贸易 公司	106596.69

MADE IN CHINA

Only one hundred and six thousand five hundred and ninety-six US Dollors sixty-nine cents No More

