

Supply Contract

Number: SC-100102250261

Date: 18/06/2025

This contract executed and entered into this 18th day of June ,2025 **Between:**

Seller

SEE® LIGHTING

XIAMEN STAR ELECTRICAL EQUIPMENT CO.,LTD 厦门星际电器有限公司

Reference Name: SEE

Address: BUILDING NO.1-3,NO.295,XIANGTIAN ROAD,TORCH HIGH-TECH ZONE(XIANG'AN DISTRICT),XIAMEN CITY. 厦门市翔安区翔天路295号

Legal Person: Li Guanghui 李光辉

Website: www.seelighting.cn

Contact Person: Jasmine Chen

Email: cmj@seelighting.cn

Tel: 0086015959271106

Buyer



ATC MIDDLE EAST FZCO

Reference Name: ATC

Address: JAFZA One, 11th Floor, Jebel Ali Free Zone , Dubai, UAE

Contact Person: Echo Chan

Email: echo.c@atclighting.co

Tel: 008615018796671

Bank Account

The following is our account :

Beneficiary: Xiamen Star Electrical Equipment co,LTD.

Bank Name: CHINA CONSTRUCTION BANK XIAMEN BRANCH

Bank Address: NO.388 INTERNATIONAL TRADE BLDG.,HUBIN SOUTH RD.,XIAMEN,CHINA

Account Number: 3511 4551 0002 2922 1837 (USD)

Swift Code: PCBCCNBJSMX

Supply Contract Summary

Total Amount

¥ 1,763,456.24

Total Volume

335.95 m³



42791860

Seller Signature & Stamp

徐银波
2025.7.24

Buyer Signature & Stamp






#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
1	AN30015-H		E-Series – Anar – Bulb A55 E27 Socket 7watt 3000K – CRI 80 700Lumen – Beam Angle 200° 0.5PF 180 To 264V 50/60 Hz IP 20 – BULB D55 x H104mm White / plastic (Housing) – 3 Year Warranty Non CB	2,500	¥2.05	50	L30,5 x W30,5 x H25	0.02 m ³	50	1,16 m ³	¥5125
2	AN60016-H		E-Series – Anar – Bulb A55 E27 Socket 7watt 6500K – CRI 80 700Lumen – Beam Angle 200° 0.5PF 180 To 264V 50/60 Hz IP 20 – BULB D55 x H104mm White / plastic (Housing) – 3 Year Warranty Non CB	2,500	¥2.05	50	L30,5 x W30,5 x H25	0.02 m ³	50	1,16 m ³	¥5125
3	AN60026-E (RFE-0309A)		E-Series – Ayham – Bulb T100 E27 Socket 30watt 6000K – CRI 80 3000Lumen – Beam Angle 220° 0.9PF 220 To 240V 50/60 Hz IP 20 – BULB W100 x H163mm White / plastic (Housing) Certified CB	4,080	¥8.4	20	L54 x W43,5 x H20	0.05 m ³	204	9,58 m ³	¥34272
4	AY60030-E (RFE-0276A)		E-Series – Ayham – Bulb T138 E27 Socket 50watt 6000K – CRI 80 5000Lumen – Beam Angle 220° 0.9PF 220 To 240V 50/60 Hz IP 20 – BULB W138 x H217mm White / plastic (Housing) – Silver / Aluminum (Inside) Certified CB	5,000	¥16.48	10	L74 x W30,5 x H26	0.06 m ³	500	29,34 m ³	¥82400
5	MT40196		E-Series – Matar – Bulkhead Surface 30watt 4000K – CRI 80 2400Lumen – Beam Angle 120° 0.9PF 220 To 240V 50/60 Hz IP 65 – Rectangular W146 x L271 x H76mm White / PC (Housing) Certified CB	2,000	¥18.85	10	L43,5 x W32,5 x H31	0.04 m ³	200	8,77 m ³	¥37700
6	MT60180		E-Series – Matar – Bulkhead Surface 30watt 6500K – CRI 80 2400Lumen – Beam Angle 120° 0.9PF 220 To 240V 50/60 Hz IP 65 – Rectangular W146 x L271 x H76mm White / PC (Housing) Certified CB	4,000	¥18.85	10	L43,5 x W32,5 x H31	0.04 m ³	400	17,53 m ³	¥75400
7	DE40749-A		E-Series – Deem – Panel Light Recessed 40watt 4000K – CRI 80 4000Lumen – Beam Angle 100° 0.9PF 220 To 240V 50/60 Hz IP 20 – Square W595 x L595 x H30mm White / Iron (Housing) – 2 Year Warranty Certified CB	1,000	¥42.7	5	L65 x W24,2 x H63,5	0.10 m ³	200	19,98 m ³	¥42700
8	DE60750-A		E-Series – Deem – Panel Light Recessed 40watt 6000K – CRI 80 4000Lumen – Beam Angle 100° 0.9PF 220 To 240V 50/60 Hz IP 20 – Square W595 x L595 x H30mm White / Iron (Housing) – 2 Year Warranty Certified CB	500	¥42.7	5	L65 x W24,2 x H63,5	0.10 m ³	100	9,99 m ³	¥21350
9	DE40752-A		E-Series – Deem – Panel Light Recessed 60watt 4000K – CRI 80 6000Lumen – Beam Angle 100° 0.9PF 220 To 240V 50/60 Hz IP 20 – Square W595 x L595 x H30mm White / Iron (Housing) – 2 Year Warranty Certified CB	1,000	¥48.3	5	L65 x W24,2 x H63,5	0.10 m ³	200	19,98 m ³	¥48300

Seller Signature & Stamp

Buyer Signature & Stamp




2 of 13

Powered By LUMYTIC

#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
10	DE60753-A		E-Series - Deem - Panel Light Recessed 60watt 6000K - CRI 80 6000Lumen - Beam Angle 100° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W595 x L595 x H30mm White / Iron (Housing) - 2 Year Warranty Certified CB	1,000	¥48.3	5	L65 x W24.2 x H63.5	0.10 m³	200	19.98 m³	¥48300
11	AP30709-C		E-Series - Alpha - Plastic Linear Light Surface 36watt 3000K - CRI 80 3600Lumen - Beam Angle 180° 0.9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L600 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	500	¥17.7	25	L65 x W26 x H25	0.04 m³	20	0.85 m³	¥8850
12	AP30710-C		E-Series - Alpha - Plastic Linear Light Surface 36watt 3000K - CRI 80 3600Lumen - Beam Angle 180° 0.9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L600 x H50mm Black / PC (Housing) - 2 Year Warranty Certified CB	500	¥17.7	25	L65 x W26 x H25	0.04 m³	20	0.85 m³	¥8850
13	AP40712-C		E-Series - Alpha - Plastic Linear Light Surface 36watt 4000K - CRI 80 3600Lumen - Beam Angle 180° 0.9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L600 x H50mm Black / PC (Housing) - 2 Year Warranty Certified CB	1,000	¥17.7	25	L65 x W26 x H25	0.04 m³	40	1.69 m³	¥17700
14	AP40711-C		E-Series - Alpha - Plastic Linear Light Surface 36watt 4000K - CRI 80 3600Lumen - Beam Angle 180° 0.9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L600 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	1,000	¥17.7	25	L65 x W26 x H25	0.04 m³	40	1.69 m³	¥17700
15	AP60714-C		E-Series - Alpha - Plastic Linear Light Surface 36watt 6000K - CRI 80 3600Lumen - Beam Angle 180° 0.9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L600 x H50mm Black / PC (Housing) - 2 Year Warranty Certified CB	1,000	¥17.7	25	L65 x W26 x H25	0.04 m³	40	1.69 m³	¥17700
16	AP60713-C		E-Series - Alpha - Plastic Linear Light Surface 36watt 6000K - CRI 80 3600Lumen - Beam Angle 180° 0.9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L600 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	1,000	¥17.7	25	L65 x W26 x H25	0.04 m³	40	1.69 m³	¥17700
17	AP30960-A		E-Series - Alpha - Plastic Linear Light Surface 54watt 3000K - CRI 80 5400Lumen - Beam Angle 180° 0.9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L900 x H50mm Black / PC (Housing) - 2 Year Warranty Certified CB	500	¥23.6	25	L96 x W26 x H52	0.13 m³	20	2.60 m³	¥11800
18	AP30715-C		E-Series - Alpha - Plastic Linear Light Surface 54watt 3000K - CRI 80 5400Lumen - Beam Angle 180° 0.9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L900 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	500	¥23.6	25	L96 x W26 x H52	0.13 m³	20	2.60 m³	¥11800

Seller Signature & Stamp

Buyer Signature & Stamp



42791650

3 of 13

Powered By LUMYTIC

#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
19	AP40962-A		E-Series - Alpha - Plastic Linear Light Surface 54watt 4000K - CRI 80 5400Lumen - Beam Angle 180° - 0,9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L900 x H50mm Black / PC (Housing) - 2 Year Warranty Certified CB	1,000	¥23,6	25	L96 x W26 x H52	0,13 m³	40	5,19 m³	¥23600
20	AP40716-C		E-Series - Alpha - Plastic Linear Light Surface 54watt 4000K - CRI 80 5400Lumen - Beam Angle 180° - 0,9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L900 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	1,000	¥23,6	25	L96 x W26 x H52	0,13 m³	40	5,19 m³	¥23600
21	AP60964-A		E-Series - Alpha - Plastic Linear Light Surface 54watt 6000K - CRI 80 5400Lumen - Beam Angle 180° - 0,9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L900 x H50mm Black / PC (Housing) - 2 Year Warranty Certified CB	1,000	¥23,6	25	L96 x W26 x H52	0,13 m³	40	5,19 m³	¥23600
22	AP60717-C		E-Series - Alpha - Plastic Linear Light Surface 54watt 6000K - CRI 80 5400Lumen - Beam Angle 180° - 0,9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L900 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	1,000	¥23,6	25	L96 x W26 x H52	0,13 m³	40	5,19 m³	¥23600
23	AP30718-C		E-Series - Alpha - Plastic Linear Light Surface 72watt 3000K - CRI 80 7200Lumen - Beam Angle 180° - 0,9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1200 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	512	¥31,24	16	L122,5 x W23,5 x H22,5	0,06 m³	32	2,07 m³	¥15994,88
24	AP30719-C		E-Series - Alpha - Plastic Linear Light Surface 72watt 3000K - CRI 80 7200Lumen - Beam Angle 180° - 0,9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1200 x H50mm Black / PC (Housing) - 2 Year Warranty Certified CB	512	¥31,24	16	L122,5 x W23,5 x H22,5	0,06 m³	32	2,07 m³	¥15994,88
25	AP40721-C		E-Series - Alpha - Plastic Linear Light Surface 72watt 4000K - CRI 80 7200Lumen - Beam Angle 180° - 0,9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1200 x H50mm Black / PC (Housing) - 2 Year Warranty Certified CB	1,008	¥31,24	16	L122,5 x W23,5 x H22,5	0,06 m³	63	4,08 m³	¥31489,92
26	AP40720-C		E-Series - Alpha - Plastic Linear Light Surface 72watt 4000K - CRI 80 7200Lumen - Beam Angle 180° - 0,9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1200 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	1,008	¥31,24	16	L122,5 x W23,5 x H22,5	0,06 m³	63	4,08 m³	¥31489,92
27	AP60723-C		E-Series - Alpha - Plastic Linear Light Surface 72watt 6000K - CRI 80 7200Lumen - Beam Angle 180° - 0,9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1200 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	1,008	¥31,24	16	L122,5 x W23,5 x H22,5	0,06 m³	63	4,08 m³	¥31489,92

Seller Signature & Stamp

Buyer Signature & Stamp



42791150

4 of 13


Powered By LUMYTIC



#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
28	AP60722-C		E-Series - Alpha - Plastic Linear Light Surface 72watt 6000K - CRI 80 7200Lumen - Beam Angle 180° - 0.9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1200 x H50mm Black / PC (Housing) - 2 Year Warranty Certified CB	1,008	¥31,24	16	L122,5 x W23,5 x H22,5	0,06 m³	63	4,08 m³	¥31489,92
29	AP50923-B		E-Series - Alpha - Plastic Linear Light Surface 72watt Switchable (3000, 4000, 6500) - 7200Lumen - Beam Angle 180° 0.5PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1200 x H50mm White / PC (Housing) - 2 Year Warranty Non CB	2,000	¥33	16	L122,5 x W23,5 x H22,5	0,06 m³	125	8,10 m³	¥66000
30	AP50924-B		E-Series - Alpha - Plastic Linear Light Surface 72watt Switchable (3000, 4000, 6500) - 7200Lumen - Beam Angle 180° 0.5PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1200 x H50mm Black / PC (Housing) - 2 Year Warranty Non CB	3,504	¥33	16	L122,5 x W23,5 x H22,5	0,06 m³	219	14,19 m³	¥115632
31	AP30724-C		E-Series - Alpha - Plastic Linear Light Surface 90watt 3000K - CRI 80 9000Lumen - Beam Angle 180° - 0.9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1500 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	512	¥38	16	L152,5 x W23,5 x H22,5	0,08 m³	32	2,58 m³	¥19456
32	AP30966-A		E-Series - Alpha - Plastic Linear Light Surface 90watt 3000K - CRI 80 9000Lumen - Beam Angle 180° - 0.9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1500 x H50mm Black / PC (Housing) - 2 Year Warranty Certified CB	512	¥38	16	L152,5 x W23,5 x H22,5	0,08 m³	32	2,58 m³	¥19456
33	AP40725-C		E-Series - Alpha - Plastic Linear Light Surface 90watt 4000K - CRI 80 9000Lumen - Beam Angle 180° - 0.9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1500 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	1,008	¥38	16	L152,5 x W23,5 x H22,5	0,08 m³	63	5,08 m³	¥38304
34	AP40968-A		E-Series - Alpha - Plastic Linear Light Surface 90watt 4000K - CRI 80 9000Lumen - Beam Angle 180° - 0.9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1500 x H50mm Black / PC (Housing) - 2 Year Warranty Certified CB	1,008	¥38	16	L152,5 x W23,5 x H22,5	0,08 m³	63	5,08 m³	¥38304
35	AP60726-C		E-Series - Alpha - Plastic Linear Light Surface 90watt 6000K - CRI 80 9000Lumen - Beam Angle 180° - 0.9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1500 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	1,008	¥38	16	L152,5 x W23,5 x H22,5	0,08 m³	63	5,08 m³	¥38304
36	AP60970-A		E-Series - Alpha - Plastic Linear Light Surface 90watt 6000K - CRI 80 9000Lumen - Beam Angle 180° - 0.9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1500 x H50mm Black / PC (Housing) - 2 Year Warranty Certified CB	1,008	¥38	16	L152,5 x W23,5 x H22,5	0,08 m³	63	5,08 m³	¥38304

Seller Signature & Stamp

Buyer Signature & Stamp



42701860

5 of 13


Powered By LUMYTIC



#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
37	NV60222		E-Series - Nova - Recessed Panel Downlight Recessed 20watt 6000K - CRI 80 1550Lumen - Beam Angle 120° 0.9PF 220 To 240V 50/60 Hz IP 44-20 - Round D224 x H34mm Cut Out 200mm White / plastic (Housing) Certified CB	5,000	¥11.44	20	L47,5 x W43,5 x H26	0,05 m³	250	13,43 m³	¥57200
38	DSF0768-A		E-Series - Dusk - Spike Light Planted in soil 4watt RGB - 400Lumen - Beam Angle 60° 0.5PF 220 To 240V 50/60 Hz IP 65 - T Shape W65 x L53 x H195mm Black / plastic (Housing) - 2 Year Warranty Certified CB	2,000	¥8,64	50	L56,5 x W32,5 x H21	0,04 m³	40	1,54 m³	¥17280
39	DS20769-A		E-Series - Dusk - Spike Light Planted in soil 9watt 2700K - CRI 80 810Lumen - Beam Angle 60° 0.5PF 220 To 240V 50/60 Hz IP 65 - T Shape W65 x L53 x H195mm Black / plastic (Housing) - 2 Year Warranty Certified CB	3,000	¥7	50	L56,5 x W32,5 x H21	0,04 m³	60	2,31 m³	¥21000
40	DS30527-B		E-Series - Dusk - Spike Light Planted in soil 9watt 3000K - CRI 80 810Lumen - Beam Angle 60° 0.5PF 220 To 240V 50/60 Hz IP 65 - T Shape W65 x L53 x H195mm Black / plastic (Housing) - 2 Year Warranty Certified CB	6,500	¥7	50	L56,5 x W32,5 x H21	0,04 m³	130	5,01 m³	¥45500
41	DS40528-B		E-Series - Dusk - Spike Light Planted in soil 9watt 4000K - CRI 80 810Lumen - Beam Angle 60° 0.5PF 220 To 240V 50/60 Hz IP 65 - T Shape W65 x L53 x H195mm Black / plastic (Housing) - 2 Year Warranty Certified CB	2,500	¥7	50	L56,5 x W32,5 x H21	0,04 m³	50	1,93 m³	¥17500
42	MH30258-A		E-Series - Mahi - Spotlight Recessed 3watt 3000K - CRI 80 240Lumen - Beam Angle 38° 0.45PF 180 To 240V 50/60 Hz IP 20 - Round D44 x H28mm Cut Out 35mm White / plastic (Housing) - Silver / Aluminum (Inside) - 2 Year Warranty Certified CB	2,000	¥3,85	100	L56,5 x W27,5 x H14	0,02 m³	20	0,44 m³	¥7700
43	MH40259-A		E-Series - Mahi - Spotlight Recessed 3watt 4000K - CRI 80 240Lumen - Beam Angle 38° 0.45PF 180 To 240V 50/60 Hz IP 20 - Round D44 x H28mm Cut Out 35mm White / plastic (Housing) - Silver / Aluminum (Inside) - 2 Year Warranty Certified CB	2,000	¥3,85	100	L56,5 x W27,5 x H14	0,02 m³	20	0,44 m³	¥7700
44	NV30224		E-Series - Nova - Surface Panel Downlight Surface 24watt 3000K - CRI 80 1850Lumen - Beam Angle 120° 0.9PF 220 To 240V 50/60 Hz IP 44-20 - Round D226 x H36mm White / plastic (Housing) - 2 Year Warranty Certified CB	2,000	¥14,68	20	L47,5 x W43,5 x H26	0,05 m³	100	5,37 m³	¥29360
45	BH40234		E-Series - Bahr - Tri-Proof Surface 50watt 4000K - CRI 80 5000Lumen - Beam Angle 120° 0.9PF 220 To 240V 50/60 Hz IP 65 - Linear W60 x L1198 x H51mm White / PC (Housing) Certified CB	2,010	¥34,28	15	L122,5 x W35 x H20	0,09 m³	134	11,49 m³	¥68902,8

Seller Signature & Stamp

Buyer Signature & Stamp



427201660

6 of 13


Powered By LUMYTIC



#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
46	RA20761-C		E-Series - Rashed - Tube Light T5 Recessed 6watt 2700K - CRI 80 600Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - Linear W24 x L300 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	240	¥6.5	20	L37 x W20 x H16	0.01 m ³	12	0.14 m ³	¥1560
47	RA30487-C		E-Series - Rashed - Tube Light T5 Recessed 6watt 3000K - CRI 80 600Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - Linear W24 x L300 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	240	¥6.5	20	L37 x W20 x H16	0.01 m ³	12	0.14 m ³	¥1560
48	RA60495-C		E-Series - Rashed - Tube Light T5 Recessed 6watt 6000K - CRI 80 600Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - Linear W24 x L300 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	120	¥6.5	20	L37 x W20 x H16	0.01 m ³	6	0.07 m ³	¥780
49	RA20762-C		E-Series - Rashed - Tube Light T5 Recessed 8watt 2700K - CRI 80 800Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - Linear W24 x L450 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	240	¥7.2	20	L50 x W20 x H16	0.02 m ³	12	0.19 m ³	¥1728
50	RA30488-C		E-Series - Rashed - Tube Light T5 Recessed 8watt 3000K - CRI 80 800Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - Linear W24 x L450 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	240	¥7.2	20	L50 x W20 x H16	0.02 m ³	12	0.19 m ³	¥1728
51	RA60497-C		E-Series - Rashed - Tube Light T5 Recessed 8watt 6000K - CRI 80 800Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - Linear W24 x L450 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	120	¥7.2	20	L50 x W20 x H16	0.02 m ³	6	0.10 m ³	¥864
52	RA20763-C		E-Series - Rashed - Tube Light T5 Recessed 12watt 2700K - CRI 80 1200Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - Linear W24 x L600 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	320	¥8	20	L81 x W19.5 x H13	0.02 m ³	16	0.33 m ³	¥2560
53	RA30489-C		E-Series - Rashed - Tube Light T5 Recessed 12watt 3000K - CRI 80 1200Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - Linear W24 x L600 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	320	¥8	20	L81 x W19.5 x H13	0.02 m ³	16	0.33 m ³	¥2560
54	RA60499-C		E-Series - Rashed - Tube Light T5 Recessed 12watt 6000K - CRI 80 1200Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - Linear W24 x L600 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	240	¥8	20	L81 x W19.5 x H13	0.02 m ³	12	0.25 m ³	¥1920

Seller Signature & Stamp

Buyer Signature & Stamp




7 of 13

Powered By LUMYTIC

#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
55	RA20764-C		E-Series - Rashed - Tube Light T5 Recessed 13watt 2700K - CRI 80 1300Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - Linear W24 x L750 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	320	¥8,6	20	L80 x W20 x H16	0,03 m³	16	0,41 m³	¥2752
56	RA30490-C		E-Series - Rashed - Tube Light T5 Recessed 13watt 3000K - CRI 80 1300Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - Linear W24 x L750 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	320	¥8,6	20	L80 x W20 x H16	0,03 m³	16	0,41 m³	¥2752
57	RA60501-C		E-Series - Rashed - Tube Light T5 Recessed 13watt 6000K - CRI 80 1300Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - Linear W24 x L750 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	240	¥8,6	20	L80 x W20 x H16	0,03 m³	12	0,31 m³	¥2064
58	RA20765-C		E-Series - Rashed - Tube Light T5 Recessed 14watt 2700K - CRI 80 1400Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - Linear W24 x L900 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	560	¥9,6	20	L108 x W19,5 x H13	0,03 m³	28	0,77 m³	¥5376
59	RA30491-C		E-Series - Rashed - Tube Light T5 Recessed 14watt 3000K - CRI 80 1400Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - Linear W24 x L900 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	560	¥9,6	20	L108 x W19,5 x H13	0,03 m³	28	0,77 m³	¥5376
60	RA60503-C		E-Series - Rashed - Tube Light T5 Recessed 14watt 6000K - CRI 80 1400Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - Linear W24 x L900 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	240	¥9,6	20	L108 x W19,5 x H13	0,03 m³	12	0,33 m³	¥2304
61	RA20766-C		E-Series - Rashed - Tube Light T5 Recessed 18watt 2700K - CRI 80 1800Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - Linear W24 x L1000 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	320	¥10,1	20	L105 x W20 x H16	0,03 m³	16	0,54 m³	¥3232
62	RA30492-C		E-Series - Rashed - Tube Light T5 Recessed 18watt 3000K - CRI 80 1800Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - Linear W24 x L1000 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	440	¥10,1	20	L105 x W20 x H16	0,03 m³	22	0,74 m³	¥4444
63	RA60505-C		E-Series - Rashed - Tube Light T5 Recessed 18watt 6000K - CRI 80 1800Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - Linear W24 x L1000 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	240	¥10,1	20	L105 x W20 x H16	0,03 m³	12	0,40 m³	¥2424

Seller Signature & Stamp

Buyer Signature & Stamp



47791859


8 of 13

Powered By LUMYTIC

#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
64	RA20767-C		E-Series - Rashed - Tube Light T5 Recessed 24watt 2700K - CRI 80 2400Lumen - Beam Angle 180° - 0.5PF 220 To 240V 50/60 Hz IP 20 - Linear W24 x L1200 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	320	¥12	20	L124,5 x W19,5 x H13	0,03 m ³	16	0,50 m ³	¥3840
65	RA30493-C		E-Series - Rashed - Tube Light T5 Recessed 24watt 3000K - CRI 80 2400Lumen - Beam Angle 180° - 0.5PF 220 To 240V 50/60 Hz IP 20 - Linear W24 x L1200 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	440	¥12	20	L124,5 x W19,5 x H13	0,03 m ³	22	0,69 m ³	¥5280
66	RA60507-C		E-Series - Rashed - Tube Light T5 Recessed 24watt 6000K - CRI 80 2400Lumen - Beam Angle 180° - 0.5PF 220 To 240V 50/60 Hz IP 20 - Linear W24 x L1200 x H39mm White / PC (Housing) - 2 Year Warranty Certified CB	240	¥12	20	L124,5 x W19,5 x H13	0,03 m ³	12	0,38 m ³	¥2880
67	DY30784-A		E-Series - Diya - Wall dot light wall mounted 2watt 3000K - CRI 80 130Lumen - Beam Angle 60° - 0.5PF 220 To 240V 50/60 Hz IP 65 - Rectangular W110 x L100 x H40mm Black / plastic (Housing) - 2 Year Warranty Certified CB	1,040	¥11,55	40	L55,5 x W40 x H15,5	0,03 m ³	26	0,89 m ³	¥12012
68	DY30787-A		E-Series - Diya - Wall dot light wall mounted 4watt 3000K - CRI 80 300Lumen - Beam Angle 60° - 0.5PF 220 To 240V 50/60 Hz IP 65 - Rectangular W110 x L100 x H40mm Black / plastic (Housing) - 2 Year Warranty Certified CB	1,040	¥13,3	40	L55,5 x W40 x H15,5	0,03 m ³	26	0,89 m ³	¥13832
69	DYF0557-A		E-Series - Diya - Wall dot light wall mounted 4watt RGB - 240Lumen - Beam Angle 60° - 0.5PF 220 To 240V 50/60 Hz IP 65 - Rectangular W160 x L100 x H40mm Black / plastic (Housing) - 2 Year Warranty Certified CB	240	¥22,05	40	L55,5 x W40 x H20,5	0,05 m ³	6	0,27 m ³	¥5292
70	DY30790-A		E-Series - Diya - Wall dot light wall mounted 6watt 3000K - CRI 80 400Lumen - Beam Angle 60° - 0.5PF 220 To 240V 50/60 Hz IP 65 - Rectangular W160 x L100 x H40mm Black / plastic (Housing) - 2 Year Warranty Certified CB	2,000	¥16,8	40	L55,5 x W40 x H20,5	0,05 m ³	50	2,28 m ³	¥33600
71	DY40791-A		E-Series - Diya - Wall dot light wall mounted 6watt 4000K - CRI 80 400Lumen - Beam Angle 60° - 0.5PF 220 To 240V 50/60 Hz IP 65 - Rectangular W160 x L100 x H40mm Black / plastic (Housing) - 2 Year Warranty Certified CB	1,040	¥16,8	40	L55,5 x W40 x H20,5	0,05 m ³	26	1,18 m ³	¥17472

Seller Signature & Stamp

Buyer Signature & Stamp



42791850

9 of 13


Powered By LUMYTIC



#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
72	DY30793-A		E-Series - Diya - Wall dot light wall mounted 8watt 3000K - CRI 80 600Lumen - Beam Angle 60° - 0,5PF 220 To 240V 50/60 Hz IP 65 - Rectangular W210 x L100 x H40mm Black / plastic (Housing) - 2 Year Warranty Certified CB	1,040	¥21	20	L55,5 x W40 x H20,5	0,05 m ³	52	2,37 m ³	¥21840
73	DY40794-A		E-Series - Diya - Wall dot light wall mounted 8watt 4000K - CRI 80 600Lumen - Beam Angle 60° - 0,5PF 220 To 240V 50/60 Hz IP 65 - Rectangular W210 x L100 x H40mm Black / plastic (Housing) - 2 Year Warranty Certified CB	640	¥21	20	L55,5 x W40 x H20,5	0,05 m ³	32	1,46 m ³	¥13440
74	NM30533-A		E-Series - Norma - Wall light wall mounted 15watt 3000K - CRI 80 600Lumen - Beam Angle 80° - 0,5PF 220 To 240V 50/60 Hz IP 65 - Round D170 x H121mm Black / plastic (Housing) - 2 Year Warranty Certified CB	600	¥21	10	L67,7 x W36,8 x H20	0,05 m ³	60	2,99 m ³	¥12600
75	NM30531-A		E-Series - Norma - Wall light wall mounted 15watt 3000K - CRI 80 1000Lumen - Beam Angle 100° - 0,5PF 220 To 240V 50/60 Hz IP 65 - Round D165 x H100mm Black / plastic (Housing) - 2 Year Warranty Certified CB	600	¥21	20	L58 x W37 x H38,8	0,08 m ³	30	2,50 m ³	¥12600
76	NM30534-A		E-Series - Norma - Wall light wall mounted 15watt 3000K - CRI 80 1000Lumen - Beam Angle 100° - 0,5PF 220 To 240V 50/60 Hz IP 65 - Square W160 x L160 x H100mm Black / plastic (Housing) - 2 Year Warranty Certified CB	600	¥21,7	10	L56,2 x W35 x H19,5	0,04 m ³	60	2,30 m ³	¥13020
77	NM30536-A		E-Series - Norma - Wall light wall mounted 15watt 3000K - CRI 80 600Lumen - Beam Angle 100° - 0,5PF 220 To 240V 50/60 Hz IP 65 - Square W161 x L161 x H111mm Black / plastic (Housing) - 2 Year Warranty Certified CB	400	¥21,7	10	L62,7 x W35,8 x H20	0,04 m ³	40	1,80 m ³	¥8680
78	NM60539-A		E-Series - Norma - Wall light wall mounted 15watt 6500K - CRI 80 600Lumen - Beam Angle 80° - 0,5PF 220 To 240V 50/60 Hz IP 65 - Round D170 x H121mm Black / plastic (Housing) - 2 Year Warranty Certified CB	200	¥21	10	L67,7 x W36,8 x H20	0,05 m ³	20	1,00 m ³	¥4200
79	NM60537-A		E-Series - Norma - Wall light wall mounted 15watt 6500K - CRI 80 1000Lumen - Beam Angle 100° - 0,5PF 220 To 240V 50/60 Hz IP 65 - Round D165 x H100mm Black / plastic (Housing) - 2 Year Warranty Certified CB	200	¥21	20	L58 x W37 x H38,8	0,08 m ³	10	0,83 m ³	¥4200
80	NM60542-A		E-Series - Norma - Wall light wall mounted 15watt 6500K - CRI 80 600Lumen - Beam Angle 100° - 0,5PF 220 To 240V 50/60 Hz IP 65 - Square W161 x L161 x H111mm Black / plastic (Housing) - 2 Year Warranty Certified CB	200	¥21,7	10	L62,7 x W35,8 x H20	0,04 m ³	20	0,90 m ³	¥4340

Seller Signature & Stamp

Buyer Signature & Stamp



437991860


10 of 13

Powered By LUMYTIC

#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
81	NM60540-A		E-Series - Norma - Wall light wall mounted 15watt 6500K - CRI 80 1000Lumen - Beam Angle 100° - 0,5PF 220 To 240V 50/60 Hz IP 65 - Square W160 x L160 x H100mm Black / plastic (Housing) - 2 Year Warranty Certified CB	200	¥21,7	10	L56,2 x W35 x H19,5	0,04 m³	20	0,77 m³	¥4340
82	NM30543-A		E-Series - Norma - Wall light wall mounted 30watt 3000K - CRI 80 2700Lumen - Beam Angle 100° - 0,9PF 220 To 240V 50/60 Hz IP 65 - Rectangular W262 x L130 x H128mm Black / plastic (Housing) - 2 Year Warranty Certified CB	1,300	¥23,8	10	L71 x W29,5 x H30	0,06 m³	130	8,17 m³	¥30940
83	NM40774-A		E-Series - Norma - Wall light wall mounted 30watt 4000K - CRI 80 2700Lumen - Beam Angle 100° - 0,9PF 220 To 240V 50/60 Hz IP 65 - Rectangular W262 x L130 x H128mm Black / plastic (Housing) - 2 Year Warranty Certified CB	1,200	¥23,8	10	L71 x W29,5 x H30	0,06 m³	120	7,54 m³	¥28560
84	GA30808-A		E-Series - Glare - back Wall Light Surface 15watt 3000K - CRI 80 1500Lumen - Beam Angle 120° - 0,5PF 220 To 240V 50/60 Hz IP 65 - Round D220 x H47mm Black / plastic (Housing) - 2 Year Warranty Certified CB	400	¥21	20	L48 x W30 x H49	0,07 m³	20	1,41 m³	¥8400
85	GA40810-A		E-Series - Glare - back Wall Light Surface 15watt 4000K - CRI 80 1500Lumen - Beam Angle 120° - 0,5PF 220 To 240V 50/60 Hz IP 65 - Round D220 x H47mm Black / plastic (Housing) - 2 Year Warranty Certified CB	200	¥21	20	L48 x W30 x H49	0,07 m³	10	0,71 m³	¥4200
86	GA60812-A		E-Series - Glare - back Wall Light Surface 15watt 6000K - CRI 80 1500Lumen - Beam Angle 120° - 0,5PF 220 To 240V 50/60 Hz IP 65 - Round D220 x H47mm Black / plastic (Housing) - 2 Year Warranty Certified CB	200	¥21	20	L48 x W30 x H49	0,07 m³	10	0,71 m³	¥4200
87	GA30814-A		E-Series - Glare - back Wall Light Surface 18watt 3000K - CRI 80 1800Lumen - Beam Angle 120° - 0,5PF 220 To 240V 50/60 Hz IP 65 - Round D250 x H47mm Black / plastic (Housing) - 2 Year Warranty Certified CB	400	¥23,8	10	L53 x W30 x H29	0,05 m³	40	1,84 m³	¥9520
88	GA40816-A		E-Series - Glare - back Wall Light Surface 18watt 4000K - CRI 80 1800Lumen - Beam Angle 120° - 0,5PF 220 To 240V 50/60 Hz IP 65 - Round D250 x H47mm Black / plastic (Housing) - 2 Year Warranty Certified CB	200	¥23,8	10	L53 x W30 x H29	0,05 m³	20	0,92 m³	¥4760

Seller Signature & Stamp

Buyer Signature & Stamp



42791650

11 of 13

Powered By LUMYTIC

#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
89	GA60818-A		E-Series - Glare - back Wall Light Surface 18watt 6000K - CRI 80 1800Lumen - Beam Angle 120° - 0.5PF 220 To 240V 50/60 Hz IP 65 - Round D250 x H47mm Black / plastic (Housing) - 2 Year Warranty Certified CB	200	¥23.8	10	L53 x W30 x H29	0.05 m³	20	0.92 m³	¥4760
90	EQ0874		CCT Switchable Bulb - Pc - Base: E27 - 9w -Initial Lumen : 800lm Voltage 220-240v - 2700/3000/4000/5000/6500k - Dim:117mm - d:60mm - CRI:>80 - PF: >0.5 - Warranty: 2years Certified CB	2,000	¥8.82	50	L33.5 x W33.5 x H28	0.03 m³	40	1.26 m³	¥17640
				98,666					5,488	336 m³	
Total				Only One Million Seven Hundred Sixty Three Thousand Four Hundred Fifty Six Point Twenty Four CNY							¥1,763,456.24

Terms and Conditions

General

1. Transfer and confidentiality: The Seller has no right to transfer this contract, The Seller and The Buyer both sides must abide by the contract, shall not be foreign to expose the contract content, such as has occurred, a responsibility shall be investigated for the other party.
2. The goods of this contract products is The Seller produce according to the The Buyer's brand, The Seller shall not be entitled to the finished product sales to a third party without authorization.
3. All the finished products in this contract should produce in The Seller's factory, if produce in third parties, The Buyer can cancel the order and The Seller must return all the amount which paid by The Buyer. The Buyer will make inspection during production or after production.

Logistic


1. FOB Xiamen, If load in Xiamen, Seller will bear all the local cost, if load in other city, seller will bear the local cost base on XIAMEN port, other extra cost will bear by buyer

Technical

1. Stable power and light efficiency both should less than 10% tolerance.
2. Color Temperature Consistency: The difference in color temperature between batches must not exceed 200K when compared to the last batch or within the same production batch; Difference of color temperature for Each batch can not be recognize by eyes.
3. Frequency 50/60 Hz,
4. Input voltage 220-240V.
5. Working temperature -20C° to 40C°
6. Lifespan 25000 hours.

Seller Signature & Stamp

Buyer Signature & Stamp



42791660
12 of 13

Powered By LUMYTIC

7. LED chip by Sanan, LED package factory: HONGLI
8. IP 65 for all items, except spot light and panel light and plastic linear and T5 tube and bulb IP 20.
9. CRI > 80 for all products.
10. Working Temperature -20 to +40° C for T5 tube, -10 to +55° C for Plastic Linear Light.
11. Working input voltage is 200 To 240V for Plastic Linear Light, 165 To 240V for T5 tube.
12. Capacitor brand: 艾华AISHI, IC: T bulb JW 杰华特, bulkhead and tri-proof JW 杰华特, Spike light (RGB) 杰力科创 DLT8P65. Wall dot light KP 必易微, wall light JW 杰华特.
13. Body Material: PC/ABS/PA/PP
14. PCB Thickness: 1/1.2mm
15. Beam angle 180° for T5 and linear light (plastic).
16. White / PC (Housing) for T5 and Linear light.
17. 60x60 panel lights 40W and 60W are with UGR, without black terminal box.

Delivery & Payment

1. Delivery date .30-35 days.
2. Seller produce the order when confirm the contract, buyer should pay 20% before delivery, 80% balance against BL 90 days within 300000 USD.

Production & Packaging

1. The Seller should make a sample base on product requirement from the contract for The Buyer's confirmation before production.
2. For repeat order, The Seller can not change any material without The Buyer's confirmation. If change, The Seller needs to negotiate with the Buyer and get the Buyer's approval, otherwise, the Buyer will not pick up the goods and The Seller must return the full amount which paid by the Buyer.
3. All items should pass CB and IECEE, if can not pass CB and IECEE, Seller should take all the responsibility which cause by this. And Seller will responsible for all the cost which should pay in China for make CB and IECEE, Buyer will responsible for all the cost which should pay in Saudi Arabia for make CB and IECEE.
4. Customize Package requirement pls check from another file. Product can not have any supplier information or inspect mark or Chinese. Package and all part of product need keep clean, if not must rework.
5. The Seller must make sure the goods matched with The Buyer's standard, the quality will base on contract and sealed sample.

Warranty & Inspection

1. Product inspection: when The Buyer inspect the goods by count/weight/try to assemble/visual appearance/Test by machine and so on. If find any part not meet the contract requirement or have quality problem, The Seller have to return full amount which the Buyer paid.
2. 2 Years warranty.

--- The End ---

Seller Signature & Stamp

Buyer Signature & Stamp



13 of 13

Powered By LUMYTIC

