

Supply Contract

Number: SC-100102250261

Date: 18/06/2025

This contract executed and entered into this 18th day of June ,2025 **Between:**

Seller

SEE® LIGHTING

XIAMEN STAR ELECTRICAL EQUIPMENT CO.,LTD 厦门星际
电器有限公司
Reference Name: SEE
Address: BUILDING NO.1-3,NO.295,XIANGTIAN
ROAD,TORCH HIGH-TECH ZONE(XIANG'AN
DISTRICT),XIAMEN CITY. 厦门市翔安区翔天路295号
Legal Person: Li Guanghui 李光辉
Website: www.seelighting.cn
Contact Person: Jasmine Chen
Email: cmj@seelighting.cn
Tel: 0086015959271106

Buyer



ATC MIDDLE EAST FZCO
Reference Name: ATC
Address: JAFZA One, 11th Floor, Jebel Ali Free Zone , Dubai, UAE
Contact Person: Echo Chan
Email: echo.c@atclighting.co
Tel: 008615018796671

Bank Account

The following is our account :
Beneficiary: Xiamen Star Electrical Equipment co,LTD.
Bank Name: CHINA CONSTRUCTION BANK XIAMEN
BRANCH
Bank Address: NO.388 INTERNATIONAL TRADE
BLDG.,HUBIN SOUTH RD.,XIAMEN,CHINA
Account Number: 3511 4551 0002 2922 1837 (USD)
Swift Code: PCBCCNBJSMX

Supply Contract Summary

Total Amount
Total Volume

¥ 1,762,372.24
340.44 m³



65124938

Seller Signature & Stamp



Buyer Signature & Stamp





#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
1	AN30015-H		E-Series - Anar - Bulb A55 E27 Socket 7watt 3000K - CRI 80 700Lumen - Beam Angle 200° 0,5PF 180 To 264V 50/60 Hz IP 20 - BULB D55 x H104mm White / plastic (Housing) - 3 Year Warranty Non CB	2,500	¥2,05	50	L30,5 x W30,5 x H25	0,02m³	50	1,16m³	¥5125
2	AN60016-H		E-Series - Anar - Bulb A55 E27 Socket 7watt 6500K - CRI 80 700Lumen - Beam Angle 200° 0,5PF 180 To 264V 50/60 Hz IP 20 - BULB D55 x H104mm White / plastic (Housing) - 3 Year Warranty Non CB	2,500	¥2,05	50	L30,5 x W30,5 x H25	0,02m³	50	1,16m³	¥5125
3	AN60026-E (RFE-0309A)		E-Series - Ayham - Bulb T100 E27 Socket 30watt 6000K - CRI 80 3000Lumen - Beam Angle 220° 0,9PF 220 To 240V 50/60 Hz IP 20 - BULB W100 x H163mm White / plastic (Housing) Certified CB	4,080	¥8,4	20	L54 x W43,5 x H20	0,05m³	204	9,58m³	¥34272
4	AY60030-E (RFE-0276A)		E-Series - Ayham - Bulb T138 E27 Socket 50watt 6000K - CRI 80 5000Lumen - Beam Angle 220° 0,9PF 220 To 240V 50/60 Hz IP 20 - BULB W138 x H217mm White / plastic (Housing) - Silver / Aluminum (inside) Certified CB	5,000	¥16,48	10	L74 x W30,5 x H26	0,06m³	500	29,34m³	¥82400
5	MT40196		E-Series - Matar - Bulkhead Surface 30watt 4000K - CRI 80 2400Lumen - Beam Angle 120° 0,9PF 220 To 240V 50/60 Hz IP 65 - Rectangular W146 x L271 x H76mm White / PC (Housing) Certified CB	2,000	¥18,85	10	L43,5 x W32,5 x H31	0,04m³	200	8,77m³	¥37700
6	MT60180		E-Series - Matar - Bulkhead Surface 30watt 6500K - CRI 80 2400Lumen - Beam Angle 120° 0,9PF 220 To 240V 50/60 Hz IP 65 - Rectangular W146 x L271 x H76mm White / PC (Housing) Certified CB	4,000	¥18,85	10	L43,5 x W32,5 x H31	0,04m³	400	17,53m³	¥75400
7	DE40749-A		E-Series - Deem - Panel Light Recessed 40watt 4000K - CRI 80 4000Lumen - Beam Angle 100° 0,9PF 220 To 240V 50/60 Hz IP 20 - Square W595 x L595 x H30mm White / Iron (Housing) - 2 Year Warranty Certified CB	1,000	¥42,7	5	L65 x W24,2 x H63,5	0,10m³	200	19,98m³	¥42700
8	DE60750-A		E-Series - Deem - Panel Light Recessed 40watt 6000K - CRI 80 4000Lumen - Beam Angle 100° 0,9PF 220 To 240V 50/60 Hz IP 20 - Square W595 x L595 x H30mm White / Iron (Housing) - 2 Year Warranty Certified CB	500	¥42,7	5	L65 x W24,2 x H63,5	0,10m³	100	9,99m³	¥21350

Seller Signature & Stamp

Buyer Signature & Stamp



05/12/2023

2 of 13

Powered By LUMYTIC

#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
9	DE40752-A		E-Series - Deem - Panel Light Recessed 60watt 4000K - CRI 80 6000Lumen - Beam Angle 100° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W595 x L595 x H30mm White / Iron (Housing) - 2 Year Warranty Certified CB	1,000	Y48,3	5	L65 x W24.2 x H63.5	0.10m³	200	19.98m³	Y48300
10	DE60753-A		E-Series - Deem - Panel Light Recessed 60watt 6000K - CRI 80 6000Lumen - Beam Angle 100° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W595 x L595 x H30mm White / Iron (Housing) - 2 Year Warranty Certified CB	1,000	Y48,3	5	L65 x W24.2 x H63.5	0.10m³	200	19.98m³	Y48300
11	AP30709-C		E-Series - Alpha - Plastic Linear Light Surface 36watt 3000K - CRI 80 3600Lumen - Beam Angle 180° 0.9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L600 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	1,000	Y17,7	20	L65 x W26 x H25	0,04m³	50	2,11m³	Y17700
12	AP40711-C		E-Series - Alpha - Plastic Linear Light Surface 36watt 4000K - CRI 80 3600Lumen - Beam Angle 180° 0.9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L600 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	2,000	Y17,7	20	L65 x W26 x H25	0,04m³	100	4,23m³	Y35400
13	AP60713-C		E-Series - Alpha - Plastic Linear Light Surface 36watt 6000K - CRI 80 3600Lumen - Beam Angle 180° 0.9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L600 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	2,000	Y17,7	20	L65 x W26 x H25	0,04m³	100	4,23m³	Y35400
14	AP30715-C		E-Series - Alpha - Plastic Linear Light Surface 54watt 3000K - CRI 80 5400Lumen - Beam Angle 180° 0.9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L900 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	1,000	Y23,6	20	L96 x W26 x H52	0,13m³	50	6,49m³	Y23600
15	AP40716-C		E-Series - Alpha - Plastic Linear Light Surface 54watt 4000K - CRI 80 5400Lumen - Beam Angle 180° 0.9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L900 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	2,000	Y23,6	20	L96 x W26 x H52	0,13m³	100	12,98m³	Y47200
16	AP60717-C		E-Series - Alpha - Plastic Linear Light Surface 54watt 6000K - CRI 80 5400Lumen - Beam Angle 180° 0.9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L900 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	2,000	Y23,6	20	L96 x W26 x H52	0,13m³	100	12,98m³	Y47200

Seller Signature & Stamp

Buyer Signature & Stamp



0511280228

3 of 13

Powered By LUMYTIC



#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
17	AP30718-C		E-Series - Alpha - Plastic Linear Light Surface 72watt 3000K - CRI 80 7200Lumen - Beam Angle 180° 0,9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1200 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	1,024	¥31.24	16	L122,5 x W23,5 x H22,5	0,06m³	64	4,15m³	¥31989,76
18	AP40720-C		E-Series - Alpha - Plastic Linear Light Surface 72watt 4000K - CRI 80 7200Lumen - Beam Angle 180° 0,9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1200 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	2,016	¥31.24	16	L122,5 x W23,5 x H22,5	0,06m³	126	8,16m³	¥62979,84
19	AP60723-C		E-Series - Alpha - Plastic Linear Light Surface 72watt 6000K - CRI 80 7200Lumen - Beam Angle 180° 0,9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1200 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	2,016	¥31.24	16	L122,5 x W23,5 x H22,5	0,06m³	126	8,16m³	¥62979,84
20	ESAPS0924-B		E-Series - Alpha - Plastic Linear Light Surface 72watt Switchable (3000, 4000, 6500) - 7200Lumen - Beam Angle 180° 0,5PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1200 x H50mm Black / PC (Housing) - 2 Year Warranty Non CB	3,504	¥33	16	L122,5 x W23,5 x H22,5	0,06m³	219	14,19m³	¥115632
21	ESAPS0923-B		E-Series - Alpha - Plastic Linear Light Surface 72watt Switchable (3000, 4000, 6500) - 7200Lumen - Beam Angle 180° 0,5PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1200 x H50mm White / PC (Housing) - 2 Year Warranty Non CB	2,000	¥33	16	L122,5 x W23,5 x H22,5	0,06m³	125	8,10m³	¥66000
22	AP30724-C		E-Series - Alpha - Plastic Linear Light Surface 90watt 3000K - CRI 80 9000Lumen - Beam Angle 180° 0,9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1500 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	1,024	¥38	16	L152,5 x W23,5 x H22,5	0,08m³	64	5,16m³	¥38912
23	AP40725-C		E-Series - Alpha - Plastic Linear Light Surface 90watt 4000K - CRI 80 9000Lumen - Beam Angle 180° 0,9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1500 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	2,016	¥38	16	L152,5 x W23,5 x H22,5	0,08m³	126	10,16m³	¥76608
24	AP60726-C		E-Series - Alpha - Plastic Linear Light Surface 90watt 6000K - CRI 80 9000Lumen - Beam Angle 180° 0,9PF 200 To 240V 50/60 Hz IP 20 - Linear W53 x L1500 x H50mm White / PC (Housing) - 2 Year Warranty Certified CB	2,016	¥38	16	L152,5 x W23,5 x H22,5	0,08m³	126	10,16m³	¥76608

Seller Signature & Stamp

Buyer Signature & Stamp



031240035

4 of 13

Powered By LUMYTIC

#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
25	NV60222		E-Series - Nova - Recessed Panel Downlight Recessed 20watt 6000K - CRI 80 1550Lumen - Beam Angle 120° 0,9PF 220 To 240V 50/60 Hz IP 44-20 - Round D224 x H34mm Cut Out 200mm White / plastic (Housing) - Certified CB	5,000	¥11,44	20	L47,5 x W43,5 x H26	0,05m³	250	13,43m³	¥57200
26	DSF0768-A		E-Series - Dusk - Spike Light Planted in soil 4watt RGB - 400Lumen - Beam Angle 60° 0,5PF 220 To 240V 50/60 Hz IP 65 - T Shape W65 x L53 x H195mm Black / plastic (Housing) - 2 Year Warranty Certified CB	2,000	¥8,64	50	L56,5 x W32,5 x H21	0,04m³	40	1,54m³	¥17280
27	DS20769-A		E-Series - Dusk - Spike Light Planted in soil 9watt 2700K - CRI 80 810Lumen - Beam Angle 60° 0,5PF 220 To 240V 50/60 Hz IP 65 - T Shape W65 x L53 x H195mm Black / plastic (Housing) - 2 Year Warranty Certified CB	3,000	¥7	50	L56,5 x W32,5 x H21	0,04m³	60	2,31m³	¥21000
28	DS30527-B		E-Series - Dusk - Spike Light Planted in soil 9watt 3000K - CRI 80 810Lumen - Beam Angle 60° 0,5PF 220 To 240V 50/60 Hz IP 65 - T Shape W65 x L53 x H195mm Black / plastic (Housing) - 2 Year Warranty Certified CB	6,500	¥7	50	L56,5 x W32,5 x H21	0,04m³	130	5,01m³	¥45500
29	DS40528-B		E-Series - Dusk - Spike Light Planted in soil 9watt 4000K - CRI 80 810Lumen - Beam Angle 60° 0,5PF 220 To 240V 50/60 Hz IP 65 - T Shape W65 x L53 x H195mm Black / plastic (Housing) - 2 Year Warranty Certified CB	2,500	¥7	50	L56,5 x W32,5 x H21	0,04m³	50	1,93m³	¥17500
30	MH30258-A		E-Series - Mahi - Spotlight Recessed 3watt 3000K - CRI 80 240Lumen - Beam Angle 38° 0,45PF 180 To 240V 50/60 Hz IP 20 - Round D44 x H28mm Cut Out 35mm White / plastic (Housing) - Silver / Aluminum (Inside) - 2 Year Warranty Certified CB	2,000	¥3,85	100	L56,5 x W27,5 x H14	0,02m³	20	0,44m³	¥7700
31	MH40259-A		E-Series - Mahi - Spotlight Recessed 3watt 4000K - CRI 80 240Lumen - Beam Angle 38° 0,45PF 180 To 240V 50/60 Hz IP 20 - Round D44 x H28mm Cut Out 35mm White / plastic (Housing) - Silver / Aluminum (Inside) - 2 Year Warranty Certified CB	2,000	¥3,85	100	L56,5 x W27,5 x H14	0,02m³	20	0,44m³	¥7700
32	NV30224		E-Series - Nova - Surface Panel Downlight Surface 24watt 3000K - CRI 80 1850Lumen - Beam Angle 120° 0,9PF 220 To 240V 50/60 Hz IP 44-20 - Round D226 x H36mm White / plastic (Housing) - 2 Year Warranty Certified CB	2,000	¥14,68	20	L47,5 x W43,5 x H26	0,05m³	100	5,37m³	¥29360

Seller Signature & Stamp

Buyer Signature & Stamp



651241538

5 of 13

Powered By LUMYTIC

#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
33	BH40234		E-Series - Bahr - Tri-Proof Surface 50watt 4000K - CRI 80 5000Lumen - Beam Angle 120° 0,9PF 220 To 240V 50/60 Hz IP 65 - Linear W60 x L1198 x H51mm White / PC (Housing) - Certified CB	2,010	¥34.28	15	L122,5 x W35 x H20	0.09m³	134	11.49m³	¥68902.8
34	RA20761-C		E-Series - Rashed - Tube Light T5 Recessed 6watt 2700K - CRI 80 600Lumen - Beam Angle 180° 0,5PF 220 To 240V 50/60 Hz IP 20 - Linear W22 x L300 x H34mm White / PC (Housing) - 2 Year Warranty Certified CB	240	¥6.5	30	L37 x W20 x H16	0.01m³	8	0.09m³	¥1560
35	RA30487-C		E-Series - Rashed - Tube Light T5 Recessed 6watt 3000K - CRI 80 600Lumen - Beam Angle 180° 0,5PF 220 To 240V 50/60 Hz IP 20 - Linear W22 x L300 x H34mm White / PC (Housing) - 2 Year Warranty Certified CB	240	¥6.5	30	L37 x W20 x H16	0,01m³	8	0,09m³	¥1560
36	RA60495-C		E-Series - Rashed - Tube Light T5 Recessed 6watt 6000K - CRI 80 600Lumen - Beam Angle 180° 0,5PF 220 To 240V 50/60 Hz IP 20 - Linear W22 x L300 x H34mm White / PC (Housing) - 2 Year Warranty Certified CB	120	¥6.5	30	L37 x W20 x H16	0,01m³	4	0,05m³	¥780
37	RA20762-C		E-Series - Rashed - Tube Light T5 Recessed 8watt 2700K - CRI 80 800Lumen - Beam Angle 180° 0,5PF 220 To 240V 50/60 Hz IP 20 - Linear W22 x L450 x H34mm White / PC (Housing) - 2 Year Warranty Certified CB	240	¥7.2	30	L50 x W20 x H16	0.02m³	8	0.13m³	¥1728
38	RA30488-C		E-Series - Rashed - Tube Light T5 Recessed 8watt 3000K - CRI 80 800Lumen - Beam Angle 180° 0,5PF 220 To 240V 50/60 Hz IP 20 - Linear W22 x L450 x H34mm White / PC (Housing) - 2 Year Warranty Certified CB	240	¥7.2	30	L50 x W20 x H16	0.02m³	8	0.13m³	¥1728
39	RA60497-C		E-Series - Rashed - Tube Light T5 Recessed 8watt 6000K - CRI 80 800Lumen - Beam Angle 180° 0,5PF 220 To 240V 50/60 Hz IP 20 - Linear W22 x L450 x H34mm White / PC (Housing) - 2 Year Warranty Certified CB	120	¥7.2	30	L50 x W20 x H16	0,02m³	4	0,06m³	¥864
40	RA20763-C		E-Series - Rashed - Tube Light T5 Recessed 12watt 2700K - CRI 80 1200Lumen - Beam Angle 180° 0,5PF 220 To 240V 50/60 Hz IP 20 - Linear W22 x L600 x H34mm White / PC (Housing) - 2 Year Warranty Certified CB	300	¥8	25	L81 x W19,5 x H13	0.02m³	12	0.25m³	¥2400
41	RA30489-C		E-Series - Rashed - Tube Light T5 Recessed 12watt 3000K - CRI 80 1200Lumen - Beam Angle 180° 0,5PF 220 To 240V 50/60 Hz IP 20 - Linear W22 x L600 x H34mm White / PC (Housing) - 2 Year Warranty Certified CB	300	¥8	25	L81 x W19,5 x H13	0,02m³	12	0,25m³	¥2400

Seller Signature & Stamp

Buyer Signature & Stamp



051224030

6 of 13

Powered By LUMYTIC

#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
42	RA60499-C		E-Series - Rashed - Tube Light T5 Recessed 12watt 6000K - CRI 80 1200Lumen - Beam Angle 180° 0,5PF 220 To 240V 50/60 Hz IP 20 - Linear W22 x L600 x H34mm White / PC (Housing) - 2 Year Warranty Certified CB	250	¥8	25	L81 x W19,5 x H13	0,02m³	10	0,21m³	¥2000
43	RA20764-C		E-Series - Rashed - Tube Light T5 Recessed 13watt 2700K - CRI 80 1300Lumen - Beam Angle 180° 0,5PF 220 To 240V 50/60 Hz IP 20 - Linear W22 x L750 x H34mm White / PC (Housing) - 2 Year Warranty Certified CB	300	¥8,6	30	L80 x W20 x H16	0,03m³	10	0,26m³	¥2580
44	RA30490-C		E-Series - Rashed - Tube Light T5 Recessed 13watt 3000K - CRI 80 1300Lumen - Beam Angle 180° 0,5PF 220 To 240V 50/60 Hz IP 20 - Linear W22 x L750 x H34mm White / PC (Housing) - 2 Year Warranty Certified CB	300	¥8,6	30	L80 x W20 x H16	0,03m³	10	0,26m³	¥2580
45	RA60501-C		E-Series - Rashed - Tube Light T5 Recessed 13watt 6000K - CRI 80 1300Lumen - Beam Angle 180° 0,5PF 220 To 240V 50/60 Hz IP 20 - Linear W22 x L750 x H34mm White / PC (Housing) - 2 Year Warranty Certified CB	240	¥8,6	30	L80 x W20 x H16	0,03m³	8	0,20m³	¥2064
46	RA20765-C		E-Series - Rashed - Tube Light T5 Recessed 14watt 2700K - CRI 80 1400Lumen - Beam Angle 180° 0,5PF 220 To 240V 50/60 Hz IP 20 - Linear W22 x L900 x H34mm White / PC (Housing) - 2 Year Warranty Certified CB	550	¥9,6	25	L108 x W19,5 x H13	0,03m³	22	0,60m³	¥5280
47	RA30491-C		E-Series - Rashed - Tube Light T5 Recessed 14watt 3000K - CRI 80 1400Lumen - Beam Angle 180° 0,5PF 220 To 240V 50/60 Hz IP 20 - Linear W22 x L900 x H34mm White / PC (Housing) - 2 Year Warranty Certified CB	550	¥9,6	25	L108 x W19,5 x H13	0,03m³	22	0,60m³	¥5280
48	RA60503-C		E-Series - Rashed - Tube Light T5 Recessed 14watt 6000K - CRI 80 1400Lumen - Beam Angle 180° 0,5PF 220 To 240V 50/60 Hz IP 20 - Linear W22 x L900 x H34mm White / PC (Housing) - 2 Year Warranty Certified CB	250	¥9,6	25	L108 x W19,5 x H13	0,03m³	10	0,27m³	¥2400
49	RA20766-C		E-Series - Rashed - Tube Light T5 Recessed 18watt 2700K - CRI 80 1800Lumen - Beam Angle 180° 0,5PF 220 To 240V 50/60 Hz IP 20 - Linear W22 x L1000 x H34mm White / PC (Housing) - 2 Year Warranty Certified CB	300	¥10,1	30	L105 x W20 x H16	0,03m³	10	0,34m³	¥3030
50	RA30492-C		E-Series - Rashed - Tube Light T5 Recessed 18watt 3000K - CRI 80 1800Lumen - Beam Angle 180° 0,5PF 220 To 240V 50/60 Hz IP 20 - Linear W22 x L1000 x H34mm White / PC (Housing) - 2 Year Warranty Certified CB	420	¥10,1	30	L105 x W20 x H16	0,03m³	14	0,47m³	¥4242

Seller Signature & Stamp

Buyer Signature & Stamp



06124653

7 of 13

Powered By LUMYTIC



#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
51	RA60505-C		E-Series - Rashed - Tube Light T5 Recessed 18watt 6000K - CRI 80 - 1800Lumen - Beam Angle 180° - 0,5PF 220 To 240V 50/60 Hz IP 20 - Linear W22 x L1000 x H34mm White / PC (Housing) - 2 Year Warranty Certified CB	240	¥10.1	30	L105 x W20 x H16	0.03m³	8	0.27m³	¥2424
52	RA20767-C		E-Series - Rashed - Tube Light T5 Recessed 24watt 2700K - CRI 80 - 2400Lumen - Beam Angle 180° - 0,5PF 220 To 240V 50/60 Hz IP 20 - Linear W22 x L1200 x H34mm White / PC (Housing) - 2 Year Warranty Certified CB	300	¥12	25	L124,5 x W19,5 x H13	0.03m³	12	0.38m³	¥3600
53	RA30493-C		E-Series - Rashed - Tube Light T5 Recessed 24watt 3000K - CRI 80 - 2400Lumen - Beam Angle 180° - 0,5PF 220 To 240V 50/60 Hz IP 20 - Linear W22 x L1200 x H34mm White / PC (Housing) - 2 Year Warranty Certified CB	450	¥12	25	L124,5 x W19,5 x H13	0.03m³	18	0.57m³	¥5400
54	RA60507-C		E-Series - Rashed - Tube Light T5 Recessed 24watt 6000K - CRI 80 - 2400Lumen - Beam Angle 180° - 0,5PF 220 To 240V 50/60 Hz IP 20 - Linear W22 x L1200 x H34mm White / PC (Housing) - 2 Year Warranty Certified CB	250	¥12	25	L124,5 x W19,5 x H13	0.03m³	10	0.32m³	¥3000
55	DY30784-A		E-Series - Diya - Wall dot light wall mounted 2watt 3000K - CRI 80 - 130Lumen - Beam Angle 60° 0,5PF 220 To 240V 50/60 Hz IP 65 - Rectangular W110 x L100 x H40mm Black / plastic (Housing) - 2 Year Warranty Certified CB	1,040	¥11.55	40	L55,5 x W40 x H15,5	0.03m³	26	0.89m³	¥12012
56	DY30787-A		E-Series - Diya - Wall dot light wall mounted 4watt 3000K - CRI 80 - 300Lumen - Beam Angle 60° 0,5PF 220 To 240V 50/60 Hz IP 65 - Rectangular W110 x L100 x H40mm Black / plastic (Housing) - 2 Year Warranty Certified CB	1,040	¥13.3	40	L55,5 x W40 x H15,5	0.03m³	26	0.89m³	¥13832
57	DYF0557-A		E-Series - Diya - Wall dot light wall mounted 4watt RGB - 240Lumen - Beam Angle 60° 0,5PF 220 To 240V 50/60 Hz IP 65 - Rectangular W160 x L100 x H40mm Black / plastic (Housing) - 2 Year Warranty Certified CB	240	¥22.05	40	L55,5 x W40 x H20,5	0.05m³	6	0.27m³	¥5292
58	DY30790-A		E-Series - Diya - Wall dot light wall mounted 6watt 3000K - CRI 80 - 400Lumen - Beam Angle 60° 0,5PF 220 To 240V 50/60 Hz IP 65 - Rectangular W160 x L100 x H40mm Black / plastic (Housing) - 2 Year Warranty Certified CB	2,000	¥16.8	40	L55,5 x W40 x H20,5	0.05m³	50	2.28m³	¥33600

Seller Signature & Stamp
Buyer Signature & Stamp


05124923

8 of 13

Powered By LUMYTIC



#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
59	DY40791-A		E-Series - Diya - Wall dot light wall mounted 6watt 4000K - CRI 80 400Lumen - Beam Angle 60° 0,5PF 220 To 240V 50/60 Hz IP 65 - Rectangular W160 x L100 x H40mm Black / plastic (Housing) - 2 Year Warranty Certified CB	1,040	¥16.8	40	L55.5 x W40 x H20.5	0.05m³	26	1.18m³	¥17472
60	DY30793-A		E-Series - Diya - Wall dot light wall mounted 8watt 3000K - CRI 80 600Lumen - Beam Angle 60° 0,5PF 220 To 240V 50/60 Hz IP 65 - Rectangular W210 x L100 x H40mm Black / plastic (Housing) - 2 Year Warranty Certified CB	1,040	¥21	40	L55.5 x W40 x H20.5	0.05m³	26	1.18m³	¥21840
61	DY40794-A		E-Series - Diya - Wall dot light wall mounted 8watt 4000K - CRI 80 600Lumen - Beam Angle 60° 0,5PF 220 To 240V 50/60 Hz IP 65 - Rectangular W210 x L100 x H40mm Black / plastic (Housing) - 2 Year Warranty Certified CB	640	¥21	40	L55.5 x W40 x H20.5	0.05m³	16	0.73m³	¥13440
62	NM30533-A		E-Series - Norma - Wall light wall mounted 15watt 3000K - CRI 80 600Lumen - Beam Angle 80° 0,5PF 220 To 240V 50/60 Hz IP 65 - Round D170 x H121mm Black / plastic (Housing) - 2 Year Warranty Certified CB	600	¥21	10	L67.7 x W36.8 x H20	0.05m³	60	2.99m³	¥12600
63	NM30531-A		E-Series - Norma - Wall light wall mounted 15watt 3000K - CRI 80 1000Lumen - Beam Angle 100° 0,5PF 220 To 240V 50/60 Hz IP 65 - Round D165 x H100mm Black / plastic (Housing) - 2 Year Warranty Certified CB	600	¥21	20	L58 x W37 x H38.8	0.03m³	30	2.50m³	¥12600
64	NM30534-A		E-Series - Norma - Wall light wall mounted 15watt 3000K - CRI 80 1000Lumen - Beam Angle 100° 0,5PF 220 To 240V 50/60 Hz IP 65 - Square W160 x L160 x H100mm Black / plastic (Housing) - 2 Year Warranty Certified CB	600	¥21.7	10	L56.2 x W35 x H19.5	0.04m³	60	2.30m³	¥13020
65	NM30536-A		E-Series - Norma - Wall light wall mounted 15watt 3000K - CRI 80 600Lumen - Beam Angle 100° 0,5PF 220 To 240V 50/60 Hz IP 65 - Square W161 x L161 x H111mm Black / plastic (Housing) - 2 Year Warranty Certified CB	400	¥21.7	10	L62.7 x W35.8 x H20	0.04m³	40	1.80m³	¥8680
66	NM60537-A		E-Series - Norma - Wall light wall mounted 15watt 6500K - CRI 80 1000Lumen - Beam Angle 100° 0,5PF 220 To 240V 50/60 Hz IP 65 - Round D165 x H100mm Black / plastic (Housing) - 2 Year Warranty Certified CB	200	¥21	20	L58 x W37 x H38.8	0.03m³	10	0.83m³	¥4200

Seller Signature & Stamp

Buyer Signature & Stamp



6512/2025

9 of 13

Powered By LUMYTIC



#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
67	NM60539-A		E-Series - Norma - Wall light wall mounted 15watt 6500K - CRI 80 - 600Lumen - Beam Angle 80° 0,5PF 220 To 240V 50/60 Hz IP 65 - Round D170 x H121mm Black / plastic (Housing) - 2 Year Warranty Certified CB	200	¥21	10	L67,7 x W36,8 x H20	0,05m³	20	1,00m³	¥4200
68	NM60540-A		E-Series - Norma - Wall light wall mounted 15watt 6500K - CRI 80 - 1000Lumen - Beam Angle 100° 0,5PF 220 To 240V 50/60 Hz IP 65 - Square W160 x L160 x H100mm Black / plastic (Housing) - 2 Year Warranty Certified CB	200	¥21,7	10	L56,2 x W35 x H19,5	0,04m³	20	0,77m³	¥4340
69	NM60542-A		E-Series - Norma - Wall light wall mounted 15watt 6500K - CRI 80 - 600Lumen - Beam Angle 100° 0,5PF 220 To 240V 50/60 Hz IP 65 - Square W161 x L161 x H111mm Black / plastic (Housing) - 2 Year Warranty Certified CB	200	¥21,7	10	L62,7 x W35,8 x H20	0,04m³	20	0,90m³	¥4340
70	NM30543-A		E-Series - Norma - Wall light wall mounted 30watt 3000K - CRI 80 - 2700Lumen - Beam Angle 100° 0,9PF 220 To 240V 50/60 Hz IP 65 - Rectangular W262 x L130 x H128mm Black / plastic (Housing) - 2 Year Warranty Certified CB	1,300	¥23,8	10	L71 x W29,5 x H30	0,06m³	130	8,17m³	¥30940
71	NM40774-A		E-Series - Norma - Wall light wall mounted 30watt 4000K - CRI 80 - 2700Lumen - Beam Angle 100° 0,9PF 220 To 240V 50/60 Hz IP 65 - Rectangular W262 x L130 x H128mm Black / plastic (Housing) - 2 Year Warranty Certified CB	1,200	¥23,8	10	L71 x W29,5 x H30	0,06m³	120	7,54m³	¥28560
72	GA30808-A		E-Series - Glare - back Wall Light Surface 15watt 3000K - CRI 80 - 1500Lumen - Beam Angle 120° 0,5PF 220 To 240V 50/60 Hz IP 65 - Round D220 x H47mm Black / plastic (Housing) - 2 Year Warranty Certified CB	400	¥21	20	L48 x W30 x H49	0,07m³	20	1,41m³	¥8400
73	GA40810-A		E-Series - Glare - back Wall Light Surface 15watt 4000K - CRI 80 - 1500Lumen - Beam Angle 120° 0,5PF 220 To 240V 50/60 Hz IP 65 - Round D220 x H47mm Black / plastic (Housing) - 2 Year Warranty Certified CB	200	¥21	20	L48 x W30 x H49	0,07m³	10	0,71m³	¥4200
74	GA60812-A		E-Series - Glare - back Wall Light Surface 15watt 6000K - CRI 80 - 1500Lumen - Beam Angle 120° 0,5PF 220 To 240V 50/60 Hz IP 65 - Round D220 x H47mm Black / plastic (Housing) - 2 Year Warranty Certified CB	200	¥21	20	L48 x W30 x H49	0,07m³	10	0,71m³	¥4200

Seller Signature & Stamp

Buyer Signature & Stamp



05124955

10 of 13

Powered By LUMYTC



#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount	
75	GA30814-A		E-Series - Glare - back Wall Light Surface 18watt 3000K - CRI 80 - 1800Lumen - Beam Angle 120° - 0,5PF 220 To 240V 50/60 Hz IP 65 - Round D250 x H47mm Black / plastic (Housing) - 2 Year Warranty Certified CB	400	¥23,8	10	L53 x W30 x H29	0,05m³	40	1,84m³	¥9520	
76	GA40816-A		E-Series - Glare - back Wall Light Surface 18watt 4000K - CRI 80 - 1800Lumen - Beam Angle 120° - 0,5PF 220 To 240V 50/60 Hz IP 65 - Round D250 x H47mm Black / plastic (Housing) - 2 Year Warranty Certified CB	200	¥23,8	10	L53 x W30 x H29	0,05m³	20	0,92m³	¥4760	
77	GA60818-A		E-Series - Glare - back Wall Light Surface 18watt 6000K - CRI 80 - 1800Lumen - Beam Angle 120° - 0,5PF 220 To 240V 50/60 Hz IP 65 - Round D250 x H47mm Black / plastic (Housing) - 2 Year Warranty Certified CB	200	¥23,8	10	L53 x W30 x H29	0,05m³	20	0,92m³	¥4760	
78	EQ0874		CCT Switchable Bulb - Pc - Base: E27 - 10w -Initial Lumen : 1000lm Voltage 220-240v - 2700/3000/4000/5000/6500k - Dim: 117mm - d:60mm - CRI:>80 - PF: >0,5 - Warranty: 2years Certified CB	2,000	¥8,82	50	L33,5 x W33,5 x H28	0,03m³	40	1,26m³	¥17640	
				98,546						5,458	340 m³	
Total		Only One Million Seven Hundred Sixty Two Thousand Three Hundred Seventy Two Point Twenty Four CNY									¥1,762,372,24	

Terms and Conditions

General

1. Transfer and confidentiality: The Seller has no right to transfer this contract, The Seller and The Buyer both sides must abide by the contract, shall not be foreign to expose the contract content, such as has occurred, a responsibility shall be investigated for the other party.
2. The goods of this contract products is The Seller produce according to the The Buyer's brand, The Seller shall not be entitled to the finished product sales to a third party without authorization.
3. All the finished products in this contract should produce in The Seller's factory, if produce in third parties, The Buyer can cancel the order and The Seller must return all the amount which paid by The Buyer. The Buyer will make inspection during production or after production.

Logistic

1. FOB Xiamen, If load in Xiamen, Seller will bear all the local cost, if load in other city, seller will bear the local cost base on XIAMEN port, other extra cost will bear by buyer

Technical

1. Stable power and light efficiency both should less than 10% tolerance.

Seller Signature & Stamp

Buyer Signature & Stamp



05121933

2. Color Temperature Consistency: The difference in color temperature between batches must not exceed 200K when compared to the last batch or within the same production batch; Difference of color temperature for Each batch can not be recognize by eyes.
3. Frequency 50/60 Hz.
4. Input voltage 220-240V.
5. Working temperature -20C° to 40C°.
6. Lifespan 25000 hours.
7. LED chip by Sanan, LED package factory: HONGLI
8. IP 65 for all items, except spot light and panel light and plastic linear and T5 tube and bulb IP 20.
9. CRI > 80 for all products.
10. Working Temperature -20 to +40°C for T5 tube, -10 to +55°C for Plastic Linear Light.
11. Working input voltage is 200 To 240V for Plastic Linear Light, 165 To 240V for T5 tube.
12. Capacitor brand: 艾华AISHI, IC: T bulb JW 杰华特, bulkhead and tri-proof JW 杰华特, Spike light (RGB) 杰力科创 DLT8P65, Wall dot light KP 必易微, wall light JW 杰华特.
13. Body Material: PC/ABS/PA/PP
14. PCB Thickness: 1/1.2mm
15. Beam angle 180° for T5 and linear light (plastic).
16. White / PC (Housing) for T5 and Linear light.

Delivery & Payment

1. Delivery date 45-60 days.
2. Seller produce the order when confirm the contract, buyer should pay 20% before delivery, 80% balance against BL 90 days within 300000 USD.

Production & Packaging

1. The Seller should make a sample base on product requirement from the contract for The Buyer's confirmation before production.
2. For repeat order, The Seller can not change any material without The Buyer's confirmation. If change, The Buyer will not pick up the goods and The Seller must return the full amount which paid by the Buyer.
3. All items should pass CB and IECEE, if can not pass CB and IECEE, Seller should take all the responsibility which cause by this. And Seller will responsible for all the cost which should pay in China for make CB and IECEE, Buyer will responsible for all the cost which should pay in Saudi Arabia for make CB and IECEE.
4. Customize Package requirement pls check from another file. Product can not have any supplier information or inspect mark or Chinese. Package and all part of product need keep clean, if not must rework.

Seller Signature & Stamp



0512A03E

12 of 13

Powered By LUMYTIC

5. The Seller must make sure the goods matched with The Buyer's standard, the quality will base on contract and sealed sample.

Warranty & Inspection

1. Product inspection: when The Buyer inspect the goods by count/weight/try to assemble/visual appearance/Test by machine and so on. If find any part not meet the contract requirement or have quality problem, The Seller have to return full amount which the Buyer paid.

2. 2 Years warranty.

--- The End ---

Handwritten signature in red ink.

Seller Signature & Stamp**Buyer Signature & Stamp**

13 of 13

Powered By LUMYTIC