Supply Contract

Number: SC-214906250263 Date: 23/06/2025

This contract executed and entered into this 23th day of June ,2025 Between:

Seller



Zhongshan Benjin Lighting Technology Co. Ltd 中山市本金 照明科技有限公司

Reference Name: Zhongshan Benjin Lighting
Address: No.17, Floor 6, Factory Building, No.2 Henglong
Road, Tongyi Industrial Park, Guzhen Town, Zhongshan City
中山市古镇镇同益工业园恒隆路2号 厂房区6楼17#

Website: www.benjinlighting.com Contact Person:ANNA YANG Email: benjinlighting@qq.com Tel: 13411630314

Bank Account

The following is our account:

Beneficiary: Zhongshan Benjin Lighting Industrial Co., Ltd, Bank Name: China Construction Bank Zhongshan Branch Bank Address: Card E11 and E12, Dengdu Huating A1

No.12 ,Huating street,Guzhen,Zhongshan,Guangdong,China Account Number: 44050178200709214564

Swift Code: PCBCCNBJGDZ

Buyer



ATC MIDDLE EAST FZCO Reference Name: ATC

Address: JAFZA One, 11th Floor, Jebel Ali Free Zone, Dubai, UAE

Contact Person: Echo Chan Email: echo.c@atclighting.co Tel: 008615018796671

Supply Contract Summary

Total Amount Total Volume

¥ 425,600.00









L1200 x H75rm Block / Aluminum (Housing) = 5 Yeer Warrarty Certified CB Series = Polkadot - Linear Light Suspendant 40vett 8000K - CRI 80 4.09m² V	#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	СТМ	Total Volume	Amount
Suspendari 40wett 3000K - CRI 80 4000Lumen - Beam Angle 120" 0.9PF 180 10 L127 x W29 x H18.5 0.07m² 60 4.08m² V 10 L127 x W29 x H18.5 0.07m² 60 4.08m² V 10 L127 x W29 x H18.5 0.07m² 60 4.08m² V 10 L127 x W29 x H18.5 0.07m² 60 4.08m² V 10 L127 x W29 x H18.5 0.07m² 60 4.08m² V 10 L127 x W29 x H18.5 0.07m² 50 3.41m² V 10 L127 x W29 x H18.5 0.07m² 50 3.41m² V 10 L127 x W29 x H18.5 0.07m² 50 3.41m² V 10 L127 x W29 x H18.5 0.07m² 50 3.41m² V 10 L127 x W29 x H18.5 0.07m² 50 3.41m² V 10 L127 x W29 x H18.5 0.07m² 50 3.41m² V 10 L127 x W29 x H18.5 0.07m² 50 3.41m² V 10 L127 x W29 x H18.5 0.07m² 100 6.81m² V 10 L127 x W29 x H18.5 0.07m² 10	1	PL20727-A	_	Suspendant 40watt 2700K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 5 Year Warranty	600	¥76	10	L127 x W29 x H18.5	0.07m³	60	4.09m³	¥45600
Suspendant 40watt 3000K - CFi 80 4000Lumen - Beam Angle 120° 0.9F1 80 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H76mm White / Aluminum (Housing) - 5 Year Warranty Certified CB E-Series - Polkadot - Linear Light Suspendant 40watt 4000K - CFi 80 4000Lumen - Beam Angle 120° 0.9FF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H76mm Black / Aluminum (Housing) - 5 Year Warranty Certified CB E-Series - Polkadot - Linear Light Suspendant 40watt 4000K - CRi 80 4000Lumen - Beam Angle 120° 0.9FF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H76mm Black / Aluminum (Housing) - 5 Year Warranty Certified CB E-Series - Polkadot - Linear Light Suspendant 40watt 4000K - CRi 80 4000Lumen - Beam Angle 120° 0.9FF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H76mm White / Aluminum (Housing) - 5 Year Warranty Certified CB E-Series - Polkadot - Linear Light Suspendant 40watt 6500K - CRi 80 4000Lumen - Beam Angle 120° 0.9FF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H76mm Black / Aluminum (Housing) - 5 Year Warranty Certified CB E-Series - Polkadot - Linear Light Suspendant 40watt 6500K - CRi 80 4000Lumen - Beam Angle 120° 0.9FF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H76mm Black / Aluminum (Housing) - 5 Year Warranty Certified CB E-Series - Polkadot - Linear Light Suspendant 40watt 6500K - CRi 80 4000Lumen - Beam Angle 120° 0.9FF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H76mm White / Aluminum (Housing) - 5 Year Warranty Certified CB To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H76mm White / Aluminum (Housing) - 5 Year Warranty Certified CB To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H76mm White / Aluminum (Housing) - 5 Year Warranty Certified CB To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H76mm White / Aluminum (Housing) - 5 Year Warranty Certified CB To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H76mm White / Aluminum (Housing) - 5 Year Warranty Certified CB To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H76mm White / Aluminum (Housing)	2	PL30454-A	_	Suspendant 40watt 3000K - CŘÍ 80 4000Lumen - Bearn Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 5 Year Warranty	600	¥76	10	L127 x W29 x H18.5	0.07m ³	60	4.09m³	¥45600
Suspendant 40watt 4000K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 5 Year Warranty Oertfied CB E-Series - Polkadot - Linear Light Suspendant 40watt 40woK - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 5 Year Warranty Oertfied CB E-Series - Polkadot - Linear Light Suspendant 40watt 6500K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 5 Year Warranty Certfied CB E-Series - Polkadot - Linear Light Suspendant 40watt 6500K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 5 Year Warranty Certfied CB E-Series - Polkadot - Linear Light Suspendant 40watt 6500K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 5 Year Warranty Certfied CB To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 5 Year Warranty Certfied CB	3	PL30455-A		Suspendant 40watt 3000K - CŘI 80 4000(Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 5 Year Warranty	500	¥76	10	L127 x W29 x H18.5	0.07m ³	50	3.41m³	¥38000
Suspendant 40watt 4000K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 5 Year Warranty Certified CB E-Series - Polkadot - Linear Light Suspendant 40watt 6500K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 5 Year Warranty Certified CB E-Series - Polkadot - Linear Light Suspendant 40watt 6500K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear Light Suspendant 40watt 6500K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 5 Year Warranty Certified CB To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 5 Year Warranty Certified CB	4	PL40456-A	_	Suspendant 40watt 4000K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 5 Year Warranty	1,000	¥76	10	L127 x W29 x H18.5	0.07m³	100	6.81m ^q	¥76000
Suspendant 40watt 6500K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 5 Year Warranty Certified CB E-Series - Polkadot - Linear Light Suspendant 40watt 6500K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 5 Year Warranty Certified CB	5	PL40457-A		Suspendant 40watt 4000K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 5 Year Warranty	500	V76	10	L127 x W29 x H18.5	0.07m³	50	3.41m ³	¥38000
Suspendant 40watt 6500K - CRI 80 4000Lurnen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 5 Year Warranty Certified CB	6	PL60458-A	_	Suspendant 40watt 6500K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 5 Year Warranty	1,400	¥76	10	L127 x W29 x H18.5	0.07m³	140	9.54m³	¥106400
	7	PL60459-A		Suspendant 40watt 6500K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 5 Year Warranty	1,000	¥76	10	L127 x W29 x H18.5	0.07m³	100	6.81m ³	¥76000
[5,600] [560] 38 m ³					5,600					560	38 m³	

Terms and Conditions

General





2 of 5
Powered By LUMYTIC







- 1. All the finished products in this contract should produce in The Seller's factory, if produce in third parties, The Buyer can cancel the order and The Seller must return all the amount which paid by The Buyer. The Buyer will make inspection during production or after production.
- 2. Transfer and confidentiality: The Seller has no right to transfer this contract, The Seller and The Buyer both sides must abide by the contract, shall not be foreign to expose the contract content, such as has occurred, a responsibility shall be investigated for the other party.
- 3. The goods of this contract products is The Seller produce according to the The Buyer's brand, The Seller shall not be entitled to the finished product sales to a third party without authorization.

Logistic

1. If load the goods in Zhongshan Foshan or Jiangmen, the seller will send the goods, if the seller need make tax refund, sell will bear the custom declaration cost.

Technical

- 1. Stable power and Stable LM less than 10% tolerance.
- 2. LED chip brand: Bridglux.

Dark energy driver,

CB item driver item number 11GL-10403L-A00-0, Non CB item driver item number 11BK-36502W-A00-0.

Aishi capacitor, BPS IC, PF0.9, non-isolated driver, 180-265V, PC white driver box, driver box Heat resistance level should be more than 100°C.

- 3. All products should be Flicker Free.
- 4. Frequency 50/60 Hz.
- 5. power factor must be 0.9 at least.
- 6. Efficiency 100lm/w.
- 7. Color Temperature Consistency: The difference in color temperature between batches must not exceed 200K when compared to the last batch or within the same production batch; Difference of color temperature for Each batch can not be recognize by eyes.
- 8. Beam angel should be 120°.
- 9. 30000Hours lifespan.
- 10. working temperature -20C° to 40C°.
- 11. Aluminum (Housing), and PC (Diffuser), PC can not have peculiar smell or yellow.
- 12. Input voltage 180-265VAC.
- 13. CRI > 80.
- 14. IP20
- 15. Linear dimensions are (L1185*W50*H75mm)
- 16. The product must be correspond with emergency driver.





3 of 5
Powered By LUMYTIC







- 17. The price of product includes suspension kit and surface kit.
- 18. PCB thickness 0.7mm, PCB with Rafeed Logo
- 19. Dark energy driver.
 Driver Box and driver PCB with buyer's logo on PCB; Driver with Aishi(艾华) capacitor and BP(晶丰明源) IC
- 20. Spare part 0.5% PCB with LED+ Driver, PC spare.

Delivery & Payment

- 1. Payment terms: For the first order, 30% pay after signed contract, 70% balance before delivery; start from the second order, 20% deposit, 80% balance will be 30 days credit base on loading date.
- 2. Delivery date 45-60 days.

Production & Packaging

- 1. The Seller should make a sample base on product requirement from the contract for The Buyer's confirmation before production.
- 2. For repeat order, The Seller can not change any material without The Buyer's confirmation. If change, The Buyer will not pick up the goods and The Seller must return the full amount which paid by the Buyer.
- 3. Customize Package requirement pls check from another file. Product can not have any supplier information or inspect mark or Chinese. Package and all part of product need keep clean, if not must rework.
- 4. The Seller must make sure the goods matched with The Buyer's standard, the quality will base on contract and sealed sample.
- 5. All items should pass CB and IECEE, if can not pass CB and IECEE, Seller should take all the responsibility which cause by this. And Seller will responsible for all the cost which should pay in China for make CB and IECEE, Buyer will responsible for all the cost which should pay in Saudi Arabia for make CB and IECEE.

Warranty & Inspection

- 1. After sale service policy: If the defective rate less than 5%, The Seller will provide PCB with LED and driver to The Buyer free of charge for maintenance; if the defective rate more than 5%, The Seller will provide finished products to The Buyer free of charge for replacements; if the defective rate more than 8%, The Buyer will stop sell this item in the market and The Seller will reproduce the whole order free of charge or return the whole amount which The Buyer paid for this order.
- 2. 3 Years warranty.
- 3. Product inspection: when The Buyer inspect the goods by count/weight/try to assemble/visual appearance/Test by machine and so on. If find any part not meet the contract requirement or have quality problem, The Seller have to return full amount which the Buyer paid.

Spare Parts

Spare | Item Number | Description | QTY











1	Driver	PL30454-A	E-Series - Polkadot - Linear Light Suspendant 40watt 3000K - CRI 80 4000Lurnen - Bearn Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 5 Year Warranty Certified CB	3
2	LED	PL30454-A	E-Series - Polkadot - Linear Light Suspendant 40watt 3000K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 5 Year Warranty Certified CB	3
3	Driver	PL40456-A	E-Series - Polkadot - Linear Light Suspendant 40watt 40w0K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 5 Year Warranty Certified CB	5
4	LED	PL40456-A	E-Series - Polkadot - Linear Light Suspendant 40watt 4000K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 5 Year Warranty Certified CB	5
5	Driver	PL60458-A	E-Series - Polkadot - Linear Light Suspendant 40watt 6500K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 5 Year Warranty Certified CB	7
6	LED	PL60458-A	E-Series - Polkadot - Linear Light Suspendant 40watt 6500K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 5 Year Warranty Certified CB	7
7	Driver	PL30455-A	E-Series - Polkadot - Linear Light Suspendant 40watt 3000K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 5 Year Warranty Certified CB	3
8	LED	PL30455-A	E-Series - Polkadot - Linear Light Suspendant 40watt 3000K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 5 Year Warranty Certified CB	3
9	Driver	PL40457-A	E-Series - Polkadot - Linear Light Suspendant 40watt 4000K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 5 Year Warranty Certified CB	3
10	LED	PL40457-A	E-Series - Polkadot - Linear Light Suspendant 40watt 4000K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 5 Year Warranty Certified CB	3
11	Driver	PL60459-A	E-Series - Polkadot - Linear Light Suspendant 40watt 6500K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 5 Year Warranty Certified CB	5
12	LED	PL60459-A	E-Series - Polkadot - Linear Light Suspendant 40watt 6500K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm White / Aluminum (Housing) - 5 Year Warranty Certified CB	5
13	Driver	PL20727-A	E-Series - Polkadot - Linear Light Suspendant 40watt 2700K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 5 Year Warranty Certified CB	3
14	LED	PL20727-A	E-Series - Polkadot - Linear Light Suspendant 40watt 2700K - CRI 80 4000Lumen - Beam Angle 120° 0.9PF 180 To 265V 50/60 Hz IP 20 - Linear W50 x L1200 x H75mm Black / Aluminum (Housing) - 5 Year Warranty Certified CB	3
-	tal Quanti	tu		58

--- The End ---





