

Supply Contract

Number: SC-217411240270

Date: 06/01/2025

This contract executed and entered into this 06th day of January ,2025 Between:

Seller

MKOPTO®

Shaoxing Meka Electric Import and Export Co., LTD 绍兴
美科电器进出口有限公司
Reference Name: MEKA
Address: No. 8 Canghai Road, Yuecheng District,
Shaoxing City 浙江省绍兴市上虞区百官街道财富广场3
号楼1101室
Legal Person: Fish 余洪兴
Website: <https://www.idealbright.com/>
Contact Person: Kenny
Email: kenny@idealbright.com
Tel: +86 13124207637

Bank Account

The following is our account :

Beneficiary: ZHEJIANG LEPENG ELECTRIC CO LTD

Bank Name: CHINA ZHESHANG BANK SHAOXING
BRANCH

Bank Address: Shaoxing, China.

Account Number: 3371020211420100004268

Swift Code: ZJCBCN2NXXX

Buyer



ATC MIDDLE EAST FZCO

Reference Name: ATC

Address: JAFZA One, 11th Floor, Jebel Ali Free Zone , Dubai, UAE

Contact Person: Echo Chan

Email: echo.c@atclighting.co

Tel: 008615018796671



Supply Contract Summary

Total Amount

¥ 1,092,084.50

Total Volume

1,527.60 m³



38807954

Seller Signature & Stamp

Buyer Signature & Stamp





#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
1	U80147-A		Zomorrod - Lina - Batten Light Surface 10watt 6500K - CRI 80 1150Lumen - Beam Angle 120° 0.5PF 180 To 240V 50/60 Hz IP 20 - Rectangular W75.7 x L334.3 x H23.9mm Silver / Stainless Steel (Housing) - 2 Year Warranty Certified CB	300	¥10.31	30	L36 x W25.5 x H28.5	0.03m³	10	0.26m³	¥3093
2	U30148-A		Zomorrod - Lina - Batten Light Surface 20watt 3000K - CRI 80 2300Lumen - Beam Angle 120° 0.5PF 180 To 240V 50/60 Hz IP 20 - Rectangular W75.7 x L634.3 x H23.9mm Silver / Stainless Steel (Housing) - 2 Year Warranty Certified CB	300	¥13.15	30	L66 x W25.5 x H28.5	0.05m³	10	0.48m³	¥3945
3	U60150-A		Zomorrod - Lina - Batten Light Surface 20watt 6500K - CRI 80 2300Lumen - Beam Angle 120° 0.5PF 180 To 240V 50/60 Hz IP 20 - Rectangular W75.7 x L634.3 x H23.9mm Silver / Stainless Steel (Housing) - 2 Year Warranty Certified CB	1,020	¥13.15	30	L66 x W25.5 x H28.5	0.05m³	34	1.63m³	¥13413
4	U30151-A		Zomorrod - Lina - Batten Light Surface 40watt 3000K - CRI 80 4600Lumen - Beam Angle 120° 0.9PF 180 To 240V 50/60 Hz IP 20 - Rectangular W75.7 x L1234.3 x H23.9mm Silver / Stainless Steel (Housing) - 2 Year Warranty Certified CB	510	¥24.15	30	L126 x W25.5 x H28.5	0.09m³	17	1.56m³	¥12316.5
5	U60153-A		Zomorrod - Lina - Batten Light Surface 40watt 6500K - CRI 80 4600Lumen - Beam Angle 120° 0.9PF 180 To 240V 50/60 Hz IP 20 - Rectangular W75.7 x L1234.3 x H23.9mm Silver / Stainless Steel (Housing) - 2 Year Warranty Certified CB	3,000	¥24.15	30	L126 x W25.5 x H28.5	0.09m³	100	9.16m³	¥72450
6	U60156-A		Zomorrod - Lina - Batten Light Surface 60watt 6500K - CRI 80 6750Lumen - Beam Angle 120° 0.9PF 180 To 240V 50/60 Hz IP 20 - Rectangular W75.7 x L1534.3 x H23.9mm Silver / Stainless Steel (Housing) - 2 Year Warranty Certified CB	300	¥28.33	30	L187 x W25.5 x H28.5	0.14m³	10	1.39m³	¥8499
7	BA30082-A		Zomorrod - Bariq - Bulb A60 E27 Socket 9watt 3000K - CRI 80 720Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - BULB W60 x H108mm White / plastic (Housing) - 2 Year Warranty Certified CB	2,000	¥1.54	100	L62.5 x W32.5 x H24.5	0.05m³	20	1.00m³	¥3080

Seller Signature & Stamp
Buyer Signature & Stamp


08007954

2 of 15

Powered By LUMYTIC



#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
8	BA60084-A		Zomorrod - Bariq - Bulb A60 E27 Socket 9watt 6500K - CRI 80 720Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - BULB W60 x H108mm White / plastic (Housing) - 2 Year Warranty Certified CB	5,000	Y1.54	100	L62.5 x W32.5 x H24.5	0.05m³	50	2.49m³	Y7700
9	BA30334-A		Zomorrod - Bariq - Bulb A60 E27 Socket 12watt 3000K - CRI 80 960Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - BULB W60 x H111mm White / plastic (Housing) - 2 Year Warranty Certified CB	2,000	Y1.9	100	L62.5 x W32 x H25	0.05m³	20	1.00m³	Y3800
10	BA60336-A		Zomorrod - Bariq - Bulb A60 E27 Socket 12watt 6500K - CRI 80 960Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - BULB W60 x H111mm White / plastic (Housing) - 2 Year Warranty Certified CB	8,000	Y1.9	100	L62.5 x W32 x H25	0.05m³	80	4.00m³	Y15200
11	BA30095-A		Zomorrod - Bariq - Bulb A60 E27 Socket 15watt 3000K - CRI 80 1425Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - BULB W60 x H121mm Silver / Stainless Steel (Housing) - 2 Year Warranty Certified CB	2,000	Y2.49	100	L62 x W31.5 x H27	0.05m³	20	1.05m³	Y4980
12	BA60099-A		Zomorrod - Bariq - Bulb A60 E27 Socket 15watt 6500K - CRI 80 1200Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - BULB W60 x H121mm White / plastic (Housing) - 2 Year Warranty Certified CB	5,000	Y2.49	100	L62 x W31.5 x H27	0.05m³	50	2.64m³	Y12450
13	NA30103-A		Zomorrod - Nar - Bulb T80 E27 Socket 20watt 3000K - CRI 80 1600Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - BULB W80 x H134mm White / plastic (Housing) - 2 Year Warranty Certified CB	2,000	Y3.7	100	L42.5 x W47.5 x H30	0.06m³	25	1.51m³	Y7400
14	NA60105-A		Zomorrod - Nar - Bulb T80 E27 Socket 20watt 6500K - CRI 80 1600Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - BULB W80 x H134mm White / plastic (Housing) - 2 Year Warranty Certified CB	5,040	Y3.7	100	L42.5 x W47.5 x H30	0.06m³	63	3.82m³	Y18848
15	NA30109-A		Zomorrod - Nar - Bulb T100 E27 Socket 30watt 3000K - CRI 80 2400Lumen - Beam Angle 180° 0.9PF 220 To 240V 50/60 Hz IP 20 - BULB W100 x H168mm White / plastic (Housing) - 2 Year Warranty Certified CB	1,000	Y5.52	40	L53.5 x W43 x H37.5	0.09m³	25	2.16m³	Y5520

Seller Signature & Stamp

Buyer Signature & Stamp



386079254

3 of 15

Powered By LUMYTIC



#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
16	NA60113-A		Zomorrod - Nar - Bulb T100 E27 Socket 30watt 6500K - CRI 80 2400Lumen - Beam Angle 180° 0.9PF 220 To 240V 50/60 Hz IP 20 - BULB W100 x H168mm White / plastic (Housing) - 2 Year Warranty Certified CB	3,000	¥6.52	40	L63.5 x W43 x H37.5	0.09m³	75	6.47m³	¥16560
17	NA30118-A		Zomorrod - Nar - Bulb T120 E27 Socket 40watt 3000K - CRI 80 3200Lumen - Beam Angle 180° 0.9PF 220 To 240V 50/60 Hz IP 20 - BULB W118 x H191mm White / plastic (Housing) - 2 Year Warranty Certified CB	1,000	¥8.19	20	L62.5 x W50 x H22	0.07m³	50	3.44m³	¥8190
18	NA60122-A		Zomorrod - Nar - Bulb T120 E27 Socket 40watt 6500K - CRI 80 3200Lumen - Beam Angle 180° 0.9PF 220 To 240V 50/60 Hz IP 20 - BULB W118 x H191mm White / plastic (Housing) - 2 Year Warranty Certified CB	2,000	¥8.19	20	L62.5 x W50 x H22	0.07m³	100	6.88m³	¥16380
19	NA30124-A		Zomorrod - Nar - Bulb T140 E27 Socket 60watt 3000K - CRI 80 5000Lumen - Beam Angle 180° 0.9PF 220 To 240V 50/60 Hz IP 20 - BULB W138 x H220mm White / plastic (Housing) - 2 Year Warranty Certified CB	500	¥13.5	20	L72.5 x W30 x H47.5	0.10m³	25	2.58m³	¥6750
20	NA60126-A		Zomorrod - Nar - Bulb T140 E27 Socket 60watt 6500K - CRI 80 5000Lumen - Beam Angle 180° 0.9PF 220 To 240V 50/60 Hz IP 20 - BULB W138 x H220mm White / plastic (Housing) - 2 Year Warranty Certified CB	2,000	¥13.5	20	L72.5 x W30 x H47.5	0.10m³	100	10.33m³	¥27000
21	RO40033-A		Zomorrod - Rosle - Bulkhead Surface 12watt 4000K - CRI 80 960Lumen - Beam Angle 120° 0.5PF 120 To 240V 50 Hz IP 54 - Oval W84.5 x L158 x H38mm White / plastic (Housing) - 2 Year Warranty Certified CB	500	¥6.35	100	L45.5 x W42 x H37	0.07m³	6	0.35m³	¥3175
22	RO60035-A		Zomorrod - Rosle - Bulkhead Surface 12watt 6500K - CRI 80 960Lumen - Beam Angle 120° 0.5PF 120 To 240V 50 Hz IP 54 - Oval W84.5 x L158 x H38mm White / plastic (Housing) - 2 Year Warranty Certified CB	2,000	¥6.35	100	L45.5 x W42 x H37	0.07m³	20	1.41m³	¥12700
23	RO40038-A		Zomorrod - Rosle - Bulkhead Surface 15watt 4000K - CRI 80 1200Lumen - Beam Angle 120° 0.5PF 120 To 240V 50 Hz IP 54 - Round D155 x H38mm White / plastic (Housing) - 2 Year Warranty Certified CB	600	¥7.5	100	L80.5 x W42 x H33.5	0.11m³	6	0.68m³	¥4500

Seller Signature & Stamp

Buyer Signature & Stamp



36207954

4 of 15

Powered By LUMYTIC



#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
24	RO60039-A		Zomorrod - Rosle - Bulkhead Surface 16watt 6500K - CRI 80 1200Lumen - Beam Angle 120° 0.5PF 120 To 240V 50 Hz IP 54 - Round D165 x H38mm White / plastic (Housing) - 2 Year Warranty Certified CB	1,100	¥7.5	100	L80.5 x W42 x H33.5	0.11m³	11	1.25m³	¥8250
25	RO40041-A		Zomorrod - Rosle - Bulkhead Surface 18watt 4000K - CRI 80 1440Lumen - Beam Angle 120° 0.5PF 120 To 240V 50 Hz IP 54 - Oval W94 x L195 x H38mm White / plastic (Housing) - 2 Year Warranty Certified CB	1,000	¥7.99	100	L50 x W41.5 x H42	0.09m³	10	0.87m³	¥7990
26	RO60042-A		Zomorrod - Rosle - Bulkhead Surface 18watt 6500K - CRI 80 1440Lumen - Beam Angle 120° 0.5PF 120 To 240V 50 Hz IP 54 - Oval W94 x L195 x H38mm White / plastic (Housing) - 2 Year Warranty Certified CB	3,000	¥7.99	100	L50 x W41.5 x H42	0.09m³	30	2.61m³	¥23970
27	RO40044-A		Zomorrod - Rosle - Bulkhead Surface 24watt 4000K - CRI 80 1920Lumen - Beam Angle 120° 0.5PF 120 To 240V 50 Hz IP 54 - Round D195 x H38mm White / plastic (Housing) - 2 Year Warranty Certified CB	540	¥10.3	60	L61 x W41.5 x H42	0.11m³	9	0.96m³	¥5562
28	RO60045-A		Zomorrod - Rosle - Bulkhead Surface 24watt 6500K - CRI 80 1920Lumen - Beam Angle 120° 0.5PF 120 To 240V 50 Hz IP 54 - Round D195 x H38mm White / plastic (Housing) - 2 Year Warranty Certified CB	2,040	¥10.3	60	L61 x W41.5 x H42	0.11m³	34	3.61m³	¥21012
29	LU30025-A		Zomorrod - Luna - Down Light Surface 24watt 3000K - CRI 80 1760Lumen - Beam Angle 110° 0.5PF 175 To 265V 50/60 Hz IP 20 - Round D217.3 x H30.8mm White / PP (Housing) - 2 Year Warranty Certified CB	2,000	¥9	40	L48.5 x W46.5 x H36	0.08m³	50	4.06m³	¥18000
30	LU60027-A		Zomorrod - Luna - Down Light Surface 24watt 6500K - CRI 80 1760Lumen - Beam Angle 110° 0.5PF 175 To 265V 50/60 Hz IP 20 - Round D217.3 x H30.8mm White / PP (Housing) - 2 Year Warranty Certified CB	4,000	¥9	40	L48.5 x W46.5 x H36	0.08m³	100	8.12m³	¥36000
31	MK30049-A		Zomorrod - Mask - Floodlight Surface 50watt 3000K - CRI 70 4500Lumen - Beam Angle 110° 0.9PF 100 To 240V 50/60 Hz IP 65 - Rectangular W160 x L185 x H29mm Black / Die-cast aluminum (Housing) - 2 Year Warranty Certified CB	500	¥18	20	L39.5 x W19.5 x H37.5	0.03m³	25	0.72m³	¥9000

Seller Signature & Stamp

Buyer Signature & Stamp



385071954

5 of 15

Powered By LUMYTIC



#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
32	MK60051-A		Zomorrod - Mask - Floodlight Surface 60watt 6500K - CRI 70 4500Lumen - Beam Angle 110° 0.9PF 100 To 240V 50/60 Hz IP 65 - Rectangular W180 x L185 x H29mm Black / Die-cast aluminum (Housing) - 2 Year Warranty Certified CB	2,000	¥18	20	L39.5 x W19.5 x H37.5	0.03m³	100	2.89m³	¥36000
33	MK30052-A		Zomorrod - Mask - Floodlight Surface 100watt 3000K - CRI 70 9000Lumen - Beam Angle 110° 0.9PF 100 To 240V 50/60 Hz IP 65 - Rectangular W206 x L255 x H32mm Black / Die-cast aluminum (Housing) - 2 Year Warranty Certified CB	504	¥31	8	L33 x W28 x H24.5	0.02m³	63	1.43m³	¥15624
34	MK60054-A		Zomorrod - Mask - Floodlight Surface 100watt 6500K - CRI 70 9000Lumen - Beam Angle 110° 0.9PF 100 To 240V 50/60 Hz IP 65 - Rectangular W206 x L255 x H32mm Black / Die-cast aluminum (Housing) - 2 Year Warranty Certified CB	2,000	¥31	8	L33 x W28 x H24.5	0.02m³	250	5.66m³	¥62000
35	MK30055-A		Zomorrod - Mask - Floodlight Surface 150watt 3000K - CRI 70 13500Lumen - Beam Angle 110° 0.9PF 100 To 240V 50/60 Hz IP 65 - Rectangular W246.6 x L330.5 x H32mm Black / Die-cast aluminum (Housing) - 2 Year Warranty Certified CB	500	¥48	4	L35 x W18 x H29	0.02m³	125	2.28m³	¥24000
36	MK60057-A		Zomorrod - Mask - Floodlight Surface 150watt 6500K - CRI 70 13500Lumen - Beam Angle 110° 0.9PF 100 To 240V 50/60 Hz IP 65 - Rectangular W246.6 x L330.5 x H32mm Black / Die-cast aluminum (Housing) - 2 Year Warranty Certified CB	3,000	¥48	4	L35 x W18 x H29	0.02m³	750	13.70m³	¥144000
37	MK60060-A		Zomorrod - Mask - Floodlight Surface 200watt 6500K - CRI 70 18000Lumen - Beam Angle 110° 0.9PF 100 To 240V 50/60 Hz IP 65 - Rectangular W307 x L407 x H34mm Black / Die-cast aluminum (Housing) - 2 Year Warranty Certified CB	1,000	¥88	2	L42.5 x W10 x H35	0.01m³	500	7.44m³	¥88000
38	MK60330-A		Zomorrod - Mask - Floodlight Surface 250watt 6500K - CRI 70 21250Lumen - Beam Angle 110° 0.9PF 100 To 240V 50/60 Hz IP 65 - Rectangular W326 x L405 x H35mm Black / Die-cast aluminum (Housing) - 2 Year Warranty Certified CB	500	¥80	2	L410 x W330 x H40	5.41m³	250	1,363.00m³	¥40000

Seller Signature & Stamp
Buyer Signature & Stamp


30607054

6 of 15

Powered By LUMYTIC



#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
39	RD00003-A		Zomorrod - Rond - High Bay Pendant 100watt 6500K - CRI 80 12000Lumen - Beam Angle 90° 0.9PF 175 To 240V 50/60 Hz IP 65 - Round D260 x H70.1mm Black / Aluminum (Housing) - 2 Year Warranty Certified CB	300	¥58.36	1	L25.5 x W25.5 x H11.5	0.01m³	300	2.24m³	¥17508
40	RD80086-A		Zomorrod - Rond - High Bay Pendant 150watt 6500K - CRI 80 18000Lumen - Beam Angle 90° 0.9PF 175 To 240V 50/60 Hz IP 65 - Round D295 x H70.1mm Black / Aluminum (Housing) - 2 Year Warranty Certified CB	500	¥80.55	1	L30 x W30 x H11.5	0.01m³	500	5.18m³	¥40275
41	RD60089-A		Zomorrod - Rond - High Bay Pendant 200watt 6500K - CRI 80 24000Lumen - Beam Angle 90° 0.9PF 175 To 240V 50/60 Hz IP 65 - Round D320 x H70.1mm Black / Aluminum (Housing) - 2 Year Warranty Certified CB	800	¥97.48	1	L32.5 x W32.5 x H11.5	0.01m³	800	9.72m³	¥77984
42	ZMMS30349-A		Zomorrod - Mars - Recessed Panel Downlight Recessed 12watt 3000K - CRI 80 960Lumen - Beam Angle 120° 0.5PF 185 To 265V 50/60 Hz IP 20 - Round D145 x H28.4mm Cut Out 125mm White / PP (Housing) - 2 Year Warranty Certified CB	2,040	¥4	60	L50.5 x W36.5 x H32.5	0.06m³	34	2.04m³	¥8160
43	ZMMS40350-A		Zomorrod - Mars - Recessed Panel Downlight Recessed 12watt 4000K - CRI 80 960Lumen - Beam Angle 120° 0.5PF 185 To 265V 50/60 Hz IP 20 - Round D145 x H28.4mm Cut Out 125mm White / PP (Housing) - 2 Year Warranty Certified CB	1,020	¥4	60	L50.5 x W36.5 x H32.5	0.06m³	17	1.02m³	¥4080
44	ZMMS80351-A		Zomorrod - Mars - Recessed Panel Downlight Recessed 12watt 6500K - CRI 80 960Lumen - Beam Angle 120° 0.5PF 185 To 265V 50/60 Hz IP 20 - Round D145 x H28.4mm Cut Out 125mm White / PP (Housing) - 2 Year Warranty Certified CB	2,040	¥4	60	L50.5 x W36.5 x H32.5	0.06m³	34	2.04m³	¥8160
45	ZMMS30352-A		Zomorrod - Mars - Recessed Panel Downlight Recessed 18watt 3000K - CRI 80 1440Lumen - Beam Angle 120° 0.5PF 185 To 265V 50/60 Hz IP 20 - Round D170.7 x H28.4mm Cut Out 145mm White / PP (Housing) - 2 Year Warranty Certified CB	2,040	¥5.6	60	L60 x W38.5 x H37.5	0.09m³	34	2.95m³	¥11424

Seller Signature & Stamp



36507954

7 of 15

Powered By LUMYTIC

Buyer Signature & Stamp





#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
46	ZMMS40353-A		Zomorrood - Mars - Recessed Panel Downlight Recessed 18watt 4000K - CRI 80 1440Lumen - Beam Angle 120° 0.5PF 185 To 265V 50/60 Hz IP 20 - Round D170.7 x H28.4mm Cut Out 145mm White / PP (Housing) - 2 Year Warranty Certified CB	1,020	¥5.8	60	L60 x W38.5 x H37.5	0.09m³	17	1.47m³	¥5712
47	ZMMS60354-A		Zomorrood - Mars - Recessed Panel Downlight Recessed 18watt 6500K - CRI 80 1440Lumen - Beam Angle 120° 0.5PF 185 To 265V 50/60 Hz IP 20 - Round D170.7 x H28.4mm Cut Out 145mm White / PP (Housing) - 2 Year Warranty Certified CB	2,040	¥5.6	60	L60 x W38.5 x H37.5	0.09m³	34	2.95m³	¥11424
48	ZMMS30355-A		Zomorrood - Mars - Recessed Panel Downlight Recessed 22watt 3000K - CRI 80 1760Lumen - Beam Angle 120° 0.5PF 185 To 265V 50/60 Hz IP 20 - Round D220.7 x H28.9mm Cut Out 195mm White / PP (Housing) - 2 Year Warranty Certified CB	2,000	¥6.9	40	L50 x W37.5 x H47.5	0.09m³	50	4.45m³	¥13800
49	ZMMS40356-A		Zomorrood - Mars - Recessed Panel Downlight Recessed 22watt 4000K - CRI 80 1760Lumen - Beam Angle 120° 0.5PF 185 To 265V 50/60 Hz IP 20 - Round D220.7 x H28.9mm Cut Out 195mm White / PP (Housing) - 2 Year Warranty Certified CB	1,000	¥6.9	40	L50 x W37.5 x H47.5	0.09m³	25	2.23m³	¥6900
50	ZMMS60357-A		Zomorrood - Mars - Recessed Panel Downlight Recessed 22watt 6500K - CRI 80 1760Lumen - Beam Angle 120° 0.5PF 185 To 265V 50/60 Hz IP 20 - Round D220.7 x H28.9mm Cut Out 195mm White / PP (Housing) - 2 Year Warranty Certified CB	2,000	¥6.9	40	L50 x W37.5 x H47.5	0.09m³	50	4.45m³	¥13800
51	GO30136-A		Zomorrood - Glow - Spotlight GU10 Socket 6watt 3000K - CRI 80 520Lumen - Beam Angle 38° 0.5PF 175 To 265V 50 Hz IP 20 - Round D50 x H54mm White / plastic (Housing) - 2 Year Warranty Certified CB	4,000	¥1.6	200	L52 x W26.5 x H26.5	0.04m³	20	0.73m³	¥6400
52	GO40138-A		Zomorrood - Glow - Spotlight GU10 Socket 6watt 4000K - CRI 80 520Lumen - Beam Angle 38° 0.5PF 175 To 265V 50 Hz IP 20 - Round D50 x H54mm White / plastic (Housing) - 2 Year Warranty Certified CB	4,000	¥1.6	200	L52 x W26.5 x H26.5	0.04m³	20	0.73m³	¥6400

Seller Signature & Stamp
Buyer Signature & Stamp


30607954

8 of 15

Powered By LUMYTIC



#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
53	GO00140-A		Zomorrod - Glow - Spotlight GU10 Socket 6watt 6500K - CRI 80 620Lumen - Beam Angle 38° 0.5PF 175 To 265V 50 Hz IP 20 - Round D50 x H54mm White / plastic (Housing) - 2 Year Warranty Certified CB	4,000	¥1.6	200	L52 x W28.5 x H28.5	0.04m³	20	0.73m³	¥6400
54	ZMZA30358-A		Zomorrod - Zara - Spotlight Recessed 5watt 3000K - CRI 80 400Lumen - Beam Angle 38° 0.5PF 100 To 240V 50/60 Hz IP 20 - Round D90 x H16mm Cut Out 102mm White / PP (Housing) - 2 Year Warranty Certified CB	2,000	¥2.1	100	L54.5 x W37 x H20.6	0.04m³	20	0.83m³	¥4200
55	ZMZA40359-A		Zomorrod - Zara - Spotlight Recessed 5watt 4000K - CRI 80 400Lumen - Beam Angle 38° 0.5PF 100 To 240V 50/60 Hz IP 20 - Round D90 x H16mm Cut Out 102mm White / PP (Housing) - 2 Year Warranty Certified CB	1,000	¥2.1	100	L54.5 x W37 x H20.6	0.04m³	10	0.42m³	¥2100
56	ZMZA60360-A		Zomorrod - Zara - Spotlight Recessed 5watt 6500K - CRI 80 400Lumen - Beam Angle 38° 0.5PF 100 To 240V 50/60 Hz IP 20 - Round D90 x H16mm Cut Out 102mm White / PP (Housing) - 2 Year Warranty Certified CB	2,000	¥2.1	100	L54.5 x W37 x H20.6	0.04m³	20	0.83m³	¥4200
57	ZMZA30361-A		Zomorrod - Zara - Spotlight Recessed 7watt 3000K - CRI 80 560Lumen - Beam Angle 38° 0.5PF 100 To 240V 50/60 Hz IP 20 - Round D115 x H16mm Cut Out 126mm White / PP (Housing) - 2 Year Warranty Certified CB	4,000	¥3	100	L67 x W37 x H26	0.06m³	40	2.58m³	¥12000
58	ZMZA40362-A		Zomorrod - Zara - Spotlight Recessed 7watt 4000K - CRI 80 560Lumen - Beam Angle 38° 0.5PF 100 To 240V 50/60 Hz IP 20 - Round D115 x H16mm Cut Out 126mm White / PP (Housing) - 2 Year Warranty Certified CB	4,000	¥3	100	L67 x W37 x H26	0.06m³	40	2.58m³	¥12000
59	ZMZA60363-A		Zomorrod - Zara - Spotlight Recessed 7watt 6500K - CRI 80 560Lumen - Beam Angle 38° 0.5PF 100 To 240V 50/60 Hz IP 20 - Round D115 x H16mm Cut Out 126mm White / PP (Housing) - 2 Year Warranty Certified CB	4,000	¥3	100	L67 x W37 x H26	0.06m³	40	2.58m³	¥12000
Total				118,554				5,347		1,528 m³	
Only One Million Ninety Two Thousand Eighty Four Point Fifty Zero CNY											¥1,092,084.50

Seller Signature & Stamp

Buyer Signature & Stamp



38607954

9 of 15

Powered By LUMYTIC

Terms and Conditions

General

1. Transfer and confidentiality: The Seller has no right to transfer this contract, The Seller and The Buyer both sides must abide by the contract, shall not be foreign to expose the contract content, such as has occurred, a responsibility shall be investigated for the other party.
2. The goods of this contract products is The Seller produce according to the The Buyer's brand, The Seller shall not be entitled to the finished product sales to a third party without authorization.
3. All the finished products in this contract should produce in The Seller's factory, if produce in third parties, The Buyer can cancel the order and the Seller must return all the amount which paid by The Buyer. The Buyer will make inspection during production or after production.
4. The Seller must make sure the goods matched with The Buyer's standard, the quality will base on contract and sealed sample.
5. For repeat order, The Seller can not change any material without The Buyer's confirmation. If change, The Buyer will not pick up the goods and The Seller must return the full amount which paid by the Buyer.

Logistic

1. FOB Ningbo.

Technical

1. Certification cost: All Items should pass CB and IECEE, if can not pass CB and IECEE, Seller should take all the responsibility which cause by this. And Seller will responsible for all the cost which should pay in China for make CB and IECEE, Buyer will responsible for all the cost which should pay in Saudi Arabia for make CB and IECEE.
2. Stable power and Stable LM less than 5% tolerance
3. Seller should make a sample base on product requirement from the contract for Buyer confirmation before production.
4. Color temperature: Difference of color temperature for Each batch can not more than 200k with last batch and same batch; Difference of color temperature for Each batch can not be recognize by eyes.
5. Materials: Flood light is Die casting aluminum body + transparent glass cover with PG reflector
6. Materials: High bay must be Die casting aluminum body+ lens is PC
7. Bulkhead: Material: pp diffuser+pp housing.
 LED Type: SMD2835, LED brand: Sanan, LED qty: 12w 16SMD, 18w 30SMD, 15w 18SMD, 24w 48SMD.
 Driver: DOB driver, Driver brand: MEKA, non-isolate driver, Voltage: 100-240V/50-60HZ, Capacitor brand: 金福达
 PF:0.5,CRI>80, Beam angle:120°
 IP54, working temperature:-25~+40° C, Lifespan:15000h, 2years warranty.
 Product weight: 12w=89.8g, 18w=107.2g, 40w=253g, 15w=96.7g, 24w=194.5
 Package factory: 兆驰BMTc
8. Bulb 5w 9W 12W 15W all are A60
9. Bulb 15W 25W 30W 40W and 50W all are T Bulb
10. Batten Light:
 Body Material: Pc cover+PP cap+ Pc base

Seller Signature & Stamp



30007054

10 of 15

Powered By LUMYTIC

Buyer Signature & Stamp



LED Type: SMD2835, LED brand: Sanan, LED qty: 10w 50SMD, 20w 100SMD, 40w 150SMD, 50w 284SMD.
 Driver: Independent driver, Driver brand: MEKA, non-isolate driver, Voltage: 180-240V
 PF:0.5, CRI>80, Beam angle:120°
 IP20, working temperature:-25~+40° C, lifespan:15000h, 2years warranty.
 Product weight: 10w=115g, 20w=145g, 40w=253g, 50w=295g.
 Package factory: 兆驰BMTC

11. Material: GU10 Spot light is PC lens+ plastic-clad aluminium

12. Bulb A:

Body Material: PC cover+Plastic-clad aluminium
 LED Type: SMD2835, LED brand: Sanan, LED qty: 9w 8SMD, 15W 15SMD
 Driver: DOB Driver, Driver brand: MEKA, Non-isolate driver, Voltage: 220-240V/ 50-60HZ, Capacitor: Aishi
 PF:0.5, CRI>80, Beam angle:180°
 IP20, working temperature:-25~+40° C, lifespan:15000h, 2years warranty.
 Product weight: 9w=25g, 15W = 31g.
 LED Package factory: 兆驰BMTC, 木林森MLS, 唯唯, 普斯赛特

13. T Bulb:

Body Material: PP Cover+Plastic-clad aluminium
 LED Type: SMD2835, LED brand: Sanan, LED qty: 20w 20SMD, 30w 30SMD, 40w 40SMD, 50w 60SMD
 Driver: DOB Driver, Driver brand: MEKA, Non-isolate driver, Voltage: 175-265V/ 50-60HZ, Capacitor: Aishi
 30W, 40W and 50W bulbs PF should be 0.9
 PF:0.5 for 20W bulb, CRI>80, Beam angle:180°
 IP20, working temperature:-25~+40° C, lifespan:15000h, 2years warranty.
 Product weight: 20w=57g, 30w=97G, 40w=132G, 50w= 191G
 LED Package factory: 兆驰BMTC, 木林森MLS, 唯唯, 普斯赛特

14. GU10 Spot light:

Body Material: PC LENS+Plastic-clad aluminium
 LED Type: SMD2835, LED brand: Sanan, LED qty: 7SMD
 Driver: DOB Driver, Driver brand: MEKA, non-isolate driver, Voltage: 175-265V/ 50-60HZ, Capacitor: Aishi
 PF:0.5, CRI>80, Beam angle:38°
 IP20, working temperature:-25~+40° C, lifespan:15000h, 2years warranty.
 Product weight: 20.5G
 Package factory: 兆驰BMTC, 木林森MLS, 唯唯, 普斯赛特

15. Flood light:

Body Material: Die casting aluminum body + transparent glass cover with PC reflector
 LED Type: SMD2835, LED brand: Sanan, LED qty: 50w 48SMD, 100w 102SMD, 150w 144SMD, 200w 192SMD.
 Driver: DOB Driver, Driver brand: MEKA, non-isolate driver, Voltage: 180-240V, Capacitor: Aishi
 PF:0.9, 250w PF:0.5, CRI>70, Beam angle:120°
 IP65, lifespan:15000h, 2years warranty.
 Product weight: 50w 420g, 100w 782g, 150w 1300g, 200w 1980g.
 Package factory: 兆驰BMTC

16. High bay:

Body Material: Die casting aluminum body+ PC lens
 LED Type: SMD2835, LED brand: Sanan, LED qty: 100w 150pcs, 150w 250pcs, 200w 300pcs.
 Driver: DOB Driver, Driver brand: MEKA, non-isolate driver, Voltage: 175-265V, Capacitor: Aishi
 PF:0.9, CRI>70, Beam angle:90°
 IP65, lifespan:15000h, 2years warranty.
 Product weight: 100w=0.79Kg, 150w=1.2Kg, 200w= 1.4Kg.
 Package factory: 兆驰BMTC

17. Surge Protection: Flood light 1KV/1.5KV, High bay 1KV/2KV, batten light 10w and 20w 0.5KV, 40w and 50w 1KV, Bulkhead 0.5KV, Round surface down light 1KV

Seller Signature & Stamp



11 of 15

Powered By LUMYTIC

Buyer Signature & Stamp



18. Surface down light: Material: pp + ps diffuser
 LED Type: SMD2835, LED brand: Sanan, LED qty: 22pcs
 Driver: DOB Driver, Driver brand: MEKA, non-isolate driver, Voltage: 175-265V, Capacitor: Aishi
 PF: 0.5 CRI: >80, Beam angle: 120°
 IP20, Lifespan: 15000h, 2 years warranty.
 Product weight: 24w=210G
 Package factory: 兆驰BMTc

19. 280W flood light below data is taken reference from 250W flood light, accurate data will update on next order as now 280W mold not finish yet.

Finished products weight for 250W flood light is 2.26kg, aluminum fitting weight is 776g, LED qty is 250pcs SMD2835

20. Spare parts:

T bulb: 2% pcb(pcb and driver are together)
 A60 bulb: 2% pcb(pcb and driver are together)
 GU10: 2% pcb(pcb and driver are together)
 Floodlight: 2% pcb(pcb and driver are together)
 KSA Highbay: 2% pcb+2% driver(The pcb and the driver are separate)
 Batten light: 2% pcb+2% driver(The pcb and the driver are separate)
 24W downlight: 2% pcb(pcb and driver are together)
 bulkhead: 2% pcb(pcb and driver are together)

21. Spotlight: Lumen should be 400Lm for 5W, 560Lm for 7W, operate on 50Hz and 60Hz, LED chips by sanan, RA 80, Power factor 0.5, Beam angle 38°, IP 20, Body Material PP, Capacitor by AISHI, Surge Protection 1KV, operation on -20~+40°C, Lifespan 25000, 2 Years warranty.

22. Down light: Lumen should be 960Lm for 12W, 1440Lm for 18W, 1760Lm for 22W, operate on 50Hz and 60Hz, LED chips by sanan, RA 80, Power factor 0.5, Beam angle 120°, IP 20, Body Material PP, Capacitor by AISHI, Surge Protection 1KV, operation on -20~+40°C, Lifespan 25000, 2 Years warranty.

Delivery & Payment

1. Payment terms: The seller should start produce after signed contract, for the first three order 30% will pay before delivery, 70% will be 75days credit base on BL date. After these three order, 20% will pay before delivery, 80% will be 75days credit base on BL date.
2. Delivery time: 35days after signed contract.

Production & Packaging

1. Customize Package requirement pls check from another file, Product can not have any supplier information or inspect mark or Chinese; Package and all part of product need keep clean, if not must rework.

Warranty & Inspection

1. Product Inspection: when The Buyer inspect the goods by count/weight/try to assemble/visual appearance/Test by machine and so on. If find any part not meet the contract requirement or have quality problem, The Seller have to return full amount which the Buyer paid.
2. After sale service policy: If the defective rate less than 5%, The Seller will provide PCB with LED and driver to The Buyer free of charge for maintenance; If the defective rate more than 5%, The Seller will provide finished products to The Buyer free of charge for replacements; If the defective rate more than 8%, The Buyer will stop sell this item in the market and The Seller will reproduce the whole order free of charge or return the whole amount which The Buyer paid for this order.

Seller Signature & Stamp



30007024

12 of 15

Powered By LUMYTIC

Buyer Signature & Stamp





Spare Parts

#	Spare Part Type	Item Number	Description	QTY
1	Item	LU30025-A	Zomorrod - Luna - Down Light Surface 24watt 3000K - CRI 80 1760Lumen - Beam Angle 110° 0.5PF 175 To 265V 50/60 Hz IP 20 - Round D217.3 x H30.8mm White / PP (Housing) - 2 Year Warranty Certified CB	10
2	Item	LU60027-A	Zomorrod - Luna - Down Light Surface 24watt 6500K - CRI 80 1760Lumen - Beam Angle 110° 0.5PF 175 To 265V 50/60 Hz IP 20 - Round D217.3 x H30.8mm White / PP (Housing) - 2 Year Warranty Certified CB	20
3	Item	RO40033-A	Zomorrod - Rosie - Bulkhead Surface 12watt 4000K - CRI 80 960Lumen - Beam Angle 120° 0.5PF 120 To 240V 50 Hz IP 54 - Oval W84.5 x L158 x H38mm White / plastic (Housing) - 2 Year Warranty Certified CB	3
4	Item	RO60035-A	Zomorrod - Rosie - Bulkhead Surface 12watt 6500K - CRI 80 960Lumen - Beam Angle 120° 0.5PF 120 To 240V 50 Hz IP 54 - Oval W84.5 x L158 x H38mm White / plastic (Housing) - 2 Year Warranty Certified CB	10
5	Item	RO40041-A	Zomorrod - Rosie - Bulkhead Surface 18watt 4000K - CRI 80 1440Lumen - Beam Angle 120° 0.5PF 120 To 240V 50 Hz IP 54 - Oval W94 x L195 x H38mm White / plastic (Housing) - 2 Year Warranty Certified CB	5
6	Item	RO60042-A	Zomorrod - Rosie - Bulkhead Surface 18watt 6500K - CRI 80 1440Lumen - Beam Angle 120° 0.5PF 120 To 240V 50 Hz IP 54 - Oval W94 x L195 x H38mm White / plastic (Housing) - 2 Year Warranty Certified CB	15
7	Item	RO40038-A	Zomorrod - Rosie - Bulkhead Surface 16watt 4000K - CRI 80 1200Lumen - Beam Angle 120° 0.5PF 120 To 240V 50 Hz IP 54 - Round D165 x H38mm White / plastic (Housing) - 2 Year Warranty Certified CB	3
8	Item	RO60039-A	Zomorrod - Rosie - Bulkhead Surface 16watt 6500K - CRI 80 1200Lumen - Beam Angle 120° 0.5PF 120 To 240V 50 Hz IP 54 - Round D165 x H38mm White / plastic (Housing) - 2 Year Warranty Certified CB	6
9	Item	RO40044-A	Zomorrod - Rosie - Bulkhead Surface 24watt 4000K - CRI 80 1920Lumen - Beam Angle 120° 0.5PF 120 To 240V 50 Hz IP 54 - Round D195 x H38mm White / plastic (Housing) - 2 Year Warranty Certified CB	3
10	Item	RO60045-A	Zomorrod - Rosie - Bulkhead Surface 24watt 6500K - CRI 80 1920Lumen - Beam Angle 120° 0.5PF 120 To 240V 50 Hz IP 54 - Round D195 x H38mm White / plastic (Housing) - 2 Year Warranty Certified CB	10
11	Item	MK30049-A	Zomorrod - Mask - Floodlight Surface 50watt 3000K - CRI 70 4500Lumen - Beam Angle 110° 0.9PF 100 To 240V 50/60 Hz IP 65 - Rectangular W160 x L185 x H29mm Black / Die-cast aluminum (Housing) - 2 Year Warranty Certified CB	3
12	Item	MK60051-A	Zomorrod - Mask - Floodlight Surface 50watt 6500K - CRI 70 4500Lumen - Beam Angle 110° 0.9PF 100 To 240V 50/60 Hz IP 65 - Rectangular W160 x L185 x H29mm Black / Die-cast aluminum (Housing) - 2 Year Warranty Certified CB	10
13	Item	MK30052-A	Zomorrod - Mask - Floodlight Surface 100watt 3000K - CRI 70 9000Lumen - Beam Angle 110° 0.9PF 100 To 240V 50/60 Hz IP 65 - Rectangular W208 x L255 x H32mm Black / Die-cast aluminum (Housing) - 2 Year Warranty Certified CB	3
14	Item	MK60054-A	Zomorrod - Mask - Floodlight Surface 100watt 6500K - CRI 70 9000Lumen - Beam Angle 110° 0.9PF 100 To 240V 50/60 Hz IP 65 - Rectangular W208 x L255 x H32mm Black / Die-cast aluminum (Housing) - 2 Year Warranty Certified CB	10
15	Item	MK60057-A	Zomorrod - Mask - Floodlight Surface 150watt 6500K - CRI 70 13500Lumen - Beam Angle 110° 0.9PF 100 To 240V 50/60 Hz IP 65 - Rectangular W248.6 x L330.5 x H32mm Black / Die-cast aluminum (Housing) - 2 Year Warranty Certified CB	15
16	Item	MK30055-A	Zomorrod - Mask - Floodlight Surface 150watt 3000K - CRI 70 13500Lumen - Beam Angle 110° 0.9PF 100 To 240V 50/60 Hz IP 65 - Rectangular W248.6 x L330.5 x H32mm Black / Die-cast aluminum (Housing) - 2 Year Warranty Certified CB	3
17	Item	MK60060-A	Zomorrod - Mask - Floodlight Surface 200watt 6500K - CRI 70 18000Lumen - Beam Angle 110° 0.9PF 100 To 240V 50/60 Hz IP 65 - Rectangular W307 x L407 x H34mm Black / Aluminum (Housing) - 2 Year Warranty Certified CB	6
18	Item	RD60063-A	Zomorrod - Rond - High Bay Pendant 100watt 6500K - CRI 80 12000Lumen - Beam Angle 90° 0.8PF 176 To 240V 50/60 Hz IP 65 - Round D250 x H70.1mm Black / Aluminum (Housing) - 2 Year Warranty Certified CB	2
19	Item	RD60066-A	Zomorrod - Rond - High Bay Pendant 150watt 6500K - CRI 80 18000Lumen - Beam Angle 90° 0.8PF 176 To 240V 50/60 Hz IP 65 - Round D295 x H70.1mm Black / Aluminum (Housing) - 2 Year Warranty Certified CB	3

Seller Signature & Stamp

Buyer Signature & Stamp



13 of 15

Powered By LUMYTIC



20	Item	AD00000-A	Zomorrod - Rond - High Bay Pendant 200watt 6500K - CRI 80 2400Lumen - Beam Angle 90° 0.9PF 175 To 240V 50/60 Hz IP 65 - Round D320 x H70.1mm Black / Aluminum (Housing) - 2 Year Warranty Certified CB	4
21	Item	BA00092-A	Zomorrod - Bariq - Bulb A60 E27 Socket 9watt 3000K - CRI 80 720Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - BULB W80 x H108mm White / plastic (Housing) - 2 Year Warranty Certified CB	10
22	Item	BA00084-A	Zomorrod - Bariq - Bulb A60 E27 Socket 9watt 6500K - CRI 80 720Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - BULB W80 x H108mm White / plastic (Housing) - 2 Year Warranty Certified CB	25
23	Item	BA30095-A	Zomorrod - Bariq - Bulb A60 E27 Socket 15watt 3000K - CRI 80 1425Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - BULB W60 x H121mm Silver / Stainless Steel (Housing) - 2 Year Warranty Certified CB	10
24	Item	BA00099-A	Zomorrod - Bariq - Bulb A60 E27 Socket 15watt 6500K - CRI 80 1200Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - BULB W60 x H121mm White / plastic (Housing) - 2 Year Warranty Certified CB	25
25	Item	NA30103-A	Zomorrod - Nar - Bulb T80 E27 Socket 20watt 3000K - CRI 80 1600Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - BULB W80 x H134mm White / plastic (Housing) - 2 Year Warranty Certified CB	10
26	Item	NA60105-A	Zomorrod - Nar - Bulb T80 E27 Socket 20watt 6500K - CRI 80 1600Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - BULB W80 x H134mm White / plastic (Housing) - 2 Year Warranty Certified CB	25
27	Item	NA30109-A	Zomorrod - Nar - Bulb T100 E27 Socket 30watt 3000K - CRI 80 2400Lumen - Beam Angle 180° 0.9PF 220 To 240V 50/60 Hz IP 20 - BULB W100 x H158mm White / plastic (Housing) - 2 Year Warranty Certified CB	5
28	Item	NA60113-A	Zomorrod - Nar - Bulb T100 E27 Socket 30watt 6500K - CRI 80 2400Lumen - Beam Angle 180° 0.9PF 220 To 240V 50/60 Hz IP 20 - BULB W100 x H158mm White / plastic (Housing) - 2 Year Warranty Certified CB	15
29	Item	NA60122-A	Zomorrod - Nar - Bulb T120 E27 Socket 40watt 6500K - CRI 80 3200Lumen - Beam Angle 180° 0.9PF 220 To 240V 50/60 Hz IP 20 - BULB W118 x H191mm White / plastic (Housing) - 2 Year Warranty Certified CB	10
30	Item	NA30118-A	Zomorrod - Nar - Bulb T120 E27 Socket 40watt 3000K - CRI 80 3200Lumen - Beam Angle 180° 0.9PF 220 To 240V 50/60 Hz IP 20 - BULB W118 x H191mm White / plastic (Housing) - 2 Year Warranty Certified CB	5
31	Item	NA30124-A	Zomorrod - Nar - Bulb T140 E27 Socket 50watt 3000K - CRI 80 5000Lumen - Beam Angle 180° 0.9PF 220 To 240V 50/60 Hz IP 20 - BULB W138 x H220mm White / plastic (Housing) - 2 Year Warranty Certified CB	3
32	Item	NA60126-A	Zomorrod - Nar - Bulb T140 E27 Socket 50watt 6500K - CRI 80 5000Lumen - Beam Angle 180° 0.9PF 220 To 240V 50/60 Hz IP 20 - BULB W138 x H220mm White / plastic (Housing) - 2 Year Warranty Certified CB	10
33	Item	GO30136-A	Zomorrod - Glow - Spotlight GU10 Socket 9watt 3000K - CRI 80 620Lumen - Beam Angle 38° 0.5PF 175 To 265V 50 Hz IP 20 - Round D60 x H54mm White / plastic (Housing) - 2 Year Warranty Certified CB	20
34	Item	GO40138-A	Zomorrod - Glow - Spotlight GU10 Socket 9watt 4000K - CRI 80 520Lumen - Beam Angle 38° 0.5PF 175 To 265V 50 Hz IP 20 - Round D60 x H54mm White / plastic (Housing) - 2 Year Warranty Certified CB	20
35	Item	GO60140-A	Zomorrod - Glow - Spotlight GU10 Socket 9watt 6500K - CRI 80 520Lumen - Beam Angle 38° 0.6PF 175 To 265V 50 Hz IP 20 - Round D60 x H54mm White / plastic (Housing) - 2 Year Warranty Certified CB	20
36	Item	LI60147-A	Zomorrod - Lina - Batten Light Surface 10watt 6500K - CRI 80 1150Lumen - Beam Angle 120° 0.5PF 180 To 240V 50/60 Hz IP 20 - Rectangular W75.7 x L334.3 x H23.9mm Silver / Stainless Steel (Housing) - 2 Year Warranty Certified CB	2
37	Item	LI30148-A	Zomorrod - Lina - Batten Light Surface 20watt 3000K - CRI 80 2300Lumen - Beam Angle 120° 0.5PF 180 To 240V 50/60 Hz IP 20 - Rectangular W75.7 x L634.3 x H23.9mm Silver / Stainless Steel (Housing) - 2 Year Warranty Certified CB	2
38	Item	LI60150-A	Zomorrod - Lina - Batten Light Surface 20watt 6500K - CRI 80 2300Lumen - Beam Angle 120° 0.5PF 180 To 240V 50/60 Hz IP 20 - Rectangular W75.7 x L634.3 x H23.9mm Silver / Stainless Steel (Housing) - 2 Year Warranty Certified CB	5
39	Item	LI60153-A	Zomorrod - Lina - Batten Light Surface 40watt 6500K - CRI 80 4600Lumen - Beam Angle 120° 0.9PF 180 To 240V 50/60 Hz IP 20 - Rectangular W75.7 x L1234.3 x H23.9mm Silver / Stainless Steel (Housing) - 2 Year Warranty Certified CB	15
40	Item	LI30151-A	Zomorrod - Lina - Batten Light Surface 40watt 3000K - CRI 80 4600Lumen - Beam Angle 120° 0.9PF 180 To 240V 50/60 Hz IP 20 - Rectangular W75.7 x L1234.3 x H23.9mm Silver / Stainless Steel (Housing) - 2 Year Warranty Certified CB	3

Seller Signature & Stamp

Buyer Signature & Stamp



3607164

14 of 15

Powered By LUMYTIC



41	Item	LI60156-A	Zomorrod - Lina - Batten Light Surface 50watt 6500K - CRI 80 5750Lumen - Beam Angle 120° 0.9PF 180 To 240V 50/60 Hz IP 20 - Rectangular W75.7 x L1634.3 x H23.9mm Silver / Stainless Steel (Housing) - 2 Year Warranty Certified CB	2
42	Item	BA30334-A	Zomorrod - Barliq - Bulb A80 E27 Socket 12watt 3000K - CRI 80 960Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - BULB W60 x H111mm White / plastic (Housing) - 2 Year Warranty Certified CB	10
43	Item	BA60336-A	Zomorrod - Barliq - Bulb A80 E27 Socket 12watt 6500K - CRI 80 960Lumen - Beam Angle 180° 0.5PF 220 To 240V 50/60 Hz IP 20 - BULB W60 x H111mm White / plastic (Housing) - 2 Year Warranty Certified CB	40
44	Item	ZMMS30349-A	Zomorrod - Mars - Recessed Panel Downlight Recessed 12watt 3000K - CRI 80 960Lumen - Beam Angle 120° 0.5PF 185 To 265V 50/60 Hz IP 20 - Round D145 x H28.4mm Cut Out 125mm White / PP (Housing) - 2 Year Warranty Certified CB	10
45	Item	ZMMS40350-A	Zomorrod - Mars - Recessed Panel Downlight Recessed 12watt 4000K - CRI 80 960Lumen - Beam Angle 120° 0.5PF 185 To 265V 50/60 Hz IP 20 - Round D145 x H28.4mm Cut Out 125mm White / PP (Housing) - 2 Year Warranty Certified CB	5
46	Item	ZMMS60351-A	Zomorrod - Mars - Recessed Panel Downlight Recessed 12watt 6500K - CRI 80 960Lumen - Beam Angle 120° 0.5PF 185 To 265V 50/60 Hz IP 20 - Round D145 x H28.4mm Cut Out 125mm White / PP (Housing) - 2 Year Warranty Certified CB	10
47	Item	ZMMS30352-A	Zomorrod - Mars - Recessed Panel Downlight Recessed 18watt 3000K - CRI 80 1440Lumen - Beam Angle 120° 0.6PF 185 To 265V 50/60 Hz IP 20 - Round D170.7 x H28.4mm Cut Out 145mm White / PP (Housing) - 2 Year Warranty Certified CB	10
48	Item	ZMMS40353-A	Zomorrod - Mars - Recessed Panel Downlight Recessed 18watt 4000K - CRI 80 1440Lumen - Beam Angle 120° 0.6PF 185 To 265V 50/60 Hz IP 20 - Round D170.7 x H28.4mm Cut Out 145mm White / PP (Housing) - 2 Year Warranty Certified CB	5
49	Item	ZMMS60354-A	Zomorrod - Mars - Recessed Panel Downlight Recessed 18watt 6500K - CRI 80 1440Lumen - Beam Angle 120° 0.6PF 185 To 265V 50/60 Hz IP 20 - Round D170.7 x H28.4mm Cut Out 145mm White / PP (Housing) - 2 Year Warranty Certified CB	10
50	Item	ZMMS30355-A	Zomorrod - Mars - Recessed Panel Downlight Recessed 22watt 3000K - CRI 80 1760Lumen - Beam Angle 120° 0.5PF 185 To 265V 50/60 Hz IP 20 - Round D220.7 x H28.9mm Cut Out 195mm White / PP (Housing) - 2 Year Warranty Certified CB	10
51	Item	ZMMS40356-A	Zomorrod - Mars - Recessed Panel Downlight Recessed 22watt 4000K - CRI 80 1760Lumen - Beam Angle 120° 0.5PF 185 To 265V 50/60 Hz IP 20 - Round D220.7 x H28.9mm Cut Out 195mm White / PP (Housing) - 2 Year Warranty Certified CB	0
52	Item	ZMMS60357-A	Zomorrod - Mars - Recessed Panel Downlight Recessed 22watt 6500K - CRI 80 1760Lumen - Beam Angle 120° 0.5PF 185 To 265V 50/60 Hz IP 20 - Round D220.7 x H28.9mm Cut Out 195mm White / PP (Housing) - 2 Year Warranty Certified CB	10
53	Item	ZMZA30358-A	Zomorrod - Zara - Spotlight Recessed 5watt 3000K - CRI 80 400Lumen - Beam Angle 68° 0.5PF 100 To 240V 50/60 Hz IP 20 - Round D90 x H16mm Cut Out 102mm White / PP (Housing) - 2 Year Warranty Certified CB	10
54	Item	ZMZA40359-A	Zomorrod - Zara - Spotlight Recessed 5watt 4000K - CRI 80 400Lumen - Beam Angle 68° 0.5PF 100 To 240V 50/60 Hz IP 20 - Round D90 x H16mm Cut Out 102mm White / PP (Housing) - 2 Year Warranty Certified CB	0
55	Item	ZMZA60360-A	Zomorrod - Zara - Spotlight Recessed 5watt 6500K - CRI 80 400Lumen - Beam Angle 68° 0.5PF 100 To 240V 50/60 Hz IP 20 - Round D90 x H16mm Cut Out 102mm White / PP (Housing) - 2 Year Warranty Certified CB	10
56	Item	ZMZA30361-A	Zomorrod - Zara - Spotlight Recessed 7watt 3000K - CRI 80 560Lumen - Beam Angle 68° 0.5PF 100 To 240V 50/60 Hz IP 20 - Round D116 x H16mm Cut Out 126mm White / PP (Housing) - 2 Year Warranty Certified CB	20
57	Item	ZMZA40362-A	Zomorrod - Zara - Spotlight Recessed 7watt 4000K - CRI 80 560Lumen - Beam Angle 68° 0.5PF 100 To 240V 50/60 Hz IP 20 - Round D116 x H16mm Cut Out 126mm White / PP (Housing) - 2 Year Warranty Certified CB	20
58	Item	ZMZA60363-A	Zomorrod - Zara - Spotlight Recessed 7watt 6500K - CRI 80 560Lumen - Beam Angle 68° 0.5PF 100 To 240V 50/60 Hz IP 20 - Round D116 x H16mm Cut Out 126mm White / PP (Housing) - 2 Year Warranty Certified CB	20
Total Quantity				216

--- The End ---

Seller Signature & Stamp

Buyer Signature & Stamp



15 of 15

Powered By LUMYTC