

# Supply Contract

Number: SC-217504250275

Date: 16/07/2025

This contract executed and entered into this 16th day of July, 2025 Between:

## Seller



Zhongshan Pincheng Optoelectronic Industrial Co., Ltd. 中山市品诚光电实业有限公司

Reference Name: PC

Address: Unit 6/F, No.7, Baocheng Road, Xiaolan Town, Zhongshan, Guangdong, China 中山市小榄镇宝诚路7号之一六楼

Legal Person: YUFEI ZHANG 张玉飞

Website: www.pcledlighting.com

Contact Person: IVY Wang

Email: sales03@pcledlighting.com

Tel: +86 18689882612

## Buyer



ATC MIDDLE EAST FZCO

Reference Name: ATC

Address: JAFZA One, 11th Floor, Jebel Ali Free Zone, Dubai, UAE

Contact Person: Echo Chan

Email: echo.c@atclighting.co

Tel: 008615018796671

## Bank Account

The following is our account:

Beneficiary: ZHONGSHAN PINCHENG OPTOELECTRONIC INDUSTRIAL CO., LIMITED

Bank Name: HSBC Hong Kong

Bank Address: Hong Kong, China.

Account Number: 456-562271-838

Swift Code: HSBCHKHCHKH

## Supply Contract Summary

Total Amount

¥ 157,265.60

Total Volume

6.64 m³



31045892

Seller Signature & Stamp



Buyer Signature & Stamp



1 of 6

Powered By LUMYTIC

| # | Buyer Item Number | Image | Description                                                                                                                                                                                                                                | QTY          | Unit Price | QTY/CTN | CTN Size (cm)     | CTN Volume | CTN | Total Volume | Amount   |
|---|-------------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------|---------|-------------------|------------|-----|--------------|----------|
| 1 | AT30855-A         |       | E-Series - Astral - Linear Dot Light Recessed<br><b>8watt 3000K</b> - CRI 95 640Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - <b>Square W74 x L74 x H33mm</b> White / Aluminum (Housing) - <b>2 Year Warranty</b> Certified CB | <b>250</b>   | ¥20.5      | 50      | L54.5 x W19 x H27 | 0.03m³     | 5   | 0.14m³       | ¥5125    |
| 2 | AT40856-A         |       | E-Series - Astral - Linear Dot Light Recessed<br><b>8watt 4000K</b> - CRI 95 640Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - <b>Square W74 x L74 x H33mm</b> White / Aluminum (Housing) - <b>2 Year Warranty</b> Certified CB | <b>100</b>   | ¥20.5      | 50      | L54.5 x W19 x H27 | 0.03m³     | 2   | 0.06m³       | ¥2050    |
| 3 | AT60857-A         |       | E-Series - Astral - Linear Dot Light Recessed<br><b>8watt 6000K</b> - CRI 95 640Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - <b>Square W74 x L74 x H33mm</b> White / Aluminum (Housing) - <b>2 Year Warranty</b> Certified CB | <b>150</b>   | ¥20.5      | 50      | L54.5 x W19 x H27 | 0.03m³     | 3   | 0.08m³       | ¥3075    |
| 4 | AT30697-A         |       | E-Series - Astral - Linear Dot Light Recessed<br><b>10watt 3000K</b> - CRI 95 700Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - <b>Linear W36 x L141 mm</b> White / Aluminum (Housing) - <b>2 Year Warranty</b> Certified CB    | <b>1,020</b> | ¥18.45     | 30      | L36 x W34 x H18   | 0.02m³     | 34  | 0.75m³       | ¥18819   |
| 5 | AT40698-A         |       | E-Series - Astral - Linear Dot Light Recessed<br><b>10watt 4000K</b> - CRI 95 700Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - <b>Linear W36 x L141 mm</b> White / Aluminum (Housing) - <b>2 Year Warranty</b> Certified CB    | <b>120</b>   | ¥18.45     | 30      | L36 x W34 x H18   | 0.02m³     | 4   | 0.09m³       | ¥2214    |
| 6 | AT60699-A         |       | E-Series - Astral - Linear Dot Light Recessed<br><b>10watt 6000K</b> - CRI 95 700Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - <b>Linear W36 x L141 mm</b> White / Aluminum (Housing) - <b>2 Year Warranty</b> Certified CB    | <b>120</b>   | ¥18.45     | 30      | L36 x W34 x H18   | 0.02m³     | 4   | 0.09m³       | ¥2214    |
| 7 | AT30700-A         |       | E-Series - Astral - Linear Dot Light Recessed<br><b>18watt 3000K</b> - CRI 95 1620Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - <b>Square W95 x L95 mm</b> White / Aluminum (Housing) - <b>2 Year Warranty</b> Certified CB    | <b>420</b>   | ¥28.37     | 30      | L47 x W25 x H27   | 0.03m³     | 14  | 0.44m³       | ¥11915.4 |
| 8 | AT40701-A         |       | E-Series - Astral - Linear Dot Light Recessed<br><b>18watt 4000K</b> - CRI 95 1620Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - <b>Square W95 x L95 mm</b> White / Aluminum (Housing) - <b>2 Year Warranty</b> Certified CB    | <b>180</b>   | ¥28.37     | 30      | L47 x W25 x H27   | 0.03m³     | 6   | 0.19m³       | ¥5106.6  |
| 9 | AT60702-A         |       | E-Series - Astral - Linear Dot Light Recessed<br><b>18watt 6000K</b> - CRI 95 1620Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - <b>Square W95 x L95 mm</b> White / Aluminum (Housing) - <b>2 Year Warranty</b> Certified CB    | <b>180</b>   | ¥28.37     | 30      | L47 x W25 x H27   | 0.03m³     | 6   | 0.19m³       | ¥5106.6  |

**Seller Signature & Stamp**

**Buyer Signature & Stamp**


| Buyer Item Number | Image | Description                                                                                                                                                                                                               | QTY   | Unit Price | QTY/CTN | CTN Size (cm)   | CTN Volume | CTN | Total Volume | Amount |
|-------------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|---------|-----------------|------------|-----|--------------|--------|
| 0 AT30703-A       |       | E-Series - Astral - Linear Dot Light Recessed<br>20watt 3000K - CRI 95 1500Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L274 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB       | 1,000 | ¥28.5      | 20      | L36 x W31 x H23 | 0.03m³     | 50  | 1.28m³       | ¥28500 |
| 11 AT40704-A      |       | E-Series - Astral - Linear Dot Light Recessed<br>20watt 4000K - CRI 95 1500Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L274 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB       | 100   | ¥28.5      | 20      | L36 x W31 x H23 | 0.03m³     | 5   | 0.13m³       | ¥2850  |
| 12 AT60705-A      |       | E-Series - Astral - Linear Dot Light Recessed<br>20watt 6000K - CRI 95 1500Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L274 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB       | 100   | ¥28.5      | 20      | L36 x W31 x H23 | 0.03m³     | 5   | 0.13m³       | ¥2850  |
| 13 AT30706-A      |       | E-Series - Astral - Linear Dot Light Recessed<br>30watt 3000K - CRI 95 2250Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L406 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB       | 1,000 | ¥40.2      | 10      | L53 x W29 x H13 | 0.02m³     | 100 | 2.00m³       | ¥40200 |
| 14 AT40707-A      |       | E-Series - Astral - Linear Dot Light Recessed<br>30watt 4000K - CRI 95 2250Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L406 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB       | 100   | ¥40.2      | 10      | L53 x W29 x H13 | 0.02m³     | 10  | 0.20m³       | ¥4020  |
| 15 AT60708-A      |       | E-Series - Astral - Linear Dot Light Recessed<br>30watt 6000K - CRI 95 2250Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L406 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB       | 100   | ¥40.2      | 10      | L53 x W29 x H13 | 0.02m³     | 10  | 0.20m³       | ¥4020  |
| 16 AT30858-A      |       | E-Series - Astral - Linear Dot Light Recessed<br>32watt 3000K - CRI 95 2880Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W133 x L133 x H33mm White / Aluminum (Housing) - 2 Year Warranty Certified CB | 220   | ¥48        | 20      | L40 x W27 x H31 | 0.03m³     | 11  | 0.37m³       | ¥10560 |
| 17 AT40859-A      |       | E-Series - Astral - Linear Dot Light Recessed<br>32watt 4000K - CRI 95 2880Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W133 x L133 x H33mm White / Aluminum (Housing) - 2 Year Warranty Certified CB | 60    | ¥48        | 20      | L40 x W27 x H31 | 0.03m³     | 3   | 0.10m³       | ¥2880  |
| 18 AT60860-A      |       | E-Series - Astral - Linear Dot Light Recessed<br>32watt 6000K - CRI 95 2880Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W133 x L133 x H33mm White / Aluminum (Housing) - 2 Year Warranty Certified CB | 120   | ¥48        | 20      | L40 x W27 x H31 | 0.03m³     | 6   | 0.20m³       | ¥5760  |
|                   |       |                                                                                                                                                                                                                           | 5,340 |            |         |                 |            | 278 | 7 m³         |        |

Seller Signature & Stamp



Buyer Signature & Stamp



3 of 6

Powered By LUMYTIC



ATC  
MIDDLE EAST FZCO

| #     | Buyer Item Number                                                                 | Image | Description | QTY | Unit Price | QTY/CTN | CTN Size (cm) | CTN Volume | CTN | Total Volume | Amount      |
|-------|-----------------------------------------------------------------------------------|-------|-------------|-----|------------|---------|---------------|------------|-----|--------------|-------------|
| Total | Only One Hundred Fifty Seven Thousand Two Hundred Sixty Five Point Sixty Zero CNY |       |             |     |            |         |               |            |     |              | ¥157,265.60 |

## Terms and Conditions

### General

1. All the finished products in this contract should produce in The Seller's factory, if produce in third parties, The Buyer can cancel the order and The Seller must return all the amount which paid by The Buyer. The Buyer will make inspection during production or after production.
2. Transfer and confidentiality: The Seller has no right to transfer this contract, The Seller and The Buyer both sides must abide by the contract, shall not be foreign to expose the contract content, such as has occurred, a responsibility shall be investigated for the other party.
3. The goods of this contract products is The Seller produce according to the The Buyer's brand, The Seller shall not be entitled to the finished product sales to a third party without authorization.

### Logistic

1. 1% FOC Driver spare part .
2. Not including tax but included freight to Zhongshan, Jiangmen, Foshan and all package cost, Base on EXW terms, if seller need tax fund seller should bear the custom declaration cost.

### Technical

1. Stable power and Stable LM less than 10% tolerance.
2. Frequency 50/60 Hz.
3. IP20
4. Voltage range is 220-240V for all items.
5. power factor must be 0.9 at least .
6. RA > 80.
7. Beam angle 24° for square model, 35° for linear model.
8. Color temperature: White 6000K, Cool white 4000K, Warm white 3000K; Difference of color temperature for Each batch can not more than 200k with last batch and same batch.
9. Working temperature -15 to +40 C°.
10. 30000 hours lifespan.
11. LED brand Sanan, driver brand dark energy, package of LED LEDVANCE.

### Seller Signature & Stamp



### Buyer Signature & Stamp



4 of 6

Powered By LUMYTIC



Driver with Aishi(艾华) capacitor and BPS(晶丰明源) IC

12. White Aluminum fitting+ black PC frame+PC lens.

13. LED item number:LV3030EXXT064-130-EA-BS,LED QTY 10W 5PCS, 20W 10PCS, 30W 15PCS, 18W 9PCS, each LED 2W/PC, each LED 210-230LM/pc

14. Aluminum PCB thickness is 0.8mm.

15. driver box Heat resistance level should be more than 100°C.

16. Laser print Driver box label design by the Buyer, PCB with buyer's logo on PCB.

#### Delivery & Payment

1. Payment terms: for first order 20%deposit, 80% balance before delivery , start from second order 15% deposit, 85% ship against document.

2. Delivery date 35 days.

#### Production & Packaging

1. The Seller should make a sample base on product requirement from the contract for The Buyer's confirmation before production.

2. Customize Package requirement pls check from another file. Product can not have any supplier information or inspect mark or Chinese. Package and all part of product need keep clean, if not must rework.

3. The Seller must make sure the goods matched with The Buyer's standard, the quality will base on contract and sealed sample.

4. All items should pass CB and IECEE, if can not pass CB and IECEE, Seller should take all the responsibility which cause by this. And Seller will responsible for all the cost which should pay in China for make CB and IECEE, Buyer will responsible for all the cost which should pay in Saudi Arabia for make CB and IECEE.

5. For repeat order, The Seller can not change any material without The Buyer's confirmation. If change, The Buyer will not pick up the goods and The Seller must return the full amount which paid by the Buyer.

6. All the finished products in this contract should produce in The Seller's factory, if produce in third parties, The Buyer can cancel the order and the Seller must return all the amount which paid by The Buyer.

#### Warranty & Inspection

1. After sale service policy: If the defective rate less than 5%, The Seller will provide PCB with LED and driver to The Buyer free of charge for maintenance, and The Seller will bear the maintenance cost; if the defective rate more than 5%, The Buyer will stop sell this item in the market and The Seller will reproduce the whole order free of charge or return the whole amount which The Buyer paid for this order.

2. Product inspection: when The Buyer inspect the goods by count/weight/try to assemble/visual appearance/Test by machine and so on. If find any part not meet the contract requirement or have quality problem, The Seller have to return full amount which the Buyer paid. The seller has right to know the buyer how to inspect the goods, and must be confirmed by both parties.

3. 2 Years warranty.

Working life 30,000hrs .

#### Seller Signature & Stamp



#### Buyer Signature & Stamp



58300241

5 of 6


Powered By LUMYTIC

## Spare Parts

| Spare Part Type | Item Number | Description                                                                                                                                                                                                            | QTY |
|-----------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 1 Driver        | AT30697-A   | E-Series - Astral - Linear Dot Light Recessed 10watt 3000K - CRI 95 700Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L141 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB        | 10  |
| 2 Driver        | AT40698-A   | E-Series - Astral - Linear Dot Light Recessed 10watt 4000K - CRI 95 700Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L141 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB        | 1   |
| 3 Driver        | AT60699-A   | E-Series - Astral - Linear Dot Light Recessed 10watt 6000K - CRI 95 700Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L141 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB        | 1   |
| 4 Driver        | AT30703-A   | E-Series - Astral - Linear Dot Light Recessed 20watt 3000K - CRI 95 1500Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L274 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB       | 10  |
| 5 Driver        | AT60705-A   | E-Series - Astral - Linear Dot Light Recessed 20watt 6000K - CRI 95 1500Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L274 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB       | 1   |
| 6 Driver        | AT30706-A   | E-Series - Astral - Linear Dot Light Recessed 30watt 3000K - CRI 95 2250Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L406 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB       | 10  |
| 7 Driver        | AT60708-A   | E-Series - Astral - Linear Dot Light Recessed 30watt 6000K - CRI 95 2250Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L406 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB       | 1   |
| 8 Driver        | AT30700-A   | E-Series - Astral - Linear Dot Light Recessed 18watt 3000K - CRI 95 1620Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W95 x L95 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB        | 4   |
| 9 Driver        | AT40701-A   | E-Series - Astral - Linear Dot Light Recessed 18watt 4000K - CRI 95 1620Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W95 x L95 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB        | 2   |
| 10 Driver       | AT60702-A   | E-Series - Astral - Linear Dot Light Recessed 18watt 6000K - CRI 95 1620Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W95 x L95 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB        | 2   |
| 11 Driver       | AT40704-A   | E-Series - Astral - Linear Dot Light Recessed 20watt 4000K - CRI 95 1500Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L274 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB       | 1   |
| 12 Driver       | AT40707-A   | E-Series - Astral - Linear Dot Light Recessed 30watt 4000K - CRI 95 2250Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L406 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB       | 1   |
| 13 Driver       | AT30855-A   | E-Series - Astral - Linear Dot Light Recessed 8watt 3000K - CRI 95 640Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W74 x L74 x H33mm White / Aluminum (Housing) - 2 Year Warranty Certified CB     | 3   |
| 14 Driver       | AT40856-A   | E-Series - Astral - Linear Dot Light Recessed 8watt 4000K - CRI 95 640Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W74 x L74 x H33mm White / Aluminum (Housing) - 2 Year Warranty Certified CB     | 1   |
| 15 Driver       | AT60857-A   | E-Series - Astral - Linear Dot Light Recessed 8watt 6000K - CRI 95 640Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W74 x L74 x H33mm White / Aluminum (Housing) - 2 Year Warranty Certified CB     | 2   |
| 16 Driver       | AT30858-A   | E-Series - Astral - Linear Dot Light Recessed 32watt 3000K - CRI 95 2880Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W133 x L133 x H33mm White / Aluminum (Housing) - 2 Year Warranty Certified CB | 2   |
| 17 Driver       | AT40859-A   | E-Series - Astral - Linear Dot Light Recessed 32watt 4000K - CRI 95 2880Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W133 x L133 x H33mm White / Aluminum (Housing) - 2 Year Warranty Certified CB | 1   |
| 18 Driver       | AT60860-A   | E-Series - Astral - Linear Dot Light Recessed 32watt 6000K - CRI 95 2880Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W133 x L133 x H33mm White / Aluminum (Housing) - 2 Year Warranty Certified CB | 1   |
| Total Quantity  |             |                                                                                                                                                                                                                        | 54  |

--- The End ---

Seller Signature & Stamp



Buyer Signature & Stamp



6 of 6

Powered By LUMYTIC