# Supply Contract

Date: 16/07/2025 Number: SC-217504250275

This contract executed and entered into this 16th day of July ,2025 Between:

Seller



Zhongshan Pincheng Optoelectronic Industrial Co., Ltd. 中

山市品碱光电实业有限公司

Reference Name: PC

Address: Unit 6/F, No.7, Baocheng Road, Xiaolan Town, Zhongshan, Guangdong, China 中山市小榄镇宝诚路7号

之一六楼

Legal Person: YUFE ZHANG 张玉飞 Website: www.pcledlighting.com Contact Person: IVY Wang Email: sales03@pcledlighting.com

Tel: +86 18689882612

### **Bank Account**

The following is our account:

Beneficiary: ZHONGSHAN PINCHENG OPTOELECTRONIC INDUSTRIAL CO.,LIMITED

Bank Name: HSBC Hong Kong Bank Address: Hong Kong, China. Account Number: 456-562271-838 Swift Code: HSBCHKHHHKH

Buyer



ATC MIDDLE EAST FZCO

Reference Name: ATC

Address: JAFZA One, 11th Floor, Jebel Ali Free Zone, Dubai, UAE

Contact Person: Echo Chan Email: echo.c@atclighting.co Tel: 008615018796671


## Supply Contract Summary

Total Amount Total Volume

¥ 157,265,60 6.64 m<sup>3</sup>











#	Buyer Item Number	lmage	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
1	AT30855-A		E-Series - Astral - Linear Dot Light Recessed 8watt 3000K - CRI 95 640Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W74 x L74 x H33mm White / Aluminum (Housing) - 2 Year Warranty Certified CB	250	¥20.5	50	L54.5 x W19 x H27	0.03m³	5	0.14m³	¥5125
2	AT40856-A	000	E-Series - Astral - Linear Dot Light Recessed 8watt 4000K - CRI 95 640Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W74 x L74 x H33mm White / Aluminum (Housing) - 2 Year Warranty Certified CB	100	¥20.5	50	L54,5 x W19 x H27	0,03m³	2	0,06m <sup>3</sup>	¥2050
3	AT60857-A	100	E-Series - Astral - Linear Dot Light Recessed 8watt 6000K - CRI 95 640Lumeri - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W74 x L74 x H33mm White / Aluminum (Housing) - 2 Year Warranty Certified CB	150	¥20.5	50	L54,5 x W19 x H27	0.03m <sup>3</sup>	3	0.08m³	¥3075
4	AT30697-A	0000	E-Series - Astral - Linear Dot Light Recessed  10watt 3000K - CRI 95 700Lumen - Beam  Angle 35° 0.9PF 220 To 240V 50/60 Hz IP  20 - Linear W36 x L141 mm White /  Aluminum (Housing) - 2 Year Warranty  Certified CB		¥18.45	30	L36 x W34 x H18	0.02m³	34	0.75m³	¥18819
5	AT40698-A	0000	E-Series - Astral - Linear Dot Light Recessed 10watt 4000K - CRI 95 700Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L141 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB		¥18,45	30	L36 x W34 x H18	0.02m³	4	0.09m³	¥2214
6	AT60699-A	00000	E-Series - Astral - Linear Dot Light Recessed  10watt 6000K - CRI 95 700Lumen - Beam  Angle 35° 0.9PF 220 To 240V 50/60 Hz IP  20 - Linear W36 x L141 mm White /  Aluminum (Housing) - 2 Year Warranty  Certified CB		¥18.45	30	L36 x W34 x H18	0.02㎡	4	0.09m³	¥2214
7	AT30700-A		E-Series - Astral - Linear Dot Light Recessed  18watt 3000K - CRI 95 1620Lumen - Beam  Angle 24° 0.9PF 220 To 240V 50/60 Hz IP  20 - Square W95 x L95 mm White /  Aluminum (Housing) - 2 Year Warranty  Certified CB		¥28,37	30	L47 x W25 x H27	0.03m³	14	0,44m³	¥11915.4
8	AT40701-A		E-Series - Astral - Linear Dot Light Recessed  18watt 4000K - CRI 95 1620Lumen - Beam  Angle 24° 0.9PF 220 To 240V 50/60 Hz IP  20 - Square W95 x L95 mm White /  Aluminum (Housing) - 2 Year Warranty  Certified CB		¥28.37	30	L47 x W25 x H27	0.03m <sup>3</sup>	6	0.19m <sup>a</sup>	¥5106.6
9	AT60702-A		E-Series - Astral - Linear Dot Light Recessed  18watt 6000K - CRI 95 1620Lumen - Beam  Angle 24° 0.9PF 220 To 240V 50/60 Hz IP  20 - Square W95 x L95 mm White /  Aluminum (Housing) - 2 Year Warranty  Certified CB	180	¥28.37	30	L47 x W25 x H27	0.03m³	6	0.19m³	¥5106.6





2 of 6 Powered By LUMYTIC







#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
10	AT30703-A		E-Series - Astral - Linear Dot Light Recessed  20watt 3000K - CRI 95 1500Lumen - Beam  Angle 35° 0.9PF 220 To 240V 50/60 Hz IP  20 - Linear W36 x L274 mm White /  Aluminum (Housing) - 2 Year Warranty  Certified CB		¥28.5	20	L36 x W31 x H23	0.03m³	50	1.28m³	¥28500
11	AT40704-A		E-Series - Astral - Linear Dot Light Recessed  20watt 4000K - CRI 95 1500Lumen - Beam  Angle 35° 0.9PF 220 To 240V 50/60 Hz IP  20 - Linear W36 x L274 mm White /  Aluminum (Housing) - 2 Year Warranty  Certified CB	100	¥28,5	20	L36 x W31 x H23	0.03m³	5	0,13m <sup>a</sup>	V2850
12	AT60705-A		E-Series - Astral - Linear Dot Light Recessed  20watt 6000K - CRI 95 1500Lumen - Beam  Angle 35° 0.9PF 220 To 240V 50/60 Hz IP  20 - Linear W36 x L274 mm White /  Aluminum (Housing) - 2 Year Warranty  Certified CB	100	¥28.5	20	L36 x W31 x H23	0.03m³	5	0.13m³	¥2850
13	AT30706-A		E-Series - Astral - Linear Dot Light Recessed 30watt 3000K - CRI 95 2250Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L406 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB		¥40.2	10	L53 x W29 x H13	0.02m <sup>3</sup>	100	2.00m³	¥40200
14	AT40707-A	•••••	E-Series - Astral - Linear Dot Light Recessed 30watt 4000K - CRI 95 2250Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L406 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB		¥40,2	10	L53 x W29 x H13	0.02m³	10	0.20m³	¥4020
15	AT60708-A	••••••	E-Series - Astral - Linear Dot Light Recessed 30watt 6000K - CRI 95 2250Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L406 mm White / Aluminum (Housing) - 2 Year Warranty Certified CB		¥40.2	10	L53 x W29 x H13	0.02m <sup>3</sup>	10	0.20m³	¥4020
16	AT30858-A		E-Series - Astral - Linear Dot Light Recessed 32watt 3000K - CRI 95 2880Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W133 x L133 x H33mm White / Aluminum (Housing) - 2 Year Warranty Certified CB	220	¥48	20	L40 x W27 x H31	0.03m³	11	0,37m³	¥10560
17	AT40859-A		E-Series - Astral - Linear Dot Light Recessed 32watt 4000K - CRI 95 2880Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W133 x L133 x H33mm White / Aluminum (Housing) - 2 Year Warranty Certified CB	en	¥48	20	L40 x W27 x H31	0.03m <sup>3</sup>	3	0.10m <sup>3</sup>	¥2880
18	AT60860-A		E-Series - Astral - Linear Dot Light Recessed 32watt 6000K - CRI 95 2880Lurnen - Beam Angle 24° 0,9PF 220 To 240V 50/60 Hz IP 20 - Square W133 x L133 x H33mm White / Aluminum (Housing) - 2 Year Warranty Certified CB	120	¥48	20	L40 x W27 x H31	0.03m³	6	0.20m³	¥5760
				5,340					278	7 m <sup>3</sup>	-

Seller Signature & Stamp





3 of 6 Powered By **LUMYTIC** 



G OF WINDS





	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
Total	Total Only One Hundred Fifty Seven Thousand Two Hundred Shxty Five Point Sixty Zero CNY									¥157,265,60	

### **Terms and Conditions**

#### General

- 1. All the finished products in this contract should produce in The Seller's factory, if produce in third parties, The Buyer can cancel the order and The Seller must return all the amount which paid by The Buyer. The Buyer will make inspection during production or after production.
- 2. Transfer and confidentiality: The Seller has no right to transfer this contract, The Seller and The Buyer both sides must abide by the contract, shall not be foreign to expose the contract content, such as has occurred, a responsibility shall be investigated for the other party.
- 3. The goods of this contract products is The Seller produce according to the The Buyer's brand, The Seller shall not be entitled to the finished product sales to a third party without authorization.

#### Logistic

- 1. 1% FOC Driver spare part.
- 2. Not including tax but included freight to Zhongshan, Jiangmen, Foshan and all package cost, Base on EXW terms, if seller need tax fund seller should bear the custom declaration cost.

#### **Technical**


- 1. Stable power and Stable LM less than 10% tolerance.
- 2. Frequency 50/60 Hz.
- All products should be Flicker Free.
- 4. IP20
- 5. Voltage range is 220-240V for all items.
- 6. power factor must be 0.9 at least .
- 7. RA > 80.
- 8. Beam angle 24° for square model, 35° for linear model.
- 9. Color temperature: White 6000K, Cool white 4000K, Warm white 3000K; Difference of color temperature for Each batch can not more than 200k with last batch and same batch.
- 10. Working temperature -15 to +40 C°.
- 11. 30000 hours (fespan,







4 of 6 Powered By LUMYTIC



SELECT TO THE STATE OF THE SECOND SEC





- 12. LED brand Sanan, driver brand dark energy, package of LED LEDVANCE, Driver with Aishi(艾华) capacitor and BPS(晶丰明源) IC
- 13. White Aluminum fitting+ black PC frame+PC lens.
- 14. LED item number:LV3030EXXT064-130-EA-BS,LED QTY 10W 5PCS, 20W 10PCS, 30W 15PCS, 18W 9PCS, each LED 2W/PC, each LED 210-230LM/pc
- 15. Aluminum PCB thickness is 0.8mm.
- 16. driver box Heat resistance level should be more than 100°C.
- 17. Laser print Driver box label design by the Buyer, PCB with buyer's logo on PCB.

#### **Delivery & Payment**

- 1. Payment terms: for first order 20%deposit, 80% balance before delivery, start from second order 15% deposit, 85% ship against document.
- 2. Delivery date 35 days.

#### **Production & Packaging**

- 1. The Seller should make a sample base on product requirement from the contract for The Buyer's confirmation before production.
- Customize Package requirement pls check from another file. Product can not have any supplier information or inspect mark or Chinese.Package and all part of product need keep clean, if not must rework.
- 3. The Seller must make sure the goods matched with The Buyer's standard, the quality will base on contract and sealed sample.
- 4. All items should pass CB and IECEE, if can not pass CB and IECEE, Seller should take all the responsibility which cause by this. And Seller will responsible for all the cost which should pay in China for make CB and IECEE, Buyer will responsible for all the cost which should pay in Saudi Arabia for make CB and IECEE.
- 5. For repeat order, The Seller can not change any material without The Buyer's confirmation. If change, The Buyer will not pick up the goods and The Seller must return the full amount which paid by the Buyer.
- 6. All the finished products in this contract should produce in The Seller's factory, if produce in third parties, The Buyer can cancel the order and the Seller must return all the amount which paid by The Buyer.

#### Warranty & Inspection

- 1. After sale service policy: If the defective rate less than 5%, The Seller will provide PCB with LED and driver to The Buyer free of charge for maintenance, and The Seller will bear the maintenance cost; if the defective rate more than 5%, The Buyer will stop sell this item in the market and The Seller will reproduce the whole order free of charge or return the whole amount which The Buyer paid for this order.
- 2. Product inspection: when The Buyer inspect the goods by count/weight/try to assemble/visual appearance/Test by machine and so on. If find any part not meet the contract requirement or have quality problem, The Seller have to return full amount which the Buyer paid.
- 2 Years warranty.
   Working life 30,000hrs .







5 of 6 Powered By **LUMYTIC** 







# **Spare Parts**

8	Spare Part Type	Item Number	Description	ОТ			
-	Driver	AT30697-A	E-Series - Astral - Linear Dot Light Recessed 10watt 3000K - CRI 95 700Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L141 mm White / Aluminum (Housing) - 2 Year Warranty  Certified CB	10			
	Driver	AT40698-A	E-Series - Astral - Linear Dot Light Recessed 10watt 4000K - CRI 95 700Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L141 mm White / Aluminum (Housing) - 2 Year Warranty  Certified CB	1			
3	Driver	AT60699-A	E-Series - Astral - Linear Dot Light Recessed 10watt 6000K - CRI 95 700Lumen - Bearn Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L141 mm White / Aluminum (Housing) - 2 Year Warranty  Certified CB	1			
	Driver	AT30703-A	E-Series - Astral - Linear Dot Light Recessed 20watt 3000K - CRI 95 1500Lurnen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L274 mm White / Aluminum (Housing) - 2 Year Warranty  Certified CB	1			
	Driver	AT60705-A	E-Series - Astral - Linear Dot Light Recessed 20watt 6000K - CRI 95 1500Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L274 mm White / Aluminum (Housing) - 2 Year Warranty  Certified CB				
6	Driver	AT30706-A	E-Series - Astral - Linear Dot Light Recessed 30watt 3000K - CRI 95 2250Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L406 mm White / Aluminum (Housing) - 2 Year Warranty  Certified CB	1			
7	Driver	AT60708-A	E-Series - Astral - Linear Dot Light Recessed 30watt 6000K - CRI 95 2250Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20  Linear W36 x L406 mm White / Aluminum (Housing) - 2 Year Warranty  Certified CB				
3	Driver	AT30700-A	E-Series - Astral - Linear Dot Light Recessed 18watt 3000K - CRI 95 1620Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 Square W95 x L95 mm While / Aluminum (Housing) - 2 Year Warranty  Certified CB				
9	Driver	AT40701-A	E-Series - Astral - Linear Dot Light Recessed 18watt 4000K - CRI 95 1620Lurnen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W95 x L95 mm White / Aluminum (Housing) - 2 Year Warranty  Certified CB				
0	Driver	AT60702-A	E-Series - Astral - Linear Dot Light Recessed 18watt 6000K - CRI 95 1620Lurnen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20  Square W95 x L95 mm White / Aluminum (Housing) - 2 Year Warranty  Certified CB				
***	Driver	AT40704-A	E-Series - Astral - Linear Dot Light Recessed 20watt 4000K - CRI 95 1500Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L274 mm White / Aluminum (Housing) - 2 Year Warranty  Certified CB				
2	Driver	AT40707-A	E-Series - Astral - Linear Dot Light Recessed 30watt 4000K - CRI 95 2250Lumen - Beam Angle 35° 0.9PF 220 To 240V 50/60 Hz IP 20 - Linear W36 x L406 mm White / Aluminum (Housing) - 2 Year Warranty  Certified CB				
3	Driver	AT30855-A	E-Series - Astral - Linear Dot Light Recessed <b>8watt 3000K</b> - CRI 95 640Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - <b>Square W74 x L74 x H33mm</b> White / Aluminum (Housing) - <b>2 Year Warranty</b> Certified CB				
4	Driver	AT40856-A	E-Series - Astral - Linear Dot Light Recessed <b>8watt 4000K</b> - CRI 95 640Lumen - Beam Angle 24° 0,9PF 220 To 240V 50/60 Hz IP 20 - <b>Square W74 x L74 x H33mm</b> White / Aluminum (Housing) - <b>2 Year Warranty</b> Certified CB	Ī			
5	Driver	AT60857-A	E-Series - Astral - Linear Dot Light Recessed 8watt 6000K - CRI 95 640Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W74 x L74 x H33mm White / Aluminum (Housing) - 2 Year Warranty  Certified CB				
6	Driver	AT30858-A	E-Series - Astral - Linear Dot Light Recessed 32watt 3000K - CRI 95 2880Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 Square W133 x L133 x H33mm White / Aluminum (Housing) - 2 Year Warranty  Certified CB				
7	Driver	AT40859-A	E-Series - Astral - Linear Dot Light Recessed 32watt 4000K - CRI 95 2880Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W133 x L133 x H33mm White / Aluminum (Housing) - 2 Year Warranty  Certified CB	1			
8	Driver	AT60860-A	E-Series - Astral - Linear Dot Light Recessed 32watt 6000K - CRI 95 2880Lumen - Beam Angle 24° 0.9PF 220 To 240V 50/60 Hz IP 20 - Square W133 x L133 x H33mm White / Aluminum (Housing) - 2 Year Warranty  Certified CB				
ot	al Quantity	у					

--- The End ---

Seller Signature & Stamp





6 of 6 Powered By **LUMYTIC** 

