# **Supply Contract**

Number: SC-212906250285

This contract executed and entered into this 17th day of June ,2025 Between:

## Seller



Jiangmen Weirun New Material Aluminum Co., Ltd. 江门市 伟润新材铝业有限公司 江门市伟润新材铝业有限公司

Reference Name: Weirun

Address: No. 10, Zone C, No. 9 Tangxisha, Dongdi 1st Road, Hetang Town, Pengjiang District, Jiangmen City 江门市蓬江区荷塘镇东堤一路唐溪沙9号C区10号 江门市蓬江区荷塘镇东堤一路唐溪沙9号C区10号

Legal Person: 李幼平

Website:

Contact Person:XIE GUI FANG Email: ms abby xie@163. com

Tel: 18676418703

## **Bank Account**

The following is our account: Beneficiary: AI PU ST HK LIMITED

Bank Name: The bank of East Asia, LIMITED

Bank Address: 10 Des Voeux Road, Central, hongkong

Account Number: 015-523-6801-9927

Swift Code: BEASHKHH

### **Buyer**



ATC MIDDLE EAST FZCO Reference Name: ATC

Address: JAFZA One, 11th Floor, Jebel Ali Free Zone, Dubai, UAE Contact Person: Echo Chan Email: echo.c@atclighting.co

Tel: 008615018796671

## **Supply Contract Summary**

Total Amount Total Volume ¥ 25,920.00 2.69 m³



Date: 17/06/2025





1 of 4 Powered By **LUMYTIC** 







thickness 0.55mm with 4cap+ 4clip. Certified CB  Rafeed, Aluminium Profile W15.5XH15X3000 IP20, silver colour, Al thickness 1mm, PC thickness 0.55mm, with 400 V11.7 50 L310 x W17 x H14 0.07m³ 8 0.59m³ V4680  Rafeed, Aluminium Profile W24.5XH7X3000 IP20, silver colour, Al thickness 0.95mm, PC thickness 0.55mm with 4cap+4clip. Certified CB  Rafeed, Aluminium Profile W17.3XH14.5X3000 mm IP20, silver colour, Al thickness 1mm, PC thickness 0.84, with 4cap+4clip. Certified CB  V13.2 50 L310 x W17 x H11 0.06m³ 8 0.46m³ V5280  L310 x W17 x H11 0.08m³ 8 0.46m³ V5280  L310 x W18 x H14 0.08m³ 8 0.62m³ V5520  Rafeed, Aluminium Profile W17.3XH14.5X3000 mm IP20, silver colour, Certified CB	#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
2 ES-1604 W15.5XH15X3000 IP20, silver colour, Al thickness 1mm, PC thickness 0.55mm, with 4cap+4clip. Certified CB  Rafeed, Aluminium Profile W24.5XH7X3000 IP20, silver colour, Al thickness 0.95mm, PC thickness 0.95mm, PC thickness 0.95mm, PC thickness 0.95mm with 4cap+4clip. Certified CB  Rafeed, Aluminium Profile W24.5XH7X3000 IP20, silver colour, Al thickness 0.95mm with 4cap+4clip. Certified CB  Rafeed, Aluminium Profile W17.3XH14.5X3000 mm IP20, silver colour, Al thickness 1mm, PC thickness 0.94, with 4cap+4clip. Certified CB  Rafeed, Aluminium Profile W17.3XH14.5X3000 mm IP20, silver colour, Al thickness 1mm, PC thickness 0.94, with 4cap+4clip. Certified CB  Rafeed, Aluminium Profile W24.5XH7X3000 mm IP20, silver colour, Al thickness 1mm, PC thickness 0.94, with 4cap+4clip. Certified CB  V13.8 50 L310 x W18 x H14 0.08m³ 8 0.62m³ V5520 Certified CB  V13.8 50 L310 x W18 x H14 0.08m³ 8 0.62m³ V5520 Certified CB	1	ES-1603		IP20, silver colour, Al thickness 0.9mm, PC thickness 0.55mm with 4cap+ 4clip.	400	¥11.4	50	L310 x W17 x H11	0.06m³	8	0.46m³	¥4560
3 ES-1605	2	ES-1604		W15.5XH15X3000 IP20, silver colour, Al thickness 1mm, PC thickness 0.55mm, with 4cap+4clip.	400	¥11.7	50	L310 x W17 x H14	0.07m³	8	0.59m³	¥4680
4 ES-1606 W17.3XH14.5X3000 mm IP20, silver colour, All thickness 1mm, PC thickness 0.84, with 4cap+4clip. Certified CB  Rafeed, Aluminium Profile W25.2XH14.42X3000 mm IP20, silver colour, All thickness 1mm, PC thickness 0.84, with 4cap+4clip Certified CB  V13.8 50 L310 x W18 x H14 0.08m³ 8 0.62m³ V5520    Rafeed, Aluminium Profile W25.2XH14.42X3000 mm IP20, silver colour, All thickness 1mm, PC thickness 0.84mm, With 4cap+4clip Certified CB	3	ES-1605		IP20, silver colour, Al thickness 0.95mm, PC thickness 0.55mm with 4cap+4clip.	400	¥13.2	50	L310 x W17 x H11	0.06m³	8	0.46m³	V5280
5 ES-1607 W25.2XH14.42X3000 mm IP20, silver colour, Al thickness 1mm, PC thickness 0.84mm, With 4cap+4clip Certified CB V14.7 50 L310 x W17 x H13 0.07m³ 8 0.55m³ V5880	4	ES-1606		W17.3XI-14.5X3000 mm IP20, silver colour, Al thickness 1mm, PC thickness 0.84, with 4cap+4clip.		¥13.8	50	L310 x W18 x H14	0.08m³	8	0.62m³	¥5520
2,000 40 3 m <sup>3</sup>	5	ES-1607		W25.2XH14.42X3000 mm IP20, silver colour, Al thickness 1mm, PC thickness 0.84mm, With 4cap+4clip	400	¥14.7	50	L310 x W17 x H13	0.07m³	8	0.55m³	V5880
					2,000				7-	40	3 m³	

## **Terms and Conditions**

#### General

- 1. Transfer and confidentiality: The Seller has no right to transfer this contract, The Seller and The Buyer both sides must abide by the contract, shall not be foreign to expose the contract content, such as has occurred, a responsibility shall be investigated for the other party.
- 2. The goods of this contract products is The Seller produce according to the The Buyer's brand, The Seller shall not be entitled to the finished product sales to a third party without authorization.
- 3. All the finished products in this contract should produce in The Seller's factory, if produce in third parties, The Buyer can cancel the order and The Seller must return all the amount which paid by The Buyer. The Buyer will make inspection during production or after production.

## Logistic

1. EXW, for the goods which will load in Zhongshan, Jiangmen, Foshan, goods can send to buyer's assign location.





2 of 4 Powered By **LUMYTIC** 









If seller need tax refund, seller should pay custom declaretion cost.

#### **Technical**

- 1. Material: Aluminum and PC
- 2. Each profile length 3 meters
- 3. Silver Aluminum housing with white diffuser
- 4. The supplier is committed the dimensions in the description above LxWxH.

5. ES-1603: 115g/15g 2m al +2m pc +4cap+4clip Al thickness:0.9mm PC thickness:0.55mm

6. ES-1605: 135g/15g 2m al +2m pc +4cap+4clip Al thickness:0.95mm PC thickness:0.55mm

7. ES-1606: 143g/16g 2m al +2m pc +4cap+4clip Al thickness:1mm PC thickness:0.84mm

8. ES-1607: 156g/16g 2m al +2m pc +4cap+4clip Al thickness:1mm PC thickness:0.84mm

9. ES-1604: 114g/17g 2m al +2m pc +4cap+4clip Al thickness:1mm PC thickness:0.55mm

#### **Delivery & Payment**

- 1. Payment term: 20% pay before delivery, 80% balance will be ship againest documents.
- 2. Delivery within 7 days after confirming the order

### **Production & Packaging**

1. Customize Package requirement als check from another file, Product can not have any Seller information or inspect mark or Chinese; Package and all part of package clean, if not must rework.





3 of 4 Powered By **LUMYTIC** 









- 2. All packaging designs or templates shall be issue by Buyer to Seller. All packaging design shall be edited by Seller and sent to Buyer for confirmation. For avoid rework, all packaging need to be photographed to the Buyer for confirmation before production. If the rework is caused by printing without the Buyer's confirmation, the rework loss shall be borne by the Seller. If there is any other unknown, please contact the Buyer as soon as possible.
- 3. Brand:Rafeed
- 4. The Seller must make sure the goods matched with The Buyer's standard, the quality will base on contract and sealed sample.
- 5. The Seller should make a sample base on product requirement from the contract for The Buyer's confirmation before production.
- 6. For repeat order, The Seller can not change any material without The Buyer's confirmation. If change, The Buyer will not pick up the goods and The Seller must return the full amount which paid by the Buyer.

#### **Warranty & Inspection**

- 1. Product inspection: when Buyer inspect the goods by count/weight/try to assemble/visual appearance/Test by machine and so on. If find any part not meet the contract requirement or have quality problem, seller have to return full amount which the Buyer paid.
- 2. The seller must guarantee that the goods are in conformity with the buyer's requirements and the quality of the products shall be guaranteed by the acceptance letter or the sample of the sealed sample.
- 3. Warranty 5years

--- The End ---







