# **Supply Contract**

Number: SC-221106250286

Date: 04/06/2025

This contract executed and entered into this 04th day of June ,2025 Between:

### Seller



NINGBO SUNLE LIGHTING ELECTRIC CO.,LTD 宁波晟乐

照明电器有限公司

Reference Name: Sunle

Address: NO. 88 ZONGYAN ROAD, XIKOU TOWN,

NINGBO, CHINA 浙江省宁波市奉化区溪口镇综研路88

Legal Person: Andy Zou 乐奏 Website: www.sunlecn.com Contact Person: Amber Wang Email: slamber@sunlecn.com

Tel: 18967828360

## **Bank Account**

The following is our account :

Beneficiary: NINGBO SUNLE LIGHTING ELECTRIC

CO.,LTD

Bank Name: PING AN BANK CO LTD Bank Address: SHENZHEN, CHINA. **Account Number:** OSA15000092010139

Swift Code: SZDBCNBS

## **Buyer**



ATC MIDDLE EAST FZCO Reference Name: ATC

Address: JAFZA One, 11th Floor, Jebel Ali Free Zone, Dubai, UAE

Contact Person: Echo Chan Email: echo.c@atclighting.co Tel: 008615018796671

## **Supply Contract Summary**

**Total Amount Total Volume** 

¥ 2,550,600.00 150.18 m<sup>3</sup>



Seller Signature & Stamp 电器有限公司 NINGBO SUNLE LIGHTING ELECTRIC CO.,LTD



1 of 5 Powered By **LUMYTIC** 







#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
1	RI30691-A		E-Series - Rami - Street Light LUMILEDS LED Mounted on pole <b>150watt 3000K</b> - CRI 70 19500Lumen - Beam Angle 100° 0.95PF 100 To 277V 50/60 Hz IP 66 - <b>Rectangular W234 x L576 x H89mm</b> Black / Die-cast aluminum (Housing) - <b>5 Year</b> Warranty Certified CB	1,500	¥271	1	L58 x W24 x H11.5	0.02m <sup>3</sup>	1,500	24.01m³	¥406500
2	RI40692-A		E-Series - Rami - Street Light LUMILEDS LED Mounted on pole 150watt 4000K - CRI 70 19500Lumen - Beam Angle 100° 0.95PF 100 To 277V 50/60 Hz IP 66 - Rectangular W234 x L576 x H89mm Black / Die-cast aluminum (Housing) - 5 Year Warranty Certified CB	1,300	¥271	1	L58 x W24 x H11.£	5 0.02m³	1,300	20.81m³	¥352300
3	RI60693-A		E-Series - Rami - Street Light LUMILEDS LED Mounted on pole 150watt 6000K - CRI 70 19500Lumen - Beam Angle 100° 0.95PF 100 To 277V 50/60 Hz IP 66 - Rectangular W234 x L576 x H89mm Blaci / Die-cast aluminum (Housing) - 5 Year Warranty Certified CB	1,800	¥271	1	L58 x W24 x H11.	5 0.02m³	1,800	) 28.81m³	¥487800
4	RI30694-A		E-Series - Rami - Street Light LUMILEDS LED Mounted on pole 200watt 3000K - CRI 70 26000Lumen - Beam Angle 100 <sup>6</sup> 0.95PF 100 To 277V 50/60 Hz IP 66 - Rectangular W255 x L628 x H89mm Blad / Die-cast aluminum (Housing) - 5 Year Warranty Certified CB	. 50	<b>0</b> ¥326	1	L64 x W26 x H11	.5 0.02m³	1,50	0 28.70m³	¥489000
5	RI40695-A		E-Series - Rami - Street Light LUMILEDS LED Mounted on pole 200watt 4000K - CRI 70 26000Lumen - Beam Angle 100 0.95PF 100 To 277V 50/60 Hz IP 66 - Rectangular W255 x L628 x H89mm Blar / Die-cast aluminum (Housing) - 5 Year Warranty Certified CB	1,30	<b>90</b> ¥326	5 1	L64 x W26 x H11	.5 0.02m	3 1,30	24.88m³	¥423800
6	RI60696-A		E-Series - Rami - Street Light LUMILED LED Mounted on pole 200watt 6000K CRI 70 26000Lumen - Beam Angle 100 0.95PF 100 To 277V 50/60 Hz IP 66 - Rectangular W255 x L628 x H89mm Bla / Die-cast aluminum (Housing) - 5 Yea Warranty Certified CB	1,20	<b>00</b> ¥32	6 1	L64 x W26 x H1	1.5 0.02m			¥391200
-				8,6					8,6	150 m <sup>3</sup>	
		* t	Only Two Million Five Hundr			nd Six Hundi	ed CNY				¥2,550,600

# **Terms and Conditions**

### General

1. Transfer and confidentiality: The Seller has no right to transfer this contract, The Seller and The Buyer both sides must abide by the

Seller Signature & Stamp

宁波晟乐照明电器有限公司 NINGBO SUNLE LIGHTING ELECTRIC CO.,LTD







2 of 5

Powered By **LUMYTIC** 







contract, shall not be foreign to expose the contract content, such as has occurred, a responsibility shall be investigated for the other party.

- 2. The Seller must make sure the goods matched with The Buyer's standard, the quality will base on contract and sealed sample.
- 3. All the finished products in this contract should produce in The Seller's factory, if produce in third parties, The Buyer can cancel the order, and the Seller must return all the amount which paid by The Buyer. The Buyer will make inspection during production or after production
- 4. The goods of this contract products are The Seller produce according to the The Buyer's brand, The Seller shall not be entitled to the finished product sales to a third party without authorization.
- 5. For repeat order, The Seller can not change any material without The Buyer's confirmation. If change, The Buyer will not pick up the goods and The Seller must return the full amount which paid by the Buyer.

#### Logistic

- 1. Documentation: The seller must provide all relevant documentation before shipment, including warranties, certifications and compliance reports.
- 2. FOB Shenzhen; If load container in Jiangmen or Zhongshan or Foshan, the seller will send the goods to the specific address which arranged by the Buyer.

#### **Technical**

- 1. Stable power and Stable LM less than 5% tolerance.
- 2. The beam angle is asymmetric 150°-50° and the average is 100°.
- 3. All items should pass CB and IECEE, if can not pass CB and IECEE, Seller should take all the responsibility which cause by this. And Seller will responsible for all the cost which should pay in China for make CB and IECEE, Buyer will responsible for all the cost which should pay in Saudi Arabia for make CB and IECEE.
- 4. 150W: whole lamp weight: 3.45KGS, casing weight: 1.48KGS 200W: whole lamp weight: 4.15KGS, casing weight: 1.8KGS
- 5. Efficiency: 130 lm/W for 150W & 200W.
- 6. The lamp body should be based on buyer molds and requirements.
- 7. Working temperature should be: -20~+55C°.

8. 150W:

Driver: SOSEN, PF> 0.95

LED: Lumileds by PHILIPS 3030 192PCS

With 7PIN BASE

9. 200W: Driver: SOSEN

PF> 0.95

LED: Lumileds by PHILIPS 3030 240PCS

With 7PIN BASE

10. Material: DIE CASSTING ALIUMIUM

Seller Signature & Stamp









11. All products should be Flicker Free.

12. Drivers SOSEN: 150W: SS-150VH-A215B 200W: SS-200VH-A286B

13. LED Lumileds LUXEON 3030 2D Line

3000K: L130-3070003000X21 4000K: L130-4070003000X21 6000K: L130-5770003000X21 Power 1W/PC, 168LM/W

- 14. Operation Frequency 50/60 Hz.
- 15. Color Temperature Consistency: The difference in color temperature between batches must not exceed 200K when compared to the last batch or within the same production batch; Difference of color temperature for Each batch can not be recognize by eyes.
- 16. Lifespan 50000Hours.
- 17. Protection rate IP66.
- 18, CRI>70.
- 19. Aluminum PCB and thickness is 1.5MM
- 20. Spare part: First order 1% FOC driver spare part, start from the second order is 0.5% driver spare part
- 21. With 10KV SPD

#### **Delivery & Payment**

- 1. Payment term: 20% pay before delivery, 80% ship againest documents. For the second order 20% pay before delivery, 80% will be 60days credit base on BL date.
- 2. Delivery date 35 days

#### **Production & Packaging**

- 1. The Seller should make a sample base on product requirement from the contract for The Buyer's confirmation before production.
- 2. Customize Package requirement pls check from another file. Product can not have any supplier information or inspect mark or Chinese. Package and all part of product need keep clean, if not must rework.
- 3. The Seller must make sure the goods matched with The Buyer's standard, the quality will base on contract and sealed sample.
- 4. For repeat order, The Seller can not change any material without The Buyer's confirmation. If change, The Buyer will not pick up the goods and The Seller must return the full amount which paid by the Buyer.
- 5. The driver should be marked as RAFEED brand, if there is any Chinese mark or any symbol refer to the supplier, the buyer will return the goods and the seller is committed to refund all the payment.
- 6. Package and all part of product need keep clean, if not must rework.

## Seller Signature & Stamp









#### Warranty & Inspection

- 1. Product inspection: when The Buyer inspect the goods by count/weight/try to assemble/visual appearance/Test by machine and so on. If find any part not meet the contract requirement or have quality problem, The Seller have to return full amount which the Buyer paid.
- 2. Warranty time 5 years.
- 3. After sale service policy: If the defective rate less than 3%, The Seller will provide PCB with LED and driver to The Buyer free of charge for maintenance; if the defective rate more than 3%, The Seller will provide PCB with LED and driver to The Buyer free of charge for maintenance, and The Seller will bear the maintenance cost; if the defective rate more than 8%, The Buyer will stop sell this item, in the market and The Seller will reproduce the whole order free of charge or return the whole amount which The Buyer paid for this order.

## **Spare Parts**

#	Spare Part Type	Item Number	Description			
1	Driver	RI30691-A	E-Series - Rami - Street Light LUMILEDS LED Mounted on pole <b>150watt 3000K</b> - CRI 70 19500Lumen - Bearn Angle 100° 0.95Pf 277V 50/60 Hz IP 66 - <b>Rectangular W234 x L576 x H89mm</b> Black / Die-cast aluminum (Housing) - <b>5 Year Warranty</b> Certified CB			
2	Driver	RI40692-A	E-Series - Rami - Street Light LUMILEDS LED Mounted on pole <b>150watt 4000K</b> - CRI 70 19500Lumen - Bearn Angle 100° 0.95PF 100 To 277V 50/60 Hz IP 66 - <b>Rectangular W234 x L576 x H89mm</b> Black / Die-cast aluminum (Housing) - <b>5 Year Warranty</b> Certified CB	13		
3	Driver	RI60693-A	E-Series - Rami - Street Light LUMILEDS LED Mounted on pole <b>150watt 6000K</b> - CRI 70 19500Lumen - Beam Angle 100° 0.95PF 100 To 277V 50/60 Hz IP 66 - <b>Rectangular W234 x L576 x H89mm</b> Black / Die-cast aluminum (Housing) - <b>5 Year Warranty</b> Certified CB	18		
4	Driver	RI30694-A	E-Series - Rami - Street Light LUMILEDS LED Mounted on pole <b>200watt 3000K</b> - CRI 70 26000Lumen - Beam Angle 100° 0.95PF 100 To 277V 50/60 Hz IP 66 - <b>Rectangular W255 x L628 x H89mm</b> Black / Die-cast aluminum (Housing) - <b>5 Year Warranty</b> Certified CB	15		
5	Driver	RI40695-A	E-Series - Rami - Street Light LUMILEDS LED Mounted on pole <b>200watt 4000K</b> - CRI 70 26000Lumen - Beam Angle 100° 0.95PF 100 To 277V 50/60 Hz IP 66 - <b>Rectangular W255 x L628 x H89mm</b> Black / Die-cast aluminum (Housing) - <b>5 Year Warranty</b> Certified CB	13		
6	Driver	RI60696-A	E-Series - Rami - Street Light LUMILEDS LED Mounted on pole <b>200watt 6000K</b> - CRI 70 26000Lumen - Beam Angle 100° 0.95PF 100 To 277V 50/60 Hz IP 66 - <b>Rectangular W255 x L628 x H89mm</b> Black / Die-cast aluminum (Housing) - <b>5 Year Warranty</b> Certified CB	12		
To	tal Quantity	y		86		

--- The End ---



