

# Supply Contract

Number: SC-109509250317

Date: 01/09/2025

This contract executed and entered into this 01th day of September ,2025 Between:

## Seller



Foshan Shipu Technology Lighting Co.,Ltd. 佛山市世普科技照明有限公司

**Reference Name:** Global

**Address:** No.3 No.19, Xiang'an Nan Road, Cangmen Community Resident Committee Jun'an Town Shunde District, Foshan City. 佛山市顺德区均安镇仓门社区居民委员会祥安南路19号之三

**Legal Person:**Fanny

**Website:** www.gglighting.com.cn

**Contact Person:**Fanny

**Email:** 2586281513@qq.com

**Tel:** 0086-13680152633

## Buyer



ATC MIDDLE EAST FZCO

**Reference Name:** ATC

**Address:** JAFZA One, 11th Floor, Jebel Ali Free Zone , Dubai, UAE

**Contact Person:** Echo Chan

**Email:** echo.c@atclighting.co

**Tel:** 008615018796671

## Bank Account

The following is our account :

**Beneficiary:** FOSHAN SHIPU TECHNOLOGY LIGHTING CO.,LTD

**Bank Name:** THE AGRICULTURAL BANK OF CHINA LTD, GUANGDONG SHUNDE BRANCH

**Bank Address:** BUILDING 6,POLY TRADE CENTER,NO.3,GUO TAI NAN ROAD,DALIANG, SHUNDE, FOSHAN CHINA

**Account Number:** USD 44490014040000091

**Swift Code:** ABOCCNBJ190

## Supply Contract Summary

Total Amount

¥ 69,790.00

Total Volume

6.88 m











69248175

Seller Signature & Stamp



Buyer Signature & Stamp



#	Buyer Item Number	Image	Description	QTY	Unit Price	QTY/CTN	CTN Size (cm)	CTN Volume	CTN	Total Volume	Amount
1	AR30032-A (RFE-0348A)		E-Series - Amir - Down Light CREE LED Recessed <b>8watt 3000K</b> - CRI 80 623Lumen - Beam Angle 50° 0.5PF 200 To 240V 50/60 Hz IP 20 - <b>Round D90 x H50mm</b> Cut Out 75mm White / Aluminum (Housing) - <b>3 Year Warranty</b> Non CB	700	¥ 15.45	100	L52 x W39.5 x H42.5	0.09m	7	0.61m	¥ 10815
2	AR60034-A (RFE-0347A)		E-Series - Amir - Down Light CREE LED Recessed <b>8watt 6000K</b> - CRI 80 646Lumen - Beam Angle 50° 0.5PF 200 To 240V 50/60 Hz IP 20 - <b>Round D90 x H50mm</b> Cut Out 75mm White / Aluminum (Housing) - <b>3 Year Warranty</b> Non CB	500	¥ 15.45	100	L52 x W39.5 x H42.5	0.09m	5	0.44m	¥ 7725
3	AR30037-A (RFE-0302A)		E-Series - Amir - Down Light Recessed <b>10watt 3000K</b> - CRI 80 845Lumen - Beam Angle 70° 0.5PF 100 To 240V 50/60 Hz IP 20 - <b>Round D120 x H50mm</b> Cut Out 95mm White / Aluminum (Housing) - <b>3 Year Warranty</b> Non CB	500	¥ 14.5	50	L67 x W29 x H37.5	0.07m	10	0.73m	¥ 7250
4	AR60038-A (RFE-0301A)		E-Series - Amir - Down Light Recessed <b>10watt 6000K</b> - CRI 80 900Lumen - Beam Angle 70° 0.5PF 100 To 240V 50/60 Hz IP 20 - <b>Round D120 x H50mm</b> Cut Out 95mm White / Aluminum (Housing) - <b>3 Year Warranty</b> Non CB	500	¥ 14.5	50	L67 x W29 x H37.5	0.07m	10	0.73m	¥ 7250
5	AR30039-A (RFE-0304A)		E-Series - Amir - Down Light Recessed <b>20watt 3000K</b> - CRI 80 1809Lumen - Beam Angle 120° 0.5PF 100 To 240V 50/60 Hz IP 20 - <b>Round D170 x H55mm</b> Cut Out 145mm White / Aluminum (Housing) - 500g - <b>3 Year Warranty</b> Non CB	400	¥ 24.18	20	L38 x W36 x H37.5	0.05m	20	1.03m	¥ 9672
6	AR60040-A (RFE-0303A)		E-Series - Amir - Down Light Recessed <b>20watt 6000K</b> - CRI 80 1938Lumen - Beam Angle 120° 0.5PF 100 To 240V 50/60 Hz IP 20 - <b>Round D170 x H55mm</b> Cut Out 145mm White / Aluminum (Housing) - 500g - <b>3 Year Warranty</b> Non CB	500	¥ 24.18	20	L38 x W36 x H37.5	0.05m	25	1.28m	¥ 12090
7	AR30041-A (RFE-0306A)		E-Series - Amir - Down Light Recessed <b>40watt 3000K</b> - CRI 80 3277Lumen - Beam Angle 115° 0.5PF 200 To 240V 50/60 Hz IP 20 - <b>Round D225 x H65mm</b> Cut Out 205mm White / Aluminum (Housing) - <b>3 Year Warranty</b> Non CB	200	¥ 37.47	20	L49 x W44.5 x H47.5	0.10m	10	1.04m	¥ 7494
8	AR60042-A (RFE-0305A)		E-Series - Amir - Down Light Recessed <b>40watt 6000K</b> - CRI 80 3347Lumen - Beam Angle 115° 0.5PF 200 To 240V 50/60 Hz IP 20 - <b>Round D225 x H65mm</b> Cut Out 205mm White / Aluminum (Housing) - <b>3 Year Warranty</b> Non CB	200	¥ 37.47	20	L49 x W44.5 x H47.5	0.10m	10	1.04m	¥ 7494
				3,500					97	7 m	
<b>Total</b>				<b>Only Sixty Nine Thousand Seven Hundred Ninety CNY</b>							<b>¥ 69,790.00</b>

**Seller Signature & Stamp**



**Buyer Signature & Stamp**



69248175

2 of 5

Powered By LUMYTIC

## Terms and Conditions

### General

1. Transfer and confidentiality: The Seller has no right to transfer this contract, The Seller and The Buyer both sides must abide by the contract, shall not be foreign to expose the contract content, such as has occurred, a responsibility shall be investigated for the other party.
2. All the finished products in this contract should produce in The Seller's factory, if produce in third parties, The Buyer can cancel the order and The Seller must return all the amount which paid by The Buyer. The Buyer will make inspection during production or after production.
3. The goods of this contract products is The Seller produce according to the The Buyer's brand, The Seller shall not be entitled to the finished product sales to a third party without authorization.

### Logistic

1. EXW, for the goods which will load in Zhongshan, Jiangmen, Foshan, goods can send to buyer's assign location. If seller need tax refund, seller should pay custom declaration cost.

### Technical

1. Stable power and light efficiency both should less than 10% tolerance.
2. Seller must make sure the goods matched with Buyer standard, the quality will base on contract and sealed sample.
3. Fitting material: Down light: Aluminum Ring+Aluminum Heatsink; Plastic reflector; Color: Black heat sink +White Ring; 8W with 2.0mm PMMA, 11w, 20w, 30w with 2.0mm Glass; 40w with 3.0mm Glass.  
7W Spot light: Plastic ring +plastic heatsink, Aluminum reflector,color white
4. NON CB Driver: Dark energy Non Isolate driver with buyer's logo on PCB; Driver with Aishi(艾华) capacitor and BPS(晶丰明源) IC, Driver: 7W,PF:0.5 100mA; 8W PF:0.5,180mA; 10W PF:0.5,240mA; 20W PF:0.5,270mA; 40W PF:0.5,290mA
5. CB LED: 7w ZY SMD2835, Focus(聚灿)1734x3; 8W CREE COB LED #1304; 11W,20W,40W ZY SMD2835,Bridgelux 1835 double chip; 30W ZY COB #1531 chip  
NON CB LED: 7w ZY SMD2835, Focus(聚灿)1734x3;8W CREE COB LED #1304; 10W use stocked Assembled led of MLS 1835x2; 20W,40W ZY SMD2835,Bridgelux 1835 double chip;
6. IP20, beam angle:For 7W 40° , 8W 50° ,11W:70° ,20W:120° ,30W:40° ,40W:115°
7. PCB Thickness: 1.2mm
8. Glass:8W,full clear PMMA,without buyer's information at side; 10W: full clear glass without buyer's information at side; 20W:middle frosted(40MM)side clear glass,with buyer's information at side; 40W:middle frosted(56MM)side clear glass,with buyer's information at side; 30W:full clear glass,with buyer's information at side.
9. Color of the plastic part for Ear/Driver box/connector must be same
10. Driver box Heat resistance level should be more than 100° C
11. Wire: the part which connect to light should leave 4cm to put the cable sticker
12. Color temperature: Warm white 3000K ; Difference of color temperature for Each batch do the best to not more than 200k with last batch and same batch
13. Lifespan 30,000hrs, Guarantee 3 years, if any non-artificial defective happened during gurantee period, seller will maintainrance FOC or repare the components FOC; if the defective rate more than 5% buyer will stop sell and return the whole batch of the goods to Seller and Seller

### Seller Signature & Stamp



3 of 5

Powered By LUMYTIC

### Buyer Signature & Stamp





will bear all the cost which cause by this.

14. The connecetor should with buyer logo

### Delivery & Payment

1. Payment terms: 20% deposit, 80% Balance against document.
2. Delivery within 25-30 days

### Production & Packaging

1. 1% FOC Spare part for LED and driver
2. White boxes and sticker based on design file by buyer
3. Customize Package requirement pls check from another file. Product can not have any supplier information or inspect mark or Chinese. Package and all part of product need keep clean, if not must rework.
4. For repeat order, The Seller can not change any material without The Buyer's confirmation. If change, The Buyer will not pick up the goods and The Seller must return the full amount which paid by the Buyer.
5. The Seller must make sure the goods matched with The Buyer's standard, the quality will base on contract and sealed sample.

### Warranty & Inspection

1. 3 Years warranty.
2. After sale service policy: If the defective rate less than 5%, The Seller will provide PCB with LED and driver to The Buyer free of charge for maintenance, and The Seller will bear the maintenance cost; if the defective rate more than 5%, The Buyer will stop sell this item in the market and The Seller will reproduce the whole order free of charge or return the whole amount which The Buyer paid for this order.
3. Product inspection:when Buyer inspect the goods by count/weight/try to assemble/visual appearance/test by machine and so on. If find the product not meet the contract requirement or have quality problem, supplier have to return full amount which already paid.

## Spare Parts

#	Spare Part Type	Item Number	Description	QTY
1	Driver	AR60038-A (RFE-0301A)	E-Series - Amir - Down Light Recessed <b>10watt 6000K</b> - CRI 80 900Lumen - Beam Angle 70° 0.5PF 100 To 240V 50/60 Hz IP 20 - <b>Round D120 x H50mm</b> Cut Out 95mm White / Aluminum (Housing) - <b>3 Year Warranty</b> Non CB	5
2	LED	AR60038-A (RFE-0301A)	E-Series - Amir - Down Light Recessed <b>10watt 6000K</b> - CRI 80 900Lumen - Beam Angle 70° 0.5PF 100 To 240V 50/60 Hz IP 20 - <b>Round D120 x H50mm</b> Cut Out 95mm White / Aluminum (Housing) - <b>3 Year Warranty</b> Non CB	5
3	Driver	AR30037-A (RFE-0302A)	E-Series - Amir - Down Light Recessed <b>10watt 3000K</b> - CRI 80 845Lumen - Beam Angle 70° 0.5PF 100 To 240V 50/60 Hz IP 20 - <b>Round D120 x H50mm</b> Cut Out 95mm White / Aluminum (Housing) - <b>3 Year Warranty</b> Non CB	5
4	LED	AR30037-A (RFE-0302A)	E-Series - Amir - Down Light Recessed <b>10watt 3000K</b> - CRI 80 845Lumen - Beam Angle 70° 0.5PF 100 To 240V 50/60 Hz IP 20 - <b>Round D120 x H50mm</b> Cut Out 95mm White / Aluminum (Housing) - <b>3 Year Warranty</b> Non CB	5

Seller Signature & Stamp



Buyer Signature & Stamp



5	Driver	AR30039-A (RFE-0304A)	E-Series - Amir - Down Light Recessed <b>20watt 3000K</b> - CRI 80 1809Lumen - Beam Angle 120° 0.5PF 100 To 240V 50/60 Hz IP 20 - <b>Round D170 x H55mm</b> Cut Out 145mm White / Aluminum (Housing) - 500g - <b>3 Year Warranty</b> Non CB	4
6	LED	AR30039-A (RFE-0304A)	E-Series - Amir - Down Light Recessed <b>20watt 3000K</b> - CRI 80 1809Lumen - Beam Angle 120° 0.5PF 100 To 240V 50/60 Hz IP 20 - <b>Round D170 x H55mm</b> Cut Out 145mm White / Aluminum (Housing) - 500g - <b>3 Year Warranty</b> Non CB	4
7	Driver	AR60040-A (RFE-0303A)	E-Series - Amir - Down Light Recessed <b>20watt 6000K</b> - CRI 80 1938Lumen - Beam Angle 120° 0.5PF 100 To 240V 50/60 Hz IP 20 - <b>Round D170 x H55mm</b> Cut Out 145mm White / Aluminum (Housing) - 500g - <b>3 Year Warranty</b> Non CB	5
8	LED	AR60040-A (RFE-0303A)	E-Series - Amir - Down Light Recessed <b>20watt 6000K</b> - CRI 80 1938Lumen - Beam Angle 120° 0.5PF 100 To 240V 50/60 Hz IP 20 - <b>Round D170 x H55mm</b> Cut Out 145mm White / Aluminum (Housing) - 500g - <b>3 Year Warranty</b> Non CB	5
9	Driver	AR30041-A (RFE-0306A)	E-Series - Amir - Down Light Recessed <b>40watt 3000K</b> - CRI 80 3277Lumen - Beam Angle 115° 0.5PF 200 To 240V 50/60 Hz IP 20 - <b>Round D225 x H65mm</b> Cut Out 205mm White / Aluminum (Housing) - <b>3 Year Warranty</b> Non CB	2
10	LED	AR30041-A (RFE-0306A)	E-Series - Amir - Down Light Recessed <b>40watt 3000K</b> - CRI 80 3277Lumen - Beam Angle 115° 0.5PF 200 To 240V 50/60 Hz IP 20 - <b>Round D225 x H65mm</b> Cut Out 205mm White / Aluminum (Housing) - <b>3 Year Warranty</b> Non CB	2
11	Driver	AR60042-A (RFE-0305A)	E-Series - Amir - Down Light Recessed <b>40watt 6000K</b> - CRI 80 3347Lumen - Beam Angle 115° 0.5PF 200 To 240V 50/60 Hz IP 20 - <b>Round D225 x H65mm</b> Cut Out 205mm White / Aluminum (Housing) - <b>3 Year Warranty</b> Non CB	2
12	LED	AR60042-A (RFE-0305A)	E-Series - Amir - Down Light Recessed <b>40watt 6000K</b> - CRI 80 3347Lumen - Beam Angle 115° 0.5PF 200 To 240V 50/60 Hz IP 20 - <b>Round D225 x H65mm</b> Cut Out 205mm White / Aluminum (Housing) - <b>3 Year Warranty</b> Non CB	2
13	Driver	AR30032-A (RFE-0348A)	E-Series - Amir - Down Light CREE LED Recessed <b>8watt 3000K</b> - CRI 80 623Lumen - Beam Angle 50° 0.5PF 200 To 240V 50/60 Hz IP 20 - <b>Round D90 x H50mm</b> Cut Out 75mm White / Aluminum (Housing) - <b>3 Year Warranty</b> Non CB	7
14	LED	AR30032-A (RFE-0348A)	E-Series - Amir - Down Light CREE LED Recessed <b>8watt 3000K</b> - CRI 80 623Lumen - Beam Angle 50° 0.5PF 200 To 240V 50/60 Hz IP 20 - <b>Round D90 x H50mm</b> Cut Out 75mm White / Aluminum (Housing) - <b>3 Year Warranty</b> Non CB	7
15	Driver	AR60034-A (RFE-0347A)	E-Series - Amir - Down Light CREE LED Recessed <b>8watt 6000K</b> - CRI 80 646Lumen - Beam Angle 50° 0.5PF 200 To 240V 50/60 Hz IP 20 - <b>Round D90 x H50mm</b> Cut Out 75mm White / Aluminum (Housing) - <b>3 Year Warranty</b> Non CB	5
16	LED	AR60034-A (RFE-0347A)	E-Series - Amir - Down Light CREE LED Recessed <b>8watt 6000K</b> - CRI 80 646Lumen - Beam Angle 50° 0.5PF 200 To 240V 50/60 Hz IP 20 - <b>Round D90 x H50mm</b> Cut Out 75mm White / Aluminum (Housing) - <b>3 Year Warranty</b> Non CB	5
<b>Total Quantity</b>				<b>70</b>

--- The End ---

**Seller Signature & Stamp**



**Buyer Signature & Stamp**



69248175

5 of 5

Powered By LUMYTIC