

Supply Contract - 供应合同

No: SC-201910210060

Date: 20/10/2021

This contract executed and entered into this 20th day of October, 2021 **Between:**

Seller - 卖方



Jiangxi Ou Rui Lighting Technology Co., Ltd

Reference Name - 参考名称: GJ

江西欧瑞照明科技有限公司

Address - 地址:

地址: 江西省九江市瑞昌市智造小镇(二)区II栋

Contact Person - 联系人: Fan Ling

Website - 网址:

Email - 电子邮件:

Tel - 电话号码: 18273332275

Buyer - 买方



MYGA TRADING LLC

Reference Name - 参考名称: MYGA

Address - 地址: Warehouse #1 100/1, 32C Um Ramool Dubai UAE

Contact Person - 联系人: Echo Chan

Email - 电子邮件: echo.c@atclighting.co

Tel - 电话号码: 008615018796671

Bank Account

The following is our CNY account:

Beneficiary: Jiangxi Ou Rui Lighting Technology Co., Ltd.

Bank Name: Ruichang Branch of Jiujiang Bank Co., Ltd.

Bank Address: Near No. 1 Hongxi Garden, Shifu Road, Ruichang City, Jiujiang City

Account Number: 6222081507001780000

Swift Code:

Supply Contract Summary

Total Amount

Total Volume

¥ 253,800

46.38 m³



27801435

Seller Signature & Stamp



Buyer Signature & Stamp





欧瑞照明科技有限公司
WANSHENG TECHNOLOGY CO., LTD.



MYGA
TRADING LLC

#	买家物品编号 Buyer Item Number	图片 Photo	描述 Description	数量 QTY	单价 Unit Price	数量/箱 QTY /CTN	箱子尺寸 CTN Size (cm)	体积 CTN Volume	箱 CTNs	总体积 Total Volume	总额 Amount
1	LA60067 (RFE-0091)		Lana - Recessed Panel Downlight 18watt 6000K - CRI 70 1458Lumen - 0.5PF 175 - 265V Round D220 x H14.5mm Cut out 205mm White / Aluminum (Housing) - 260g - Warranty 2years Non CB	6,000	¥9.2	20	L47 x W29 x H27	0.04m³	300	11.04m³	¥55200
2	LA60069 (RFE-0246)		Lana - Recessed Panel Downlight 24watt 6000K - CRI 70 1800Lumen - 0.5PF 175 - 265V Round D295 x H10mm Cut out 280mm White / Aluminum (Housing) - Warranty 2years Non CB	2,000	¥18.7	20	L63 x W32 x H35	0.07m³	100	7.06m³	¥37400
3	LA40378		Lana - Surface Panel Downlight 18watt 4000K - CRI 70 1215Lumen - 0.5PF 175 - 265V Round D208 x H28mm White / Aluminum (Housing) - Warranty 2years Non CB	2,000	¥11.6	20	L48 x W37 x H25	0.04m³	100	4.44m³	¥23200
4	LA60076 (RFE-0198)		Lana - Surface Panel Downlight 18watt 6000K - CRI 70 1350Lumen - 0.5PF 175 - 265V Round D208 x H28mm White / Aluminum (Housing) - Warranty 2years Non CB	3,000	¥11.6	20	L48 x W37 x H25	0.04m³	150	6.66m³	¥34800
5	LA60077 (RFE-0196)		Lana - Surface Panel Downlight 18watt 6000K - CRI 70 1350Lumen - 0.5PF 175 - 265V Square W208 x L208 x H28mm Silver / Aluminum (Housing) - Warranty 2years Non CB	2,000	¥13.5	20	L48 x W37 x H25	0.04m³	100	4.44m³	¥27000
6	LA60080 (RFE-0194)		Lana - Surface Panel Downlight 24watt 6000K - CRI 70 1800Lumen - 0.5PF 175 - 265V Round D295 x H28mm White / Aluminum (Housing) - 520g - Warranty 2years Non CB	2,000	¥21.6	20	L62.5 x W37 x H31.5	0.07m³	100	7.28m³	¥43200
7	LA60081 (RFE-0244)		Lana - Surface Panel Downlight 24watt 6000K - CRI 70 1800Lumen - 0.5PF 175 - 265V Square W278 x L278 x H28mm Silver / Aluminum (Housing) - Warranty 2years Non CB	1,500	¥22	20	L62.5 x W37 x H31.5	0.07m³	75	5.46m³	¥33000
Total				18,500					925	46 m³	
Only Two Hundred Fifty Three Thousand Eight Hundred CNY											
¥253,800											

Terms & Conditions

General

Seller Signature & Stamp



Buyer Signature & Stamp



27801435

1. 供方无权转让本合同, 供、需双方必须恪守合同约定, 不得对外揭露合同内容, 如有发生, 一方将追究另一方责任。
The seller shall have no right to transfer this Contract. Both the seller and the buyer shall abide by the contract and shall not disclose the contents of this contract to the outside world. In case of any violation, one party shall hold the other party responsible.

Technical

1. 如返单 卖方不能未经买方确认更改任何原材料 如有更改 买方将有权不提货 卖方返还相应订单的全额定金
For reorder ,the seller cannot change any raw materials without the buyer's confirmation. If change the Buyer will have the right not to take delivery of the goods,and the seller need return whole payments for the corresponding order
2. 太阳花款喷白压铸铝外壳, 面环与封样样品一致, 背板用包边防漏光背板
Sunflower item spray white die cast aluminum shell, face ring is consistent with sealed sample, the back plate is covered with border leakage back plate
3. IP20,发光角度: 120°, 使用寿命: 20000hrs, 工作温度: -20°C 45°C
IP20,Beam angle:120°,Span life: 20000hrs, Working temperature: -20°C~45°C
4. PS 导光板厚度3.0 扩散板厚度1.0
PS LGP thickness 3.0 ,Diffusion plate thickness 1.0
5. 采用木林森25-27lm 的2835灯珠,CRI 70
Use MLS 25-27lm 2835 LED ,CRI>70
6. 采用暗能量非隔离窄压驱动, 175-265V 50/60Hz 驱动线路板带买方logo; 驱动电容是艾华电容, IC是晶丰明源IC,PF:0.5
Use Dark Energy Non-isolated narrow pressure drive,175-265V 50/60Hz Driver PCB have buyer's logo; The driving capacitance is 艾华capacitance, IC is 晶丰明源IC,PF:0.5
7. 用白色 (盖子)+粉色 (底板) 驱动壳 (形状如下图)、粉色扁插, 粉色弹簧, 粉色线扣, 四者 (如下图) 颜色要一样。
Use white (cover) +Pink (baseboard) Driver shell (The shape like the image below) , Pink flat plug, Pink spring, Pink wire clip, Four part (like the image below) color must be same.
8. 外壳材质: 铝, 要求表面光滑平整, 无缝隙、无坑洞、无刮痕、无灰尘、无凸起颗粒, 喷漆均匀无死角覆盖, 无其他任何外观不良; 背板: 铁
Shell material: aluminum, the surface shall be smooth and level, no cracks, no holes, no scratches, no dust, no raised particles, uniform spray paint without dead Angle cover, no other appearance defects; Backboard material: iron
9. 成品点亮光色均匀, 无暗区、黑点、白点; 不漏光;
The light color of the finished product is uniform, without dark areas, black spots and white spots.Not light-leaking;
10. 螺丝必须与面环螺丝孔配套, 打紧;
Screws must be matched with face ring screw holes and be tightened;
11. 功率: 稳定功率低于5%误差
Power: Stable power less than 5% tolerance
12. 色温: 正白6000K 暖白3000K 每批与之前生产批次的色温差不能超过200K
Color temperature: The color difference should not exceed 200K between each batch of white 6000K warm white 3000K and the previous production batch
13. 用粉色扁插, 粉色弹簧, 粉色线扣, 三者 (如下图) 颜色要一样。
Use Pink flat plug, Pink spring, Pink wire clip, three part (like the image below) color must be same.
14. 外壳材质: 铝,

Seller Signature & Stamp

卖方签名和盖章



Buyer Signature & Stamp

买家签名和盖章



27801435



欧宝照明科技有限公司
OUBAO LIGHTING TECHNOLOGY CO., LTD.



要求表面光滑平整，无缝隙、无坑洞、无刮痕、无灰尘、无凸起颗粒，喷漆均匀无死角覆盖，无其他任何外观不良；背板：铁
Shell material: aluminum, the surface shall be smooth and level, no cracks, no holes, no scratches, no dust, no raised particles, uniform spray paint without dead Angle cover, no other appearance defects; Backboard material: iron

Delivery & Payment

1. 交期：收到定金后30天

Delivery Date: 30 days in receipt of deposit

2. 在确认订单后付20%，见提单付款，10万的货款账单支持

Deposit 20% in advance, cash against document, support to credit 100000rmb

3. 卖方负责发货到买方均安仓，若需卖方从均安送到指定的收货地址，运费由买方承担。

The seller shall deliver the goods to the buyer's warehouse. If need the seller deliver the goods from buyer's warehouse to the designated delivery address, the freight shall be borne by the Buyer.

Production & Packaging

1. 产品不能有任何卖方信息或检验标志或中文

Product can not have any seller's information or inspect mark or Chinese

2. 产品的各个部位及外箱彩盒等包装要保持洁净，如果不洁必须返工

Package and all part of product need keep clean, if not must rework.

3. 卖方提供货物包装必须符合防潮、防震、不易破损等要求，维护材料品质。

The seller shall provide the packing of the goods in accordance with the requirements of moisture-proof, shockproof and unbreakable, and maintain the quality of the materials.

4. 品牌：Rafeed

Brand: Rafeed

5. 弹簧要装在灯体上打包，一灯一个彩盒；每箱装灯个数按订单要求

Spring to be installed in the light body, one light one color box; Quantity of lights per carton according to order requirement

6. 以上单价按买方生产标准及包装要求单价，若订单中有增加已有标准外的工序如贴标、彩盒上勾选等，产生的成本将面谈；包装要求见另一个表格

The above unit price shall be the unit price according to the buyer's production standard and packaging requirements. If there are additional procedures beyond the existing standards, such as labeling and tick off on the color box, etc. in the order, the cost incurred will be discussed. See another form for packing requirements

7. 本合同的交货产品为卖方根据买方提供的品牌进行生产，供方无权将其完工产品擅自销售给第三方。

The delivered products under this Contract shall be produced by the seller according to the brand provided by the buyer, and the seller shall have no right to sell the finished products to a third party without authorization.

Warranty & Inspection

1. 此订单需提供成品数量的千分之二灯条、驱动备件；如出现大批量质量问题且备件不足维修，卖方需免费提供相应数量的备件并承担国际运费，备件如不急将随货柜走无需国际运费。


This order needs to provide two thousandths of the finished product quantity of PCB and drive spare parts; In case of mass quality problems and insufficient maintenance of spare parts, the seller shall provide the corresponding quantity of spare parts free of charge and bear international freight. Spare parts if not urgent, will load with the container without international freight.

2. 质保两年，卖方所供产品在出货之日起质保期内如出现质量问题（非人为操作不当除外），供方负责免费维修或更换；如短期内出现大批

Seller Signature & Stamp



Buyer Signature & Stamp



27801435

质量问题, 供方需承担由此产生的一切费用。

Two years warranty . If any quality problem occurs within the warranty period from the date of shipment (except improper operation), the supplier shall repair or replace the products free of charge.If a large quantity of quality problems occur in a short period of time, the supplier shall bear all the costs arising therefrom.

3. 卖方必须保证所送货品符合买方要求, 以承认书或封样的样品为标准保证产品质量。

The seller must guarantee that the goods are in conformity with the buyer's requirements and the quality of the products shall be guaranteed by the acceptance letter or the sample of the sealed sample.

4. 产品验收: 买方在采用点数\称重\试组装\目测外观等方法检验, 如发现不符合合同规定或存在品质问题, 卖方需全额退还订金

Product inspection:when Buyer inspect the goods by count/weight/try to assemble/visual appearance/Test by machine and so on. If find any part not meet the contract requirement or have quality problem, seller have to return full amount deposit

Spare Parts

#	Spare Part Type	Item Number	Item Description	QTY
1	Driver	LA60067 (RFE-0091)	Lana - Recessed Panel Downlight 18watt 6000K - CRI 70 1458Lumen - 0.5PF 175 - 265V Round D220 x H14.5mm Cut out 205mm White / Aluminum (Housing) - 260g - Warranty 2years Non CB	12
2	LED	LA60067 (RFE-0091)	Lana - Recessed Panel Downlight 18watt 6000K - CRI 70 1458Lumen - 0.5PF 175 - 265V Round D220 x H14.5mm Cut out 205mm White / Aluminum (Housing) - 260g - Warranty 2years Non CB	12
3	Driver	LA60076 (RFE-0198)	Lana - Surface Panel Downlight 18watt 6000K - CRI 70 1350Lumen - 0.5PF 175 - 265V Round D208 x H28mm White / Aluminum (Housing) - Warranty 2years Non CB	6
4	LED	LA60076 (RFE-0198)	Lana - Surface Panel Downlight 18watt 6000K - CRI 70 1350Lumen - 0.5PF 175 - 265V Round D208 x H28mm White / Aluminum (Housing) - Warranty 2years Non CB	6
5	Driver	LA60081 (RFE-0244)	Lana - Surface Panel Downlight 24watt 6000K - CRI 70 1800Lumen - 0.5PF 175 - 265V Square W278 x L278 x H28mm Silver / Aluminum (Housing) - Warranty 2years Non CB	3
6	LED	LA60081 (RFE-0244)	Lana - Surface Panel Downlight 24watt 6000K - CRI 70 1800Lumen - 0.5PF 175 - 265V Square W278 x L278 x H28mm Silver / Aluminum (Housing) - Warranty 2years Non CB	3
7	Driver	LA40378	Lana - Surface Panel Downlight 18watt 4000K - CRI 70 1215Lumen - 0.5PF 175 - 265V Round D208 x H28mm White / Aluminum (Housing) - Warranty 2years Non CB	4
8	LED	LA40378	Lana - Surface Panel Downlight 18watt 4000K - CRI 70 1215Lumen - 0.5PF 175 - 265V Round D208 x H28mm White / Aluminum (Housing) - Warranty 2years Non CB	4
Total Quantity				50

--- The End ---

Seller Signature & Stamp



Buyer Signature & Stamp

